

DAFTAR ISI

LEMBAR PENGESAHAN.....	ii
LEMBAR PERNYATAAN ORISINALITAS.....	iii
ABSTRAK	iv
ABSTRACT	v
KATA PENGANTAR.....	vi
UCAPAN TERIMAKASIH	vii
LAMPIRAN	ix
DAFTAR ISI	x
DAFTAR GAMBAR.....	xiv
DAFTAR TABEL	xvi
DAFTAR SINGKATAN.....	xviii
DAFTAR ISTILAH.....	xx
BAB I PENDAHULUAN	1
1.1 Latar Belakang	1
1.2 Tujuan dan Manfaat	2
1.3 Rumusan Masalah.....	3
1.4 Batasan Masalah	3
1.5 Metodologi.....	4
1.6 Sistematika Penulisan	4
BAB II DASAR TEORI.....	6
2.1 Spesifikasi LTE ^[12]	6
2.2 Penggunaan Spektrum Frekuensi LTE	7
2.3 Frekuensi LTE FDD	8
2.4 Konsep <i>Duplexing</i>	9
2.4.1 FDD (<i>Frequency Division Duplexing</i>)	9
2.5 IBC (<i>Indoor Building Coverage</i>)	10
2.5.1 Kondisi Propagasi	11
2.5.2 Perencanaan Jaringan <i>Indoor</i>	11
2.6 <i>Distribution Antenna system</i>	12

2.7 Coverage Planning	16
2.7.1 Link Budget.....	16
2.7.2 Loss (rugi-rugi)	17
2.7.3 EIRP (<i>EFFECTIVE ISOTROPIC RADIATED POWER</i>)	17
2.7.4 MAPL (<i>Maximum Allowabel Path Loss</i>).....	17
2.7.5 Model Propagasi <i>Indoor</i>	18
2.7.6 Perhitungan Luas <i>Cell</i>	19
2.7.7 Jumlah Antena	20
2.8 Capacity Planning	20
2.8.1 <i>Estimasi User</i>	20
2.8.2 <i>Service and Traffic Model Parameter</i>	21
2.8.3 <i>Peak to Average Ratio</i>	22
2.8.4 <i>Single User Throughput</i>	22
2.8.5 <i>Network Throughput</i>	22
2.8.6 <i>Single Site Capacity</i>	23
2.8.7 Jumlah <i>Cell</i>	23
2.9 Parameter <i>Radio Frequency (RF) LTE</i>	24
2.9.1 <i>RSRP (Reference Signal Received Power)</i>	24
2.9.2 <i>SINR (Signal to Interference Noise Ratio)</i>	24
2.10 TEMS Pocket.....	25
2.11 RPS (<i>Radio Propagation Simulator</i>)	25
2.12 Simbol Perangkat	25
BAB III PERENCANAAN	27
3.1 Deskripsi Proyek Akhir.....	27
3.2 Perencanaan <i>Indoor Building Coverage</i>	27
3.3 Pengumpulan Data dan Survei Gedung	30
3.3.1 Penentuan Daerah Tinjauan.....	32
3.3.2 Desain Layout Gedung	33
3.4 <i>Initial Walk test</i>	33
3.5 Analisa dan <i>Reporting Hasil initial Walk test</i>	34
3.6 <i>Initial Drive Test</i>	35
3.7 Analisa dan <i>Reporting Hasil Drive Test</i>	36
3.8 Capacity Planning	37

3.8.1	<i>Estimasi User</i>	38
3.8.2	<i>Traffic Model Analysis</i>	39
3.8.3	<i>Service and Traffic Model Parameter</i>	39
3.8.4	<i>Single User Throughput</i>	41
3.8.5	<i>Network Throughput</i>	41
3.8.6	<i>Single Site Capacity</i>	42
3.8.7	<i>Jumlah Cell</i>	44
3.9	<i>Coverage Planning</i>	45
3.9.1	Persiapan Map dan Luas Gedung	46
3.9.2	<i>Link Budget</i>	46
3.9.3	EIRP (<i>EFFECTIVE ISOTROPIC RADIATED POWER</i>).....	48
3.9.4	Perhitungan <i>Cost-231 Multi-Wall Model</i>	48
3.9.5	Perhitungan Jumlah Antena.....	49
3.10	Penentuan Letak Perangkat Aktif dan Pasif.....	50
3.11	Penentuan Jumlah Antena.....	50
3.12	Diagram <i>Wiring</i>	51
BAB IV SIMULASI DAN ANALISIS HASIL PERENCANAAN		53
4.1	Deskripsi	53
4.2	Simulasi Perancangan	53
4.2.1	Simulasi RSRP	54
4.2.2	Simulasi SINR	59
4.3	Analisis Simulasi	65
BAB V PENUTUP		67
5.1	Kesimpulan	67
5.2	Saran	68
DAFTAR PUSTAKA.....		69