

DAFTAR PUSTAKA

- Abramowicz, W. (1983). The Effective Crushing Distance in Axially Compressed Thin-Walled, (3), 309–317.
- Alkhatib, S. E., Tarlochan, F., Hashem, A., & Sassi, S. (2018). Collapse behavior of thin-walled corrugated tapered tubes under oblique impact. *Thin-Walled Structures*, 122(November 2017), 510–528. <https://doi.org/10.1016/j.tws.2017.10.044>
- Assakkaf, D. I. a. (2003). Columns: buckling (pinned ends) •. *Mechanics of Materials*.
- Avalle, M., & Goglio, L. (2015). Static lateral compression of aluminium tubes : strain gauge measurements and discussion of, 32(5), 335–343.
- Bambach, M. R., & Elchalakani, M. (2007). Plastic mechanism analysis of steel SHS strengthened with CFRP under large axial deformation, 45, 159–170. <https://doi.org/10.1016/j.tws.2007.02.004>
- Baroutaji, A., Sajjia, M., & Olabi, A. G. (2017). On the crashworthiness performance of thin-walled energy absorbers: Recent advances and future developments. *Thin-Walled Structures*, 118(May), 137–163. <https://doi.org/10.1016/j.tws.2017.05.018>
- Bois, P. D., Chou, C. C., Fileta, B. B., King, A. I., & Mahmood, H. F. (2004). Vehicle crashworthiness and occupant protection. *American Iron and Steel Institute*, 372. <https://doi.org/10.1121/1.2783205>
- Boria, S. (2016). *Lightweight Design and Crash Analysis of Composites. Lightweight Composite Structures in Transport: Design, Manufacturing, Analysis and Performance*. Elsevier Ltd. <https://doi.org/10.1016/B978-1-78242-325-6.00013-X>

- Børvik, T., Hopperstad, O. S., Reyes, A., & Langseth, M. (2003). Empty and foam-filled circular aluminium tubes subjected to axial and oblique quasi-static loading, *8*(5), 481–494.
- Brown, T., James, S. J., & Purnell, G. L. (2005). Cutting forces in foods: Experimental measurements. *Journal of Food Engineering*, *70*(2), 165–170. <https://doi.org/10.1016/j.jfoodeng.2004.09.022>
- Bussadori, B. P., Schuffenhauer, K., & Scattina, A. (2014). Modelling of CFRP crushing structures in explicit crash analysis. *Composites Part B: Engineering*, *60*, 725–735. <https://doi.org/10.1016/j.compositesb.2014.01.020>
- CDK Global Recreation. (2016). UTVs increase unit share gains since 2012. *Powersports Business*,*19*(4).
- Crolla, D. A. (2009). *Automotive engineering: powertrain, chasis system and vehicle body*. Elsevier publications and Book AID International. <https://doi.org/10.1007/s13398-014-0173-7.2>
- Deng, X., & Liu, W. (2019). Crushing analysis and multi-objective crashworthiness optimization of multi-cell conical tube subjected to oblique loading. *Advances in Mechanical Engineering*, *11*(1), 1–20. <https://doi.org/10.1177/1687814018824467>
- DJAMALUDDINA, F. ., ABDULLAHB, S. ., & ARIFFINC, A. K.; NOPIAHD, Z. M. (2015). Multi objective optimization of foam-filled circular tubes for quasi-static and dynamic responses. *Latin American Journal of Solids and Structures*, *12*(1), 1126–1142.
- Duan, C. Z., Yu, H. Y., Cai, Y. J., & Li, Y. Y. (2010). Finite Element Simulation and Experiment of Chip Formation during High Speed Cutting of Hardened Steel. *Applied Mechanics and Materials*, *29–32*(5), 1838–1843.

<https://doi.org/10.4028/www.scientific.net/amm.29-32.1838>

Etdition, F., & Mott, R. L. (n.d.). *Machine Element Design*, Mott.
[https://doi.org/10.1016/0301-679X\(87\)90097-1](https://doi.org/10.1016/0301-679X(87)90097-1)

Faik, S., & Witteman, H. (2000). Modeling of Impact Dynamics : A Literature Survey. *International ADAMS User Conference*, 1–11.
<https://doi.org/10.1029/2002GB002010>

Fang, J., Sun, G., Qiu, N., Kim, N. H., & Li, Q. (2016). On design optimization for structural crashworthiness and its state of the art. *Structural and Multidisciplinary Optimization*. <https://doi.org/10.1007/s00158-016-1579-y>

Faulina, R., Andari, S., & Anggraeni, D. (2011). Response Surface Methodology (Rsm) Dan Aplikasinya. *Magister of Statistics Its*.

Gao, Q., Qi, K., Lei, Y., & He, Z. (2005). An improved genetic algorithm and its application in artificial neural network training. *2005 Fifth International Conference on Information, Communications and Signal Processing*, 2005(1), 337–346.

Gao, Qiang, Wang, L., Wang, Y., & Wang, C. (2016). Crushing analysis and multiobjective crashworthiness optimization of foam-filled ellipse tubes under oblique impact loading. *Thin-Walled Structures*, 100, 105–112.
<https://doi.org/10.1016/j.tws.2015.11.020>

Goldsmith, W. (2001). *IMPACT, The theory and physical behavior of colliding solids*. Dover Publications.

Heni, I. putri. (2017). Analisis Dan Perbaikan Rancangan Material Handling Equipment Aktivitas Pemindahan Kayu Menggunakan Pendekatan Ergonomic Function Deployment Pada Pt . Perkebunan Nusantara Viii. Bandung.

- Hou, S., Li, Q., Long, S., Yang, X., & Li, W. (2007). Design optimization of regular hexagonal thin-walled columns with crashworthiness criteria. *Finite Elements in Analysis and Design*, 43(6–7), 555–565. <https://doi.org/10.1016/j.finel.2006.12.008>
- Hsu, S. S., & Jones, N. (2004). Quasi-static and dynamic axial crushing of thin-walled circular stainless steel , mild steel S S Hsu and N Jones, 9(2), 195–217. <https://doi.org/10.1533/ijcr.2004.0282>
- Ingole, N. K., & Bhope, D. V. (2011). Stress analysis of tractor trailer chassis for self weight reduction. *International Journal of Engineering Science and Technology (IJEST)*, 3(9), 7218–7225.
- Jennissen, C. A., Harland, K. K., & Denning, G. M. (2016). Characteristics of side-by-side vehicle crashes and related injuries as determined using newspaper reports from nine U.S. States. *Safety*, 2, 12p. <https://doi.org/10.3390/safety2020010>
- Jones, N. (1984). Dynamic axial crushing of circular tubes, 2(3), 263–281.
- Jones, N. (2003). Several phenomena in structural impact and structural crashworthiness. *European Journal of Mechanics, A/Solids*, 22(5), 693–707. [https://doi.org/10.1016/S0997-7538\(03\)00077-9](https://doi.org/10.1016/S0997-7538(03)00077-9)
- Kamel, H., Sedaghati, R., & Medraj, M. (2011). Crashworthiness improvement of a pickup truck's chassis frame using the Pareto-Front and genetic algorithm. *International Journal of Heavy Vehicle Systems*, 18(1), 83. <https://doi.org/10.1504/IJHVS.2011.037961>
- Khas, H. (1993). Effect Of Annealing, Size and Cut-Out On Axial Collapse Behaviour Of Circular Tubes N. K. GUPXA* and S. K. GVPTA*, 35(7).

- Liu, Y., & Day, M. L. (2007). Development of simplified thin-walled beam models for crashworthiness analyses. *International Journal of Crashworthiness*, 12(6), 597–608. <https://doi.org/10.1080/13588260701497888>
- Liu, Yucheng. (2008). Thin-Walled Structures Crashworthiness design of multi-corner thin-walled columns, 46, 1329–1337. <https://doi.org/10.1016/j.tws.2008.04.003>
- Lu, G., & Yu, T. (2011). Energy absorption of structures and materials. *Energy Absorption of Structures and Materials*, 1–24. <https://doi.org/10.1533/9781855738584.1>
- Maida, J. (2016). All-terrain Vehicle Market Will Witness Steady Growth Rate of 8 % Owing to the Rising Off-road Recreation Activities. Technavio.
- Marsolek, J., & Reimerdes, H. G. (2004). Energy absorption of metallic cylindrical shells with induced non-axisymmetric folding patterns. *International Journal of Impact Engineering*, 30(8–9), 1209–1223. <https://doi.org/10.1016/j.ijimpeng.2004.06.006>
- Montgomery, D. C. (2012). *Design and Analysis of Experiments Eighth Edition* (Eighth Edi). Arizona State: John Wiley & Sons, Inc.
- Mott, R. . (1987). Machine elements in mechanical design. *Tribology International*.
- Myers, R. H., Montgomery, D. C., & Anderson, C. M. (2009). *Response Surface Methodology*. Hoboken, New Jersey Published: John Wiley & Sons, Inc.
- Niknejad, A., & Rahmani, D. M. (2014). Experimental and theoretical study of the lateral compression process on the empty and foam-filled hexagonal columns. *Materials and Design*, 53, 250–261. <https://doi.org/10.1016/j.matdes.2013.06.077>

- Olabi, A. G., Morris, E., Hashmi, M. S. J., & Gilchrist, M. D. (2008). Optimised design of nested circular tube energy absorbers under lateral impact loading. *International Journal of Mechanical Sciences*, 50(1), 104–116. <https://doi.org/10.1016/j.ijmecsci.2007.04.005>
- Qin, H., Guo, Y., Liu, Z., Liu, Y., & Zhong, H. (2018). Shape optimization of automotive body frame using an improved genetic algorithm optimizer. *Advances in Engineering Software*, 121(November 2017), 235–249. <https://doi.org/10.1016/j.advengsoft.2018.03.015>
- Qiu, N., Gao, Y., Fang, J., Feng, Z., Sun, G., & Li, Q. (2015). Crashworthiness analysis and design of multi-cell hexagonal columns under multiple loading cases. *Finite Elements in Analysis and Design*, 104, 89–101. <https://doi.org/10.1016/j.finel.2015.06.004>
- Salehghaffari, S., Rais-rohani, M., & Najafi, A. (2011). Thin-Walled Structures Analysis and optimization of externally stiffened crush tubes. *Thin Walled Structures*, 49(3), 397–408. <https://doi.org/10.1016/j.tws.2010.11.010>
- Samer, F., Tarlochan, F., Khalid, K., Hamouda, A. M. S., & Ramesh, S. (2013). Design of thin wall structures for energy absorption applications: Enhancement of crashworthiness due to axial and oblique impact forces. *Thin-Walled Structures*, 71, 7–17. <https://doi.org/10.1016/j.tws.2013.04.003>
- Sani, M. S. M., Arbain, M. T., Noor, M. M., Ming, G. L., Zohari, M. H., Nizwan, C. K. E., & Mon, T. T. (2009). Stress Analysis and Modal Transient Response of Car Chassis. *Mechanical Engineering*, (April 2014), 7–12.
- Schuldt, S., Schneider, Y., & Rohm, H. (2018). High-speed cutting of foods: Cutting behavior and initial cutting forces. *Journal of Food Engineering*, 230, 55–62. <https://doi.org/10.1016/j.jfoodeng.2018.02.024>

- Smith, C. (2018). Utility Task Vehicles (UTV) Market is Expected to Grow at the CAGR of 6 . 7 % During 2018-2026 : Credence Research, 7–9.
- Song, H. W., Du, X. W., & Zhao, G. F. (2002). Energy absorption behavior of double-chamfer triggered glass/epoxy circular tubes. *Journal of Composite Materials*, 36(18), 2183–2198. <https://doi.org/10.1177/0021998302036018515>
- V, P. V., & Patel, P. R. I. (2012). Structural Analysis of Automotive Chassis Frame and Design Modification for Weight Reduction, 1(3), 1–6.
- Wang, P., Zheng, Q., Fan, H., Sun, F., Jin, F., & Qu, Z. (2015). Quasi-static crushing behaviors and plastic analysis of thin-walled triangular tubes. *JCSR*, 106, 35–43. <https://doi.org/10.1016/j.jcsr.2014.12.004>
- Witteman, W. J. (1999). *Improved Vehicle Crashworthiness Design by Control of the Energy Absorption for Different Collision Situations*, Thesis, 1999, Eindhoven University of Technology, ISBN 90-386-0880-2. <https://doi.org/10.6100/IR518429>
- Zainuddin, A., Asmarantaka, R. W., & Harianto, H. (2018). Integrasi Harga Daging Sapi Di Pasar Domestik Dan Internasional. *Buletin Ilmiah Litbang Perdagangan*, 9(2), 109. <https://doi.org/10.30908/bilp.v9i2.4>
- Zhang, X., Wen, Z., & Zhang, H. (2014). Thin-Walled Structures Axial crushing and optimal design of square tubes with graded thickness. *Thin Walled Structures*, 84, 263–274. <https://doi.org/10.1016/j.tws.2014.07.004>
- Zhou, Y., Lan, F., & Chen, J. (2011). Crashworthiness research on S-shaped front rails made of steelaluminum hybrid materials. *Thin-Walled Structures*, 49(2), 291–297. <https://doi.org/10.1016/j.tws.2010.10.007>