

## DAFTAR PUSTAKA

- [1] H. Chen, H. P. van den Boom, E. Tangdiongga, and T. Koonen, “30-gb/s bidirectional transparent optical transmission with an mmf access and an indoor optical wireless link,” *IEEE Photonics Technology Letters*, vol. 24, no. 7, pp. 572–574, 2012.
- [2] A. Mahdy and J. S. Deogun, “Wireless optical communications: a survey,” in *2004 IEEE Wireless Communications and Networking Conference (IEEE Cat. No. 04TH8733)*, vol. 4. IEEE, 2004, pp. 2399–2404.
- [3] Z. Ghassemlooy, S. Arnon, M. Uysal, Z. Xu, and J. Cheng, “Emerging optical wireless communications-advances and challenges,” *IEEE journal on selected areas in communications*, vol. 33, no. 9, pp. 1738–1749, 2015.
- [4] Z. Ghassemlooy, W. Popoola, and S. Rajbhandari, *Optical wireless communications: system and channel modelling with Matlab®*. CRC press, 2019.
- [5] J. Dang and Z. Zhang, “Comparison of optical ofdm-idma and optical ofdma for uplink visible light communications,” in *2012 International Conference on Wireless Communications and Signal Processing (WCSP)*. IEEE, 2012, pp. 1–6.
- [6] S. Dimitrov, S. Sinanovic, and H. Haas, “Clipping noise in ofdm-based optical wireless communication systems,” *IEEE Transactions on Communications*, vol. 60, no. 4, pp. 1072–1081, 2012.
- [7] Y. Liu, Z. Qin, M. Elkashlan, Z. Ding, A. Nallanathan, and L. Hanzo, “Non-orthogonal multiple access for 5g and beyond,” *arXiv preprint arXiv:1808.00277*, 2018.

- [8] H. Marshoud, V. M. Kapinas, G. K. Karagiannidis, and S. Muhaidat, “Non-orthogonal multiple access for visible light communications,” *IEEE photonics technology letters*, vol. 28, no. 1, pp. 51–54, 2015.
- [9] Q. Li, T. Shang, T. Tang, and Z. Dong, “Optimal power allocation scheme based on multi-factor control in indoor noma-vlc systems,” *IEEE Access*, vol. 7, pp. 82 878–82 887, 2019.
- [10] D. Yulian, D. Darlis, and S. Aulia, “Perancangan dan implementasi perangkat visible light communication sebagai transceiver video,” *Jurnal Elektro dan Telekomunikasi Terapan*, vol. 2, no. 2, 2015.
- [11] W. Shin, M. Vaezi, B. Lee, D. J. Love, J. Lee, and H. V. Poor, “Non-orthogonal multiple access in multi-cell networks: Theory, performance, and practical challenges,” *IEEE Communications Magazine*, vol. 55, no. 10, pp. 176–183, 2017.
- [12] A. Benjebbour, Y. Saito, Y. Kishiyama, A. Li, A. Harada, and T. Nakamura, “Concept and practical considerations of non-orthogonal multiple access (noma) for future radio access,” in *2013 International Symposium on Intelligent Signal Processing and Communication Systems*. IEEE, 2013, pp. 770–774.
- [13] S. Tao, H. Yu, Q. Li, and Y. Tang, “Performance analysis of gain ratio power allocation strategies for non-orthogonal multiple access in indoor visible light communication networks,” *EURASIP Journal on Wireless Communications and Networking*, vol. 2018, no. 1, p. 154, 2018.
- [14] S. Sen, N. Santhapuri, R. R. Choudhury, and S. Nelakuditi, “Successive interference cancellation: A back-of-the-envelope perspective,” in *Proceedings of the 9th ACM SIGCOMM Workshop on Hot Topics in Networks*, ser. Hotnets-IX. New York, NY, USA: Association for Computing Machinery, 2010. [Online]. Available: <https://doi.org/10.1145/1868447.1868464>