

- [1] H. Salehinejad, S. Sankar, J. Barfett, E. Colak, and S. Valaee, "Recent Advances in Recurrent Neural Networks," pp. 1–21, 2017.
- [2] A. A. Nugraha, A. Arifianto, and Suyanto, "Generating Image Description on Indonesian Language using Convolutional Neural Network and Gated Recurrent Unit," in *2019 7th International Conference on Information and Communication Technology (ICoICT)*, Jul. 2019, pp. 1–6, doi: <https://doi.org/10.1109/ICoICT.2019.8835370>.
- [3] A. Prayitno and S. Suyanto, "Segment Repetition Based on High Amplitude to Enhance a Speech Emotion Recognition," *Procedia Comput. Sci.*, vol. 157, pp. 420–426, 2019, doi: <https://doi.org/10.1016/j.procs.2019.08.234>.
- [4] Z. C. Lipton, J. Berkowitz, and C. Elkan, "A Critical Review of Recurrent Neural Networks for Sequence Learning," pp. 1–38, 2015.
- [5] R. Adelia, S. Suyanto, and U. N. Wisesty, "Indonesian Abstractive Text Summarization Using Bidirectional Gated Recurrent Unit," *Procedia Comput. Sci.*, vol. 157, pp. 581–588, 2019, doi: <https://doi.org/10.1016/j.procs.2019.09.017>.
- [6] P. M. Hanunggul and S. Suyanto, "The Impact of Local Attention in LSTM for Abstractive Text Summarization," in *2019 International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, Dec. 2019, pp. 54–57, doi: <https://doi.org/10.1109/ISRITI48646.2019.9034616>.
- [7] H. S. Nugraha and S. Suyanto, "Typographic-Based Data Augmentation to Improve a Question Retrieval in Short Dialogue System," in *2019 International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, Dec. 2019, pp. 44–49, doi: <https://doi.org/10.1109/ISRITI48646.2019.9034594>.
- [8] M. H. Toding Bunga and S. Suyanto, "Developing a Complete Dialogue System Using Long Short-Term Memory," in *2019 International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, Dec. 2019, pp. 326–329, doi: <https://doi.org/10.1109/ISRITI48646.2019.9034567>.
- [9] Y. W. Chandra and S. Suyanto, "Indonesian Chatbot of University Admission Using a Question Answering System Based on Sequence-to-Sequence Model," *Procedia Comput. Sci.*, vol. 157, pp. 367–374, 2019, doi: <https://doi.org/10.1016/j.procs.2019.08.179>.
- [10] T. Elsken, J. H. Metzen, and F. Hutter, "Neural Architecture Search," pp. 63–77, 2019, doi: [10.1007/978-3-030-05318-5\\_3](https://doi.org/10.1007/978-3-030-05318-5_3).
- [11] A. Thengade and R. Dondal, "Genetic Algorithm – Survey Paper," *MPGI Natl. Multi Conf. Int. J. Comput. Appl.*, no. March, pp. 975–8887, 2012.
- [12] Suyanto, *An informed genetic algorithm for university course and student timetabling problems*, vol. 6114 LNAI, no. PART 2. 2010, doi: [https://doi.org/10.1007/978-3-642-13232-2\\_28](https://doi.org/10.1007/978-3-642-13232-2_28).
- [13] R. M. Karim and S. Suyanto, "Optimizing Parameters of Automatic Speech Segmentation into Syllable Units," *Int. J. Intell. Syst. Appl.*, vol. 11, no. 5, pp. 9–17, 2019, doi: <https://doi.org/10.5815/ijisa.2019.05.02>.
- [14] N. R. Emillia, Suyanto, and W. Maharani, "Isolated word recognition using ergodic hidden markov models and genetic algorithm," *Telkomnika*, vol. 10, no. 1, pp. 129–136, 2012, doi: <https://doi.org/10.12928/telkomnika.v10i1.769>.
- [15] H. R. Ahmed and J. I. Glasgow, "Swarm Intelligence: Concepts, Models and Applications," *Queen's Univ. Sch. Comput. Tech. Reports*, vol. 585, no. February, pp. 1–50, 2012, doi: [10.13140/2.1.1320.2568](https://doi.org/10.13140/2.1.1320.2568).
- [16] A. P. Pertwi and Suyanto, "Globally Evolved Dynamic Bee Colony Optimization," in *International Conference on Knowledge-Based and Intelligent Information and Engineering Systems, 12–14 September 2011, Published in Part I, LNAI vol. 6881, pp. 52–61, Springer-Verlag Berlin Heidelberg 2011, Print ISBN: 978-3-642-23*, 2011, no. 1, pp. 52–61, doi: [https://doi.org/10.1007/978-3-642-23851-2\\_6](https://doi.org/10.1007/978-3-642-23851-2_6).
- [17] V. Clarissa and S. Suyanto, "New Reward-Based Movement to Improve Globally-Evolved BCO in Nurse Rostering Problem," in *2019 International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, Dec. 2019, pp. 114–117, doi: <https://doi.org/10.1109/ISRITI48646.2019.9034669>.
- [18] F. Ghaisani and S. Suyanto, "Discrete Firefly Algorithm for an Examination Timetabling," in *2019 International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, Dec. 2019, pp. 1–4, doi: <https://doi.org/10.1109/ISRITI48646.2019.9034668>.
- [19] U. Abdillah and S. Suyanto, "Clustering Nodes and Discretizing Movement to Increase the Effectiveness of HEFA for a CVRP," *Int. J. Adv. Comput. Sci. Appl.*, vol. 11, no. 4, pp. 774–779, 2020, doi: <https://dx.doi.org/10.14569/IJACSA.2020.01104100>.
- [20] G. K. Jati and S. Suyanto, "Evolutionary Discrete Firefly Algorithm for Travelling Salesman Problem," in *Adaptive and Intelligent Systems: Second International Conference, ICAIS 2011, Klagenfurt, Austria, September 6–8, 2011*, 2011, no. 1, pp. 393–403, doi: [https://doi.org/10.1007/978-3-642-23857-4\\_38](https://doi.org/10.1007/978-3-642-23857-4_38).
- [21] G. K. Jati and S. Suyanto, "Discrete Cuckoo Search for Traveling Salesman Problem," 2014, doi: <https://doi.org/10.1007/s00521-013-1402-2>.
- [22] G. K. Jati, R. Manurung, and Suyanto, *Discrete Firefly Algorithm for Traveling Salesman Problem: A New Movement Scheme*. Elsevier Inc., 2013, doi: <http://dx.doi.org/10.1016/B978-0-12-405163-8.00013-2>.
- [23] K. O. Stanley and R. Miikkulainen, "Evolving neural networks through augmenting topologies," *Evol. Comput.*, vol. 10, no. 2, pp. 99–127, 2002, doi: [10.1162/106365602320169811](https://doi.org/10.1162/106365602320169811).
- [24] K. Park, D. Shin, and S. Chi, "Variable Chromosome Genetic Algorithm for Structure Learning in Neural Networks to Imitate Human Brain," *Appl. Sci.*, vol. 9, no. 15, p. 3176, 2019, doi: [10.3390/app9153176](https://doi.org/10.3390/app9153176).
- [25] P. Bajpai, "Genetic Algorithm – an Approach to Solve Global Optimization Problems," vol. 1, no. 3, pp. 199–206.
- [26] A. Bajpai and A. Arya, "International Journal of Computer Sciences and Engineering Open Access Big Data Analytics in Cyber Security," no. October, 2018.
- [27] H. Stringer, "Behavior Of Variable-length Genetic Algorithms Under Random Selection," 2007.
- [28] M. Karafi and J. H. Cernock, "Recurrent neural network based language model.Pdf," no. September, pp. 1045–1048, 2010, doi: [10.1021/jp056727x](https://doi.org/10.1021/jp056727x).

- [29] T. Mikolov, A. Deoras, S. Kombrink, L. Burget, and J. H. Černocký, "Empirical evaluation and combination of advanced language modeling techniques," *Proc. Annu. Conf. Int. Speech Commun. Assoc. INTERSPEECH*, no. August, pp. 605–608, 2011.
- [30] T. Mikolov, A. Deoras, D. Povey, L. Burget, and J. Černocký, "Strategies for training large scale neural network language models," *2011 IEEE Work. Autom. Speech Recognit. Understanding, ASRU 2011, Proc.*, pp. 196–201, 2011, doi: 10.1109/ASRU.2011.6163930.
- [31] B. Zoph and Q. V Le, "Neural Architecture Search With RL," *Iclr 2018*, vol. 32, pp. 1–16, 2017, doi: 10.1101/j.knosys.2015.01.010.
- [32] H. Pham, M. Y. Guan, B. Zoph, Q. V. Le, and J. Dean, "Efficient Neural Architecture Search via parameter Sharing," *35th Int. Conf. Mach. Learn. ICML 2018*, vol. 9, pp. 6522–6531, 2018.
- [33] R. Luo, F. Tian, T. Qin, E. Chen, and T. Y. Liu, "Neural architecture optimization," *Adv. Neural Inf. Process. Syst.*, vol. 2018-Decem, no. NeurIPS, pp. 7816–7827, 2018.
- [34] I. N. G. P. E. P. Rediction, "a Ccelerating N Eural a Rchitecture S Earch Us -," vol. 2, pp. 1–16, 2018.
- [35] G. Miller and P. Todd, "Neural Networks using Genetic Algorithms," *Int. J. Comput. Appl.*, vol. 77, no. 14, pp. 6–11, 2013, doi: 10.5120/13549-1153.
- [36] J. R. Koza, D. Genetic Programming Conference (1st : 1996 : Stanford University), and L. Pyeatt, "A comparison between cellular encoding and direct encoding for genetic neural networks," *Proc. 1st Annu. Conf. Genet. Program.*, p. 568, 1996.
- [37] D. Moriarty, "Symbiotic evolution of neural networks in sequential decision tasks," no. January, 1997.
- [38] D. E. Moriarty and R. Miikkulainen, "Efficient reinforcement learning through symbiotic evolution," *Mach. Learn.*, vol. 22, no. 1–3, pp. 11–32, 1996, doi: 10.1007/BF00114722.
- [39] R. Socher, L. Neural, and A. See, "Language Modelling and Recurrent Neural Networks."
- [40] S. N. Pawar and R. S. Bichkar, "Genetic algorithm with variable length chromosomes for network intrusion detection," *Int. J. Autom. Comput.*, vol. 12, no. 3, pp. 337–342, 2015, doi: 10.1007/s11633-014-0870-x.

