

## DAFTAR PUSTAKA

- [1] J. Chen and T. Shu, “Statistical modeling and analysis on the confidentiality of indoor vlc systems,” *IEEE Transactions on Wireless Communications*, vol. 19, no. 7, pp. 4744–4757, 2020.
- [2] H. Yu, Z. Fei, C. Cao, M. Xiao, D. Jia, and N. Ye, “Analysis of irregular repetition spatially-coupled slotted aloha,” *Science China Information Sciences*, vol. 62, no. 8, pp. 1–13, 2019.
- [3] X. Fu and Y. Su, “Performance analysis of crdsa based on m2m flow model,” in *International Conference in Communications, Signal Processing, and Systems*. Springer, 2020, pp. 1300–1305.
- [4] F. Tariq, M. R. Khandaker, K.-K. Wong, M. A. Imran, M. Bennis, and M. Debbah, “A speculative study on 6g,” *IEEE Wireless Communications*, vol. 27, no. 4, pp. 118–125, 2020.
- [5] J. Wu and P. Fan, “A survey on high mobility wireless communications: Challenges, opportunities and solutions,” *IEEE Access*, vol. 4, pp. 450–476, 2016.
- [6] B. Pamukti, W. V. Sigit, A. Fahmi, N. M. Adriansyah, and N. Andini, “Waterfilling random resource allocation (w-frra) using noma for downlink lifi system,” in *2019 IEEE Asia Pacific Conference on Wireless and Mobile (APWi-Mob)*. IEEE, 2019, pp. 13–18.
- [7] D. Vukobratović and F. J. Escrivano, “Adaptive multi-receiver coded slotted aloha for indoor optical wireless communications,” *IEEE Communications Letters*, vol. 24, no. 6, pp. 1308–1312, 2020.

- [8] R. Akbar, A. Fahmi, and H. Vidyaningtyas, “Pengaruh penggunaan skema pengalokasian daya waterfilling berbasis algoritma greedy terhadap perubahan efisiensi spektral sistem pada jaringan lte,” *Prosiding SeNTIK*, vol. 1, 2018.
- [9] J. Deng, X. Jin, X. Ma, M. Jin, C. Gong, and Z. Xu, “Graph-based multi-user scheduling for indoor cooperative visible light transmission,” *Optics express*, vol. 28, no. 11, pp. 15 984–16 002, 2020.
- [10] H. Wang and A. O. Fapojuwo, “Design and performance evaluation of successive interference cancellation-based pure aloha for internet-of-things networks,” *IEEE Internet of Things Journal*, vol. 6, no. 4, pp. 6578–6592, 2019.
- [11] S. A. Tegos, P. D. Diamantoulakis, A. S. Lioumpas, P. G. Sarigiannidis, and G. K. Karagiannidis, “Slotted aloha with noma for the next generation iot,” *IEEE Transactions on Communications*, vol. 68, no. 10, pp. 6289–6301, 2020.
- [12] D. Marabissi, L. Mucchi, S. Caputo, F. Nizzi, T. Pecorella, R. Fantacci, T. Nawaz, M. Seminara, and J. Catani, “Experimental measurements of a joint 5g-vlc communication for future vehicular networks,” *Journal of Sensor and Actuator Networks*, vol. 9, no. 3, p. 32, 2020.
- [13] H. Wu and Q. Fan, “Study on led visible light communication channel model based on poisson stochastic network theory,” in *2020 International Conference on Wireless Communications and Smart Grid (ICWCSG)*. IEEE, 2020, pp. 5–9.
- [14] Z. Ghassemlooy, W. Popoola, and S. Rajbhandari, *Optical wireless communications: system and channel modelling with Matlab®*. CRC press, 2019.
- [15] O. Z. Alsulami, M. T. Alresheedi, and J. M. Elmirghani, “Infrared uplink design for visible light communication (vlc) systems with beam steering,” in *2019 IEEE International Conference on Computational Science and Enginee-*

- ring (CSE) and IEEE International Conference on Embedded and Ubiquitous Computing (EUC).* IEEE, 2019, pp. 57–60.
- [16] M. Uysal, C. Capsoni, Z. Ghassemlooy, A. Boucouvalas, and E. Udvary, *Optical wireless communications: an emerging technology*. Springer, 2016.
- [17] Z. Ghassemlooy, L. N. Alves, S. Zvanovec, and M.-A. Khalighi, *Visible light communications: theory and applications*. CRC press, 2017.
- [18] S. S. Bawazir, P. C. Sofotasios, S. Muhaidat, Y. Al-Hammadi, and G. K. Karagiannidis, “Multiple access for visible light communications: Research challenges and future trends,” *Ieee Access*, vol. 6, pp. 26 167–26 174, 2018.
- [19] H. Marshoud, V. M. Kapinas, G. K. Karagiannidis, and S. Muhaidat, “Non-orthogonal multiple access for visible light communications,” *IEEE photonics technology letters*, vol. 28, no. 1, pp. 51–54, 2015.
- [20] Y. Chen, A. Bayesteh, Y. Wu, B. Ren, S. Kang, S. Sun, Q. Xiong, C. Qian, B. Yu, Z. Ding *et al.*, “Toward the standardization of non-orthogonal multiple access for next generation wireless networks,” *IEEE Communications Magazine*, vol. 56, no. 3, pp. 19–27, 2018.
- [21] L. Beltramelli, A. Mahmood, P. Österberg, and M. Gidlund, “Lora beyond aloha: An investigation of alternative random access protocols,” *IEEE Transactions on Industrial Informatics*, vol. 17, no. 5, pp. 3544–3554, 2020.
- [22] E. Paolini, C. Stefanovic, G. Liva, and P. Popovski, “Coded random access: How coding theory helps to build random access protocols,” *arXiv preprint arXiv:1405.4127*, 2014.
- [23] ———, “Coded random access: Applying codes on graphs to design random access protocols,” *IEEE Communications Magazine*, vol. 53, no. 6, pp. 144–150, 2015.

- [24] S. Ogata and K. Ishibashi, “Coded frameless aloha,” in *2018 15th Workshop on Positioning, Navigation and Communications (WPNC)*. IEEE, 2018, pp. 1–5.
- [25] T.-H. Liu, C.-H. Yu, Y.-J. Lin, C.-S. Chang, and D.-S. Lee, “Aloha receivers: a network calculus approach for analyzing coded multiple access with sic,” *arXiv preprint arXiv:2009.03145*, 2020.
- [26] F. Lazaro and C. Stefanović, “Finite-length analysis of frameless aloha with multi-user detection,” *IEEE Communications Letters*, vol. 21, no. 4, pp. 769–772, 2016.
- [27] C. Stefanovic and P. Popovski, “Aloha random access that operates as a rateless code,” *IEEE Transactions on Communications*, vol. 61, no. 11, pp. 4653–4662, 2013.
- [28] S. Ogata and K. Ishibashi, “Application of zigzag decoding in frameless aloha,” *IEEE Access*, vol. 7, pp. 39 528–39 538, 2019.
- [29] S. Ogata, “Graph-based random access protocols for massive multiple access networks,” *Diss. The University of Electro-Communications*, 2019.
- [30] L. Zhao, X. Chi, and S. Yang, “Optimal aloha-like random access with heterogeneous qos guarantees for multi-packet reception aided visible light communications,” *IEEE Transactions on Wireless Communications*, vol. 15, no. 11, pp. 7872–7884, 2016.
- [31] E. Casini, R. De Gaudenzi, and O. D. R. Herrero, “Contention resolution diversity slotted aloha (crdsa): An enhanced random access scheme for satellite access packet networks,” *IEEE Transactions on Wireless Communications*, vol. 6, no. 4, pp. 1408–1419, 2007.

- [32] T. Haryanti and K. Anwar, “Frequency domain-extended coded random access scheme for spectrum sharing between 5g and fixed satellite services,” in *2019 IEEE International Conference on Signals and Systems (ICSigSys)*. IEEE, 2019, pp. 143–149.
- [33] C. Ley-Bosch, I. Alonso-González, D. Sánchez-Rodríguez, and C. Ramírez-Casañas, “Evaluation of the effects of hidden node problems in ieee 802.15. 7 uplink performance,” *Sensors*, vol. 16, no. 2, p. 216, 2016.
- [34] L. U. Khan, “Visible light communication: Applications, architecture, standardization and research challenges,” *Digital Communications and Networks*, vol. 3, no. 2, pp. 78–88, 2017.
- [35] B. S. Pratama, N. M. Adriansyah, and B. Pamukti, “Analisis performansi multi user detection pada kanal nlos untuk sistem noma-vlc,” *ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika*, vol. 9, no. 2, p. 482, 2021.
- [36] P. Binh, V. Trong, D. Hung, P. Renucci, A. Balocchi, and X. Marie, “Demonstration of 300 mbit/s free space optical link with commercial visible led,” in *2013 IEEE 11th International New Circuits and Systems Conference (NEWCAS)*. IEEE, 2013, pp. 1–3.
- [37] S. R. Islam, N. Avazov, O. A. Dobre, and K.-S. Kwak, “Power-domain non-orthogonal multiple access (noma) in 5g systems: Potentials and challenges,” *IEEE Communications Surveys & Tutorials*, vol. 19, no. 2, pp. 721–742, 2016.
- [38] A. Al Hammadi, P. C. Sofotasios, S. Muhibat, M. Al-Qutayri, and H. Elgala, “Non-orthogonal multiple access for hybrid vlc-rf networks with imperfect channel state information,” *IEEE Transactions on Vehicular Technology*, vol. 70, no. 1, pp. 398–411, 2020.