

DAFTAR PUSTAKA

- [1] Liu, Hui, Chengming Yu, and Haiping Wu. "Potential Applications of Smart Device Recognition in Industry." *Smart Device Recognition*. Springer, Singapore, 2021. 259-294.
- [2] M. Zeifman and K. Roth, "Nonintrusive appliance load monitoring: Review and outlook," in *IEEE Transactions on Consumer Electronics*, vol. 57, no. 1, pp. 76-84, February 2011, doi: 10.1109/TCE.2011.5735484.
- [3] Liu, Hui, Chengming Yu, and Haiping Wu. *Smart Device Recognition: Ubiquitous Electric Internet of Things*. Springer Nature, 2020.
- [4] Y. Beck and R. Machlev, "Harmonic loads classification by means of currents' physical components," *Energies*, vol. 12, no. 21, 2019, doi: 10.3390/en12214137.
- [5] G. Chicco and I. S. Ilie, "Support vector clustering of electrical load pattern data," *IEEE Trans. Power Syst.*, vol. 24, no. 3, pp. 1619–1628, 2009, doi: 10.1109/TPWRS.2009.2023009.
- [6] Lin, J., Ding, X., Qu, D. et al. Non-intrusive load monitoring and decomposition method based on decision tree. *J.Math.Industry* 10, 1 (2020). <https://doi.org/10.1186/s13362-020-0069-4>
- [7] T. -T. -H. Le, H. Kang and H. Kim, "Household Appliance Classification Using Lower Odd-Numbered Harmonics and the Bagging Decision Tree," in *IEEE Access*, vol. 8, pp. 55937-55952, 2020, doi: 10.1109/ACCESS.2020.2981969.
- [8] W. Guohua, Y. Diping, Y. Jiyao, Z. Wenhua, D. Peng and X. Yiqing, "Research on Non-Intrusive Load Monitoring Based on Random Forest Algorithm," 2020 4th International Conference on Smart Grid and Smart Cities (ICSGSC), 2020, pp. 1-5, doi: 10.1109/ICSGSC50906.2020.9248565.
- [9] P. Adjei, N. S. Sethi, C. P. E. de Souza and M. A. M. Capretz, "Energy Disaggregation using Multilabel Binarization and Gaussian Naive Bayes Classifier," 2020 11th IEEE Annual Ubiquitous Computing, Electronics & Mobile Communication Conference (UEMCON), 2020, pp. 0093-0100, doi: 10.1109/UEMCON51285.2020.9298157.

- [10] A. F. Moreno Jaramillo, D. M. Lavery, J. M. Del Rincón, P. Brogan and D. J. Morrow, "Non-Intrusive Load Monitoring Algorithm for PV Identification in the Residential Sector," 2020 31st Irish Signals and Systems Conference (ISSC), 2020, pp. 1-6, doi: 10.1109/ISSC49989.2020.9180192.
- [11] Machlev, R., Tolkachov, D., Levron, Y., & Beck, Y. (2020). Dimension reduction for NILM classification based on principle component analysis. *Electric Power Systems Research*, 187, 106459.
- [12] G. Zhou, Z. Li, M. Fu, Y. Feng, X. Wang and C. Huang, "Sequence-to-Sequence Load Disaggregation Using Multiscale Residual Neural Network," in *IEEE Transactions on Instrumentation and Measurement*, vol. 70, pp. 1-10, 2021, Art no. 2503310, doi: 10.1109/TIM.2020.3034989.
- [13] Medico, R., De Baets, L., Gao, J. et al. A voltage and current measurement dataset for plug load appliance identification in households. *Sci Data* 7, 49 (2020). <https://doi.org/10.1038/s41597-020-0389-7>
- [14] Jopri, M. H., et al. "Naïve bayes and linear discriminate analysis based diagnostic analytic of harmonic source identification." *Indonesian Journal of Electrical Engineering and Computer Science* 20.3 (2020): 1626-1633.
- [15] Li, Y., Yang, Y., Sima, K., Li, B., Sun, T., & Li, X. (2021). Non-intrusive load monitoring based on harmonic characteristics. *Procedia Computer Science*, 183, 776-782.
- [16] Faustine, Anthony, and Lucas Pereira. "Multi-Label Learning for Appliance Recognition in NILM Using Fryze-Current Decomposition and Convolutional Neural Network." *Energies* 13.16 (2020): 4154.
- [17] Wu, Haiping, and Hui Liu. "Non-intrusive load transient identification based on multivariate LSTM neural network and time series data augmentation." *Sustainable Energy, Grids and Networks* 27 (2021): 100490.
- [18] S. Y. Wong, K. S. Yap, and X. Li, "Classification of the harmonic load types using Multi-Layer Extreme Learning Machine," *IET Conf. Publ.*, vol. 2018, no. CP749, 2018, doi: 10.1049/cp.2018.1300.
- [19] Garcia CI, Grasso F, Luchetta A, Piccirilli MC, Paolucci L, Talluri G. A Comparison of Power Quality Disturbance Detection and Classification Methods Using CNN, LSTM and CNN-LSTM. *Applied Sciences*. 2020;

10(19):6755. <https://doi.org/10.3390/app10196755>

- [20] Lazzaretti AE, Renaux DPB, Lima CRE, Mulinari BM, Ancelmo HC, Oroski E, Pöttker F, Linhares RR, Nolasco LdS, Lima LT, Omori JS, Santos RBd. A Multi-Agent NILM Architecture for Event Detection and Load Classification. *Energies*. 2020; 13(17):4396. <https://doi.org/10.3390/en13174396>
- [21] J. Liang, S. K. K. Ng, G. Kendall, and J. W. M. Cheng, "Load signature study part I: Basic concept, structure, and methodology," *IEEE Trans. Power Deliv.*, vol. 25, no. 2, pp. 551–560, 2010, doi: 10.1109/TPWRD.2009.2033799.
- [22] Pinyol, Ramon. "Harmonics: Causes, Effects, and Minimization" *Ref. Jn004a01 Ed. August 2015*. Diambil dari: [https://www.salicru.com/files/pagina/72/278/jn004a01_whitepaper-armonics_\(1\).pdf](https://www.salicru.com/files/pagina/72/278/jn004a01_whitepaper-armonics_(1).pdf) (27 April 2021)
- [23] Winasro, and Wijaya, F. Danang, "Analisis Harmonik Akibat Beban-beban Non Linier pada Gedung Perkantoran Terhadap Rugi Daya Saluran", Universitas Gajah Mada, 2012
- [24] Suryadi, Aris. "Dampak Harmonisa Terhadap Peningkatan Temperatur Transformator Distribusi 1000 KVA di Politeknik Enjinering Indodarma", Politeknik Enjinering Indodarma, 2017
- [25] Kurniawan, Irfan. "Analisis Pengaruh Harmonisa Terhadap Penyimpangan Pengukuran Energi Listrik pada Kwh Meter Analog dan Digital", Universitas Indonesia, 2012
- [26] Tribuana, Nanah., Wanhar. 1999. Pengaruh Harmonik Pada Transformator Distribusi. Diambil dari: <https://www.elektroindonesia.com/elektro/ener25.html>. (27 April 2021)
- [27] Melipurbowo, B.G. "Pengukuran Daya Listrik Real Time Dengan Menggunakan Sensor Arus Acs.712" Politeknik Negeri Semarang 2016, Orbith Vol. 12 No. 1 Maret 2016 : 17 – 23
- [28] M. R. Laayu, "Analisis Algoritma Advanced Encryption Standard (Aes) Untuk Sistem Pemantauan Konsumsi Daya Listrik," Telkom University, 2020.

- [29] R. T. Thahab and J. A. Asumadu, "Current decomposition based on a double/multiple synchrous reference frames and Fryze-Buchholz-Depenbrock theory for a non-islanded microgrid with a finite control set-model predictive controller: A comparative approach," *2017 IEEE 3rd International Future Energy Electronics Conference and ECCE Asia (IFEEEC 2017 - ECCE Asia)*, 2017, pp. 356-363, doi: 10.1109/IFEEEC.2017.7992064.
- [30] F. Harirchi and M. G. Simões, "Enhanced Instantaneous Power Theory Decomposition for Power Quality Smart Converter Applications," in *IEEE Transactions on Power Electronics*, vol. 33, no. 11, pp. 9344-9359, Nov. 2018, doi: 10.1109/TPEL.2018.2791954.
- [31] Sebayang, Fahdi Ruamta, A. Rachman Hasibuan, "Analisis Perbaikan Faktor Daya Beban Resistif, Induktif, Kapasitif Generator Sinkron 3 Fasa Menggunakan Metode Pottier," in *SINGUDA ENSIKOM VOL. 3 NO.2/Agustus 2013*
- [32] D. W. Spence and C. R. Cahn, "Basic concepts in circuit analysis," in *Electrical Engineering*, vol. 72, no. 10, pp. 918-918, Oct. 1953, doi: 10.1109/EE.1953.6438285.
- [33] M. I. Jordan and T. M. Mitchell, "Machine learning: Trends, perspectives, and prospects," *Science*, vol. 349, no. 6245, pp. 255–260, 2015.
- [34] Etaati L. (2019) Introduction to Machine Learning. In: Machine Learning with Microsoft Technologies. Apress, Berkeley, CA. https://doi.org/10.1007/978-1-4842-3658-1_1
- [35] Dudani, S.A.: The distance-weighted k-nearest neighbor rule. *IEEE Trans. Syst. Man Cybern.* **6**, 325–327 (1976)
- [36] Karomi, M Adib Al. 2015. "Optimasi Parameter K Pada Algoritma KNN Untuk Klasifikasi Heregistrasi", *STMIK Widya Pratama Pekalongan, IC-TECH X* (285): 5.
- [37] Indrayanti, dkk. 2017. "Optimasi Parameter K Pada Algoritma K-Nearest Neighbour Untuk Klasifikasi Penyakit Diabetes Mellitus", *STMIK Widya Pratama Pekalongan*
- [38] Karegowda, G.A, Jayaram, M.A, dan Manjunath, A.S, (2012), " Cascading

K-means Clustering and K-Nearest Neighbor Classifier for Categorization of Diabetic Patients”, International Journal of Engineering and Advanced Technology (IJEAT), Vol.1, No.3, 147-151.

- [39] K-Nearest Neighbors (KNN). (2020, August 18). Retrieved August 9, 2021, from <https://stats.libretexts.org/@go/page/2483>
- [40] Kleinbaum D.G., Klein M. (2010) Introduction to Logistic Regression. In: Logistic Regression. Statistics for Biology and Health. Springer, New York, NY. https://doi.org/10.1007/978-1-4419-1742-3_1
- [41] Rohmi, A. Lutfia. "Analisis Regresi Logistik Multinomial Pada Jenis Pelanggaram Lalu Lintas di Kota Surabaya," Institut Teknologi Sepuluh November, 2017
- [42] Sitinka, B.J.B. Maratahan. "Estimasi Parameter Regresi Logistik Multinomial Menggunakan Maksimum Likelihood", Universitas Sumatera Utara, 2021
- [43] Widhianingsih, T. D. Ari, “Klasifikasi Data Berdimensi Tinggi Dengan Metode Ensemble Berbasis Regresi Logistik Dalam Permasalahan Drug Discovery,” Insitut Teknologi Sepuluh November, 2018
- [44] Koh, K., Kim, S. J., dan Boyd, S. (2007), “An Interior-Point Method for Large-Scale ℓ_1 -Regularized Logistic Regression”, Journal of Machine Learning Research, No. 8, hal. 1519—1555.
- [45] Beck, Y. & Machlev, Ram. (2019). Harmonic Loads Classification by Means of Currents’ Physical Components. Energies. 12. 10.3390/en12214137.
- [46] G. Luo, “A review of automatic selection methods for machine learning algorithms and hyper-parameter values,” Netw. Model. Anal. Heal. Informatics Bioinforma., vol. 5, no. 1, pp. 1–15, 2016, doi: 10.1007/s13721-016-0125-6.
- [47] Sari, Betha Nurina. Implementasi teknik seleksi fitur information gain pada algoritma klasifikasi machine learning untuk prediksi performa akademik siswa. *SEMNAS TEKNO MEDIA ONLINE*, 2016, 4.1: 2-9-55.
- [48] Nasution, Muhammad Zul Fahmi. Seleksi Fitur Dataset Menggunakan Principal Component Analysis (PCA) untuk Meningkatkan Akurasi Klasifikasi Decision Tree C4. 5. 2018.

- [49] Adnyana, I. Gusti Naufhal Daffa, et al. Pengaruh Seleksi Fitur pada Algoritma Machine Learning untuk Memprediksi Pembatalan Pesanan Hotel. *Senamika*, 2021, 2.1: 551-558.
- [50] Novaković, Jasmina. Toward optimal feature selection using ranking methods and classification algorithms. *Yugoslav Journal of Operations Research*, 2016, 21.1.
- [51] Hall, Peter; Park, Byeong U.; Samworth, Richard J. Choice of neighbor order in nearest-neighbor classification. *the Annals of Statistics*, 2008, 36.5: 2135-2152.
- [52] Emmanuel, Arnold Benodict. “Pendekatan Machine Learning dengan Metode Logistic Regression untuk Prediksi Not Operational Transaction (NOP) Studi Kasus: Bank XYZ di Kota Kupang, NTT,” Universitas Kristen Satya Wacana, 2019
- [53] G. Luo, “A review of automatic selection methods for machine learning algorithms and hyper-parameter values,” *Netw. Model. Anal. Heal. Informatics Bioinforma.*, vol. 5, no. 1, pp. 1–15, 2016, doi: 10.1007/s13721-016-0125-6.
- [54] Guo G, Wang H, Bell D, Bi Y, Greer K (2003) KNN model-based approach in classification. *Lecture Notes Comput Sci* 2888:986–996. https://doi.org/10.1007/978-3-540-39964-3_62
- [55] Ali N, Neagu D, Trundle P (2019) Evaluation of k-nearest neighbour classifier performance for heterogeneous data sets. *SN Appl Sci*, 1(12). <https://doi.org/10.1007/s42452-019-1356-9>
- [56] Tyasnurita, Raras and Pamungkas, A.Y. Muris. “Diabetik Renopati Menggunakan Regresi Logistik,” Insititut Teknologi Sepuluh November, 2020