## Bibliography

- S. Jayakumar and S. Nandakumar, "Review on resource allocation techniquesin d2d communication for 5g and b5g technology," *Peer-to-Peer Networkingand Applications*, vol. 14, no. 1, p. 243–269, 2021.
- [2] C. Tata and M. Kadoch, "Network coding-based d2d transmission for public safety networks over lte hetnets and 5g networks," Wireless Communications and Mobile Computing, vol. 2022, 2022.
- [3] M. K. Pedhadiya, R. K. Jha, and H. G. Bhatt, "Device to device communication: A survey," *Journal of Network and Computer Applications*, vol. 129, pp. 71–89, 2019.
- [4] W. Lee and K. Lee, "Robust transmit power control with imperfect csi using a deep neural network," *IEEE Transactions on Vehicular Technology*, vol. 70, no. 11, pp. 12266–12271, 2021.
- [5] W. Lee, O. Jo, and M. Kim, "Intelligent resource allocation in wireless communications systems," *IEEE Communications Magazine*, vol. 58, no. 1, pp. 100–105, 2020.
- [6] R. A. Riyanda, N. M. Adriansyah, and V. S. W. Prabowo, "Greedy based radio resource allocation algorithm with water filling power control scheme in d2d underlaying communication," *JMECS (Journal of Measurements, Electronics, Communications, and Systems)*, vol. 8, no. 1, pp. 1–7, 2021.
- [7] W. Li, X. Qin, Z. Jia, J. Bi, and X. Li, "Resource sharing for cellular-assisted d2d communications with imperfect csi: A many-to-many strategy," *IEEE Systems Journal*, 2022.
- [8] C. Kai, Y. Wu, M. Peng, and W. Huang, "Joint uplink and downlink resource allocation for noma-enabled d2d communications," *IEEE Wireless Communications Letters*, vol. 10, no. 6, pp. 1247–1251, 2021.

- [9] W. Lee, "Resource allocation for multi-channel underlay cognitive radio network based on deep neural network," *IEEE Communications Letters*, vol. 22, no. 9, pp. 1942–1945, 2020.
- [10] D. Kim, H. Jung, and I.-H. Lee, "Deep learning-based power control scheme with partial channel information in overlay device-to-device communication systems," *IEEE Access*, vol. 9, pp. 122125–122137, 2021.
- [11] T. Zhang, K. Zhu, and J. Wang, "Energy-efficient mode selection and resource allocation for d2d-enabled heterogeneous networks: A deep reinforcement learning approach," *IEEE Transactions on Wireless Communications*, vol. 20, no. 2, pp. 1175–1187, 2020.
- [12] Z. Ali, G. A. S. Sidhu, F. Gao, J. Jiang, and X. Wang, "Deep learning based power optimizing for noma based relay aided d2d transmissions," *IEEE Transactions on Cognitive Communications and Networking*, vol. 7, no. 3, pp. 917–928, 2021.
- [13] A. Wijaya, "Perkembangan teknologi 5g."
- [14] B. Wayu, "Resource allocation in device to device communication for 5g cellular network," Ph.D. dissertation, ASTU, 2021.
- [15] Z. Kuang, G. Li, L. Zhang, H. Zhou, C. Li, and A. Liu, "Energy efficient mode selection, base station selection and resource allocation algorithm in d2d heterogeneous networks," *Peer-to-Peer Networking and Applications*, vol. 13, no. 5, pp. 1814–1829, 2020.
- [16] R. A. Mulyadi and U. K. Usman, "Komunikasi device-to-device pada jaringan seluler 5g menggunakan mmwave," Aviation Electronics, Information Technology, Telecommunications, Electricals, Controls, vol. 2, no. 1, pp. 65–74, 2020.
- [17] S. Solaiman, L. Nassef, and E. Fadel, "User clustering and optimized power allocation for d2d communications at mmwave underlaying mimo-noma cellular networks," *IEEE Access*, vol. 9, pp. 57726–57742, 2021.