

References

- [1] E. F. Fama, "The Behavior of Stock-Market Prices," *Systems and Software Variability Management: Concepts, Tools and Experiences*, pp. 163–171, 2013, doi: 10.1007/978-3-642-36583-6_11.
- [2] M. W. Silaban, "Error Sistem Bank Mandiri, Tersisa Rp 1,7 Miliar Belum Kembali," *bisnis.tempo.co*, 2019. <https://bisnis.tempo.co/read/1231568/error-sistem-bank-mandiri-tersisa-rp-17-miliar-belum-kembali> (accessed Mar. 05, 2022).
- [3] N. Indrastiti, "Dihebohkan Soal Saldo Error, Saham Bank Mandiri (BMRI) Dibuka Turun," *kontan.co.id*, 2019. <https://insight.kontan.co.id/news/dihebohkan-soal-saldo-error-saham-bank-mandiri-bmri-dibuka-turun> (accessed Mar. 05, 2022).
- [4] B. Liu, "Sentiment analysis and subjectivity," *Handb. Nat. Lang. Process. Second Ed.*, no. January 2010, pp. 627–666, 2010.
- [5] A. Safruddin, A. Hermawan, and A. P. Wibowo, "Implementation of Backpropagation Neural Network in Sentiment Analysis on Twitter To Public Figures," *Compiler*, vol. 9, no. 2, p. 101, 2020, doi: 10.28989/compiler.v9i2.834.
- [6] M. A. Assuja and Saniati, "Analisis Sentimen Tweet Menggunakan," *J. Tek.*, vol. 10, no. 2, pp. 23–28, 2016.
- [7] H. Juwiantho *et al.*, "Sentiment Analysis Twitter Bahasa Indonesia Berbasis Word2vec Menggunakan Deep Convolutional Neural Network," *J. Teknol. Inf. dan Ilmu Komput.*, vol. 7, no. 1, pp. 181–188, 2020, doi: 10.25126/jtiik.202071758.
- [8] K. Ghag and K. Shah, "SentiTFIDF – Sentiment Classification using Relative Term Frequency Inverse Document Frequency," *Int. J. Adv. Comput. Sci. Appl.*, vol. 5, no. 2, pp. 36–43, 2014, doi: 10.14569/ijacsa.2014.050206.
- [9] A. Go, R. Bhayani, and L. Huang, "Twitter Sentiment Classification using Distant Supervision," *Processing*, vol., pp. 1–6, 2009.
- [10] H. Bagheri and M. J. Islam, "Sentiment analysis of twitter data," *arXiv*, no. January, 2017, doi: 10.4018/ijhisi.2019040101.
- [11] C. N. Dos Santos and M. Gatti, "Deep convolutional neural networks for sentiment analysis of short texts," *COLING 2014 - 25th Int. Conf. Comput. Linguist. Proc. COLING 2014 Tech. Pap.*, pp. 69–78, 2014.
- [12] K. Kaharudin, Musthofa Galih Pradana, "Prediksi Customer Churn Perusahaan Telekomunikasi Menggunakan Naïve Bayes Dan K-Nearest Neighbor," *Inf. Interaktif*, vol. 4, no. 3, 2019.
- [13] M. A. Fauzi, "Word2Vec model for sentiment analysis of product reviews in Indonesian language," *Int. J. Electr. Comput. Eng.*, vol. 9, no. 1, p. 525, 2019, doi: 10.11591/ijece.v9i1.pp525-530.
- [14] A. F. Niasita, P. P. Adikara, and S. Adinugroho, "Analisis Sentimen Pembangunan Infrastruktur di Indonesia dengan Automated Lexicon Word2Vec dan Naive-Bayes," *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 3, no. 3, pp. 2673–2678, 2019, [Online]. Available: <http://j-ptiik.ub.ac.id>.
- [15] R. B. Aji *et al.*, "Automatic Essay Grading System Menggunakan Metode Latent Semantic Analysis," *J. Inov. dan Kewirausahaan*, vol. 2011, no. Snati, pp. 17–18, 2011.
- [16] A. Afriza and J. Adisantoso, "Metode Klasifikasi Rocchio untuk Analisis Hoax," *J. Ilmu Komput. dan Agri-Informatika*, vol. 5, no. 1, p. 1, 2018, doi: 10.29244/jika.5.1.1-10.
- [17] F. Z. Tala, "A Study of Stemming Effects on Information Retrieval in Bahasa Indonesia," *M.Sc. Thesis, Appendix D*, vol. pp. pp. 39–46, 2003.
- [18] R. Intan, A. Defeng, J. T. Informatika, F. T. Industri, U. Kristen, and P. Surabaya, "Hard: Subject-Based Search Engine Menggunakan Tf-Idf Dan Jaccard'S Coefficient," *J. Tek. Ind.*, vol. 8, no. 1, pp. 61–72, 2006, doi: 10.9744/jti.8.1.pp.61-72.
- [19] A. Fauzi, E. B. Setiawan, and Z. K. A. Baizal, "Hoax News Detection on Twitter using Term Frequency Inverse Document Frequency and Support Vector Machine Method," *J. Phys. Conf. Ser.*, vol. 1192, no. 1, 2019, doi: 10.1088/1742-6596/1192/1/012025.
- [20] E. B. Setiawan, D. H. Widyantoro, and K. Surendro, "Feature expansion using word embedding for tweet topic classification," *Proceeding 2016 10th Int. Conf. Telecommun. Syst. Serv. Appl. TSSA 2016 Spec. Issue Radar Technol.*, no. October, 2017, doi: 10.1109/TSSA.2016.7871085.
- [21] X. Rong, "word2vec Parameter Learning Explained," pp. 1–21, 2014, [Online]. Available: <http://arxiv.org/abs/1411.2738>.
- [22] T. Mikolov, K. Chen, G. Corrado, and J. Dean, "Efficient estimation of word representations in vector space," *1st Int. Conf. Learn. Represent. ICLR 2013 - Work. Track Proc.*, pp. 1–12, 2013.
- [23] A. Nurdin, B. A. S. Aji, A. Bustamin, and Z. Abidin, "Perbandingan Kinerja Word Embedding Word2Vec , Glove ,," *J. TEKNOLOKOMPAK*, vol. 14, no. 2, pp. 74–79, 2020.
- [24] R. Yefrenes Dillak and A. Harjoko, "Klasifikasi Fase Retinopati Diabetes Menggunakan Backpropagation Neural Network," *IJCCS (Indonesian J. Comput. Cybern. Syst.)*, vol. 7, no. 1, p. 23, 2013, doi: 10.22146/ijccs.3049.
- [25] N. Nurmila, A. Sugiharto, and E. A. Sarwoko, "Algoritma Back Propagation Neural Network Untuk Pengenalan Pola Karakter Huruf Jawa," *J. Masy. Inform.*, vol. 1, no. 1, pp. 1–10, 2010, doi: 10.14710/jmasif.1.1.
- [26] Y. Ruan, A. Duresi, and L. Alfantoukh, "Using Twitter trust network for stock market analysis," *Knowledge-Based Syst.*, vol. 145, pp. 207–218, 2018, doi: 10.1016/j.knosys.2018.01.016.