

DAFTAR PUSTAKA

- [1] A. Marchena-Rodríguez, N. Moreno-Morales, E. Ramírez-Parga, M. T. Labajo-Manzanares, A. Luque-Suárez, and G. Gijon-Nogueron, “Relationship between foot posture and dental malocclusions in children aged 6 to 9 years A cross-sectional study,” Med. (United States), vol. 97, no. 19, 2018.
- [2] A. M. Evans and L. Karimi, “The relationship between paediatric foot posture and body mass index: Do heavier children really have flatter feet?,” J. Foot Ankle Res., vol. 8, no. 46, 2015.
- [3] C. H. Lin, Z. H. Qiu, and C. C. Yeh, “Image processing for rear foot image evaluating leg and foot angles,” Meas. J. Int. Meas. Confed., vol. 126, no. February 2017, pp. 168–183, 2018.
- [4] H. Mukhtar et al., “Fast Algorithm to Measure the Types of Foot Postures with Anthropometric Tests Using Image Processing,” Indones. J. Electron. Electromed. Eng. Med. informatics, vol. 2, no. 1, pp. 48–59, 2020.
- [5] C. Smolen and C. E. Quenneville, “A Finite Element Model of the Foot/Ankle to Evaluate Injury Risk in Various Postures,” Ann. Biomed. Eng., vol. 45, no. 8, pp. 1993–2008, 2017.
- [6] B. Langley, M. Cramp, and S. C. Morrison, “Clinical measures of static foot posture do not agree,” J. Foot Ankle Res., vol. 9, no. 45, 2016.
- [7] J. S. Lee, K. B. Kim, J. O. Jeong, N. Y. Kwon, and S. M. Jeong, “Correlation of foot posture index with plantar pressure and radiographic measurements in pediatric flatfoot,” Ann. Rehabil. Med., vol. 39, no. 1, pp. 10–17, 2015.
- [8] A. M. Keenan, A. C. Redmond, M. Horton, P. G. Conaghan, and A. Tennant, “The Foot Posture Index: Rasch Analysis of a Novel, Foot-Specific Outcome Measure,” Arch. Phys. Med. Rehabil., vol. 88, no. 1, pp. 88–93, 2007.
- [9] S. Setiyadi, “A System Of Foot Posture Assessment With Foot Posture Index-6 (Fpi-6) Using 3d Photogrammetry And Extraction Features,” pp. 31-64, 2021.

- [10] E. W. Abel, A. Unger, R. Fletcher, and A. S. Jain, “Development of clinical measurement of the axes of rotation of the ankle and subtalar joints,” *Annu. Int. Conf. IEEE Eng. Med. Bio. - Proc.*, vol. 3, pp. 2455–2456, 2002.
- [11] A. M. Keenan, A. C. Redmond, M. Horton, P. G. Conaghan, and A. Tennant, “The Foot Posture Index: Rasch Analysis of a Novel, Foot-Specific Outcome Measure,” *Arch. Phys. Med. Rehabil.*, vol. 88, no. 1, pp. 88–93, 2007.
- [12] “Waspadai 15 Biang Keladi Penyebab Nyeri Dan Solusinya,” Aug. 29, 2016. Accessed on: Nov. 8, 2021. [Online]. Available: <https://flexfreeclinic.com/artikel/detail/101?title=waspadai-15-biang-keladi-penyebab-nyeri-dan-solusinya>.
- [13] P. Caravaggi, A. B. Matias, U. T. Taddei, M. Ortolani, A. Leardini, and I. C. N. Sacco, “Reliability of medial-longitudinal-arch measures for skin-markers based kinematic analysis,” *J. Biomech.*, vol. 88, pp. 180–185, 2019.
- [14] A. C. Redmond, J. Crosbie, and R. A. Ouvrier, “Development and validation of a novel rating system for scoring standing foot posture: The Foot Posture Index,” *Clin. Biomech.*, vol. 21, pp. 89–98, 2006.
- [15] B. Nigg, A. V. Behling, and J. Hamill, “Foot pronation,” *Footwear Sci.*, vol. 11, no. 3, pp. 131–134, 2019.
- [16] S. C. Morrison and J. Ferrari, “Inter-rater reliability of the Foot Posture Index (FPI-6) in the assessment of the paediatric foot,” *J. Foot Ankle Res.*, vol. 2, no. 1, pp. 1–5, 2009.
- [17] K. E. Smith, P. K. Commean, D. D. Robertson, T. Pilgram, and M. J. Mueller, “Precision and accuracy of computed tomography foot measurements,” *Arch. Phys. Med. Rehabil.*, vol. 82, no. 7, pp. 925–929, 2001.
- [18] Xiang, B.-Y., Wu, X.-D., Zhou, N., Li, K., Xu, W., Liang, X., Hu, N., Huang, W., & Qiu, G.-X. “Three-dimensional color map: a novel tool to locate the surgical transepicondylar axis”. *Annals of Translational Medicine*, 8(21), 1401–1401, 2020.

- [19] R. Bannatyne and G. Viot, “Introduction to microcontrollers,” Wescon Conf. Rec., pp. 564–574, 1997.
- [20] “HC-05 - Bluetooth Module,” Jul. 16, 2021. Accessed on: Nov. 25, 2021. [Online]. Available: <https://components101.com/wireless/hc-05-bluetooth-module>.
- [21] Ronja Struck, Sara Cordoni, Sofia Aliotta, Laura Pérez-Pachón, and Flora Gröning, “Application of Photogrammetry in Biomedical Science,” Biomedical Visualisation (pp.121-130), 2019.
- [22] Kishore Kodal, R., & Samar Sarjerao, B. “A Low Cost Smart Irrigation System Using MQTT Protocol”. IEEE TENSYMP 2017: IEEE International Symposium on Technologies for Smart Cities : 14-16 July, 2017, Kochi, Kerala, India.
- [23] B. Aranjo, P. K. Soori, and P. Talukder, “Stepper motor drives for robotic applications,” 2012 IEEE Int. Power Eng. Optim. Conf. PEOCO 2012 - Conf. Proc., no. June, pp. 361–366, 2012.
- [24] “Raspberry Pi Zero.”. Accessed on: Nov. 25, 2021. [Online]. Available: <https://www.raspberrypi.com/products/raspberry-pi-zero/>.
- [25] Vacca, G. “OVERVIEW of OPEN-SOURCE SOFTWARE for CLOSE RANGE PHOTOGRAHAMMETRY”. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 42(4/W14), 239–245, 2019.
- [26] J. Herráez, J. C. Martínez, E. Coll, M. T. Martín, and J. Rodríguez, “3D modeling by means of videogrammetry and laser scanners for reverse engineering,” Meas. J. Int. Meas. Confed., vol. 87, pp. 216–227, 2016.
- [27] E. A. B. da Silva and G. V. Mendonca, “Digital Image Processing,” Electr. Eng. Handb., pp. 891–910, 2005.
- [28] Tarnini, M. Y. “Fast and cheap stepper motor drive”. 2015 International Conference on Renewable Energy Research and Applications, ICRERA 2015, 5(2), 689–693, 2015.

- [29] E. Golubovic, Z. Zhakypov, T. Uzunovic, and A. Sabanovic, “Piezoelectric motor driver: Design and evaluation,” IECON Proc. (Industrial Electron. Conf., pp. 3964–3969, 2013.
- [30] Ian M. Smith., D. Cook, and B. P. Smith.,” CCD Arrays, Camera, and Displays,” no. 2, pp. 551-659. June. 2001.
- [31] Rachmawati, Risanuri Hidayat, Sunu Wibirama, “Rekonstruksi Objek 3D dari Multiple Images”, JNTETI, Vol. 2, No. 4, Februari 2013.
- [32] Moh. Jurabizar Mil Rizqi, “Analisis Pembentukan Dense Point Cloud Menggunakan Software Agisoft Photoscan Dan Software Pix4d Mapper”, 2021.
- [33] Erica Nocerino, Elisavet Konstantina Stathopoulou, Simone Rigon, and Fabio Remondino, “Surface Reconstruction Assessment in Photogrammetric Applications”, 2020.
- [34] Arin Yuli Astuti1, Sukoco, M. Suyanto, “Optimalisasi Editing Green Screen Menggunakan Teknik Lighting Pada Chroma Key”, 2016.