

DAFTAR PUSTAKA

- [1] T. Xayasouk and H. Lee, “Air pollution prediction system using deep learning,” in *WIT Transactions on Ecology and the Environment*, Jun. 2018, vol. 230, pp. 71–79. doi: 10.2495/AIR180071.
- [2] “Indeks Kualitas Udara (AQI) Jakarta dan Polusi Udara Indonesia | AirVisual.” <https://www.iqair.com/id/indonesia/jakarta> (accessed Oct. 12, 2021).
- [3] “BPS Provinsi DKI Jakarta.” <https://jakarta.bps.go.id/> (accessed Dec. 18, 2021).
- [4] S. Bahri, Syamsuddin, and M. Hadijati, “Model Wavelet Neural Network Untuk Pemodelan Polusi Udara Di Kota Mataram Lomboknusa Tenggara Barat Indonesia,” in *Prosiding Seminar Nasional Matematika, Statistika, dan Aplikasinya*, 2019, pp. 43–56. [Online]. Available: <http://jurnal.fmipa.unmul.ac.id/index.php/SNMSA/article/view/526/222>
- [5] A. Novie Fitriani, A. Syamsul, W. Bambang Lelomo, and A. Aulia Siti, “Prediksi Kadar Polutan Dengan Menggunakan Jaringan Syaraf Tiruan (JST) untuk Pemantauan Kualitas Udara di Kota Surabaya,” Jun. 2012.
- [6] D. Iskandaryan, F. Ramos, and S. Trilles, “Air Quality Prediction in Smart Cities Using Machine Learning Technologies based on Sensor Data: A Review,” *Appl. Sci.*, vol. 10, no. 7, p. 2401, Apr. 2020, doi: 10.3390/app10072401.
- [7] J. Kalajdjieski *et al.*, “Air Pollution Prediction with Multi-Modal Data and Deep Neural Networks,” *Remote Sens.*, vol. 12, no. 24, p. 4142, Dec. 2020, doi: 10.3390/rs12244142.
- [8] X. Sun, W. Xu, and H. Jiang, “Spatial-temporal prediction of air quality based on recurrent neural networks,” in *Proceedings of the Annual Hawaii International Conference on System Sciences*, 2019, vol. 2019-Janua. doi: 10.24251/HICSS.2019.155.
- [9] J. Kim, “An Air Pollution Prediction Scheme Using Long Short Term Memory Neural Network Model,” *E3S Web Conf.*, vol. 257, p. 03027, May 2021, doi: 10.1051/e3sconf/202125703027.

- [10] O. Pummakarnchana, N. Tripathi, and J. Dutta, “Air pollution monitoring and GIS modeling: a new use of nanotechnology based solid state gas sensors,” *Sci. Technol. Adv. Mater.*, vol. 6, no. 3–4, pp. 251–255, Jan. 2005, doi: 10.1016/j.stam.2005.02.003.
- [11] H. Aljuaid and N. Alwabel, “Air Pollution Prediction using Machine Learning Algorithms,” *Int. J. Eng. Adv. Technol.*, vol. 8, no. 6S3, pp. 160–164, Nov. 2019, doi: 10.35940/ijeat.F1026.0986S319.
- [12] F. Jansen, S. L. Sengkey, and Steenie Wallah, “Tingkat Pencemaran Udara CO Akibat Lalu Lintas Dengan Model Prediksi Polusi Udara Skala Mikro,” *J. Ilm. MEDIA Eng.*, vol. 1, no. 2, 2011.
- [13] C. Croitoru and I. Nastase, “A state of the art regarding urban air quality prediction models,” *E3S Web Conf.*, vol. 32, p. 01010, Feb. 2018, doi: 10.1051/e3sconf/20183201010.
- [14] U. Nur 'Aeni, “Prediksi Jumlah Penumpang dan Penambahan Gerbong Kereta Api Menggunakan Metode Support Vector Regression (SVR),” 2020.
- [15] A. Khumaidi, R. Raafi, I. Permana Solihin, and J. Rs Fatmawati, “Pengujian Algoritma Long Short Term Memory untuk Prediksi Kualitas Udara dan Suhu Kota Bandung,” *J. Telemat.*, vol. 15, no. 1.
- [16] J. Brownlee, “kNN Imputation for Missing Values in Machine Learning,” 2020. <https://machinelearningmastery.com/knn-imputation-for-missing-values-in-machine-learning/> (accessed Dec. 13, 2021).
- [17] “sklearn.impute.KNNImputer — scikit-learn 1.0.1 documentation.” <https://scikit-learn.org/stable/modules/generated/sklearn.impute.KNNImputer.html> (accessed Dec. 13, 2021).
- [18] O. Altukhova, “Choice of method imputation missing values for obstetrics clinical data,” *Procedia Comput. Sci.*, vol. 176, pp. 976–984, 2020, doi: 10.1016/j.procs.2020.09.093.
- [19] J. Wang, “An Intuitive Tutorial to Gaussian Processes Regression,” Sep. 2020, [Online]. Available: <http://arxiv.org/abs/2009.10862>
- [20] K. Liu, Y. Li, X. Hu, M. Lucu, and W. D. Widanage, “Gaussian Process Regression With Automatic Relevance Determination Kernel for Calendar

- Aging Prediction of Lithium-Ion Batteries,” *IEEE Trans. Ind. Informatics*, vol. 16, no. 6, pp. 3767–3777, Jun. 2020, doi: 10.1109/TII.2019.2941747.
- [21] J. Zhao, H. Guo, M. Han, H. Tang, and X. Li, “Gaussian Process Regression for Prediction of Sulfate Content in Lakes of China,” *J. Eng. Technol. Sci.*, vol. 51, no. 2, p. 198, Apr. 2019, doi: 10.5614/j.eng.technol.sci.2019.51.2.4.
- [22] K. Anjyo and J. P. Lewis, “RBF interpolation and Gaussian process regression through an RKHS formulation,” *J. Math-for-Industry*, vol. 3, no. 6, pp. 63–71, 2011, [Online]. Available: <http://gcoe-mi.jp/english/temp/publish/81a23bab2710961e1da72d05d4ca3e39.pdf>
- [23] D. Chicco, M. J. Warrens, and G. Jurman, “The coefficient of determination R-squared is more informative than SMAPE, MAE, MAPE, MSE and RMSE in regression analysis evaluation,” *PeerJ Comput. Sci.*, vol. 7, p. e623, Jul. 2021, doi: 10.7717/peerj-cs.623.
- [24] D. R. Rahadi, “Pengukuran Usability Sistem Menggunakan Use Questionnaire Pada Aplikasi Android Interface pengguna Android didasarkan pada manipulasi langsung menggunakan masukan sentuh yang serupa dengan tindakan di dunia nyata , seperti menggesek (swiping), mengetuk ,” vol. 6, no. 1, pp. 661–671, 2014.
- [25] R. Widi E, “UJI VALIDITAS DAN RELIABILITAS DALAM PENELITIAN EPIDEMIOLOGI KEDOKTERAN GIGI Ristya Widi E Laboratorium Ilmu Kesehatan Gigi Dan Mulut Dan Pencegahan Fakultas Kedokteran Gigi Universitas Jember,” vol. 8, no. 1, pp. 27–34, 2011.
- [26] Sheffield Machine Learning Group, “GPy - A Gaussian Process (GP) framework in Python — GPy __version__ = ‘1.10.0’ documentation.” <https://gpy.readthedocs.io/en/deploy/> (accessed Jun. 25, 2022).