

LIST OF LITERATURE

- [1] Dwi, S., Raden, S., Yeni, R., Budi, S., Sari, N. R., & Dkk. (2020). Statistik Penduduk Lanjut Usia 2020. *Book - Badan Pusat Statistik*, 1–287.
- [2] World Health Organization (WHO), “World Population Ageing. In Economic and Social Affairs United Nations,” World Heal. Organ., 2020, [Online]. Available: [https://www.who.int/news/item/30-01-2020-statement-on-the-second-meeting-of-the-international-health-regulations-\(2005\)-emergency-committee-regarding-the-outbreak-of-novel-coronavirus-\(2019-ncov\)](https://www.who.int/news/item/30-01-2020-statement-on-the-second-meeting-of-the-international-health-regulations-(2005)-emergency-committee-regarding-the-outbreak-of-novel-coronavirus-(2019-ncov)).
- [3] E. Madyaningrum, Y. C. Chuang, and K. Y. Chuang, “Factors associated with the use of outpatient services among the elderly in Indonesia,” *BMC Health Serv. Res.*, vol. 18, no. 1, p. 707, 2018.
- [4] B. BJ and B. S., “Risk Assessment in pressure ulcer prevention,” *Chronic Wound Care A Clin. Source B. Healthc. Prof.*, pp. 593–608, 2007.
- [5] Falls. In: WHO Fact sheets [website]. Geneva: World Health Organization; 2021, (<https://www.who.int/news-room/fact-sheets/detail/falls>). Accessed: 19 Juni 2021.
- [6] P. Kannus, S. Niemi, J. Parkkari, V. Mattila, and H. Sievänen, “Fall-induced hospital-treated traumatic brain injuries among elderly Finns in 1970–2017,” *Arch. Gerontol. Geriatr.*, vol. 86, no. September 2019, p. 103958, 2020.
- [7] S. H. Park, “Tools for assessing fall risk in the elderly: a systematic review and meta-analysis,” *Aging Clin. Exp. Res.*, vol. 30, no. 1, p. 0, 2018.
- [8] A. Gefen, “Minimising the risk for pressure ulcers in the operating room using a specialised low-profile alternating pressure overlay,” *Wounds Int.*, vol. 11, no. 2, pp. 10–16, 2020.
- [9] M. Rostamvand, K. Abdi, R. G. Gheshlagh, S. Khaki, F. Dehvan, and R. Barzgaran, “Nurses’ attitude on pressure injury prevention: A systematic review and meta-analysis based on the pressure ulcer prevention instrument (APuP),” *J. Tissue Viability*, vol. 31, no. 2, pp. 346–352, 2022.
- [10] S. Rastogi and J. Singh, “A systematic review on machine learning for fall detection system,” *Comput. Intell.*, vol. 37, no. 2, pp. 991–1014, 2021.

- [11] Y. R. Serpa, M. B. Nogueira, P. P. M. Neto, and M. A. F. Rodrigues, "Evaluating Pose Estimation as a Solution to the Fall Detection Problem," 2020 IEEE 8th Int. Conf. Serious Games Appl. Heal. SeGAH 2020, 2020.
- [12] Y. R. Serpa, M. B. Nogueira, P. P. M. Neto, and M. A. F. Rodrigues, "Evaluating Pose Estimation as a Solution to the Fall Detection Problem," 2020 IEEE 8th Int. Conf. Serious Games Appl. Heal. SeGAH 2020, 2020.
- [13] S. K. Yadav, K. Tiwari, H. M. Pandey, and S. A. Akbar, "A review of multimodal human activity recognition with special emphasis on classification, applications, challenges and future directions," *Knowledge-Based Syst.*, vol. 223, p. 106970, 2021.
- [14] C. T; M. F. D; Tiago Paixão; and H. S. Antunes, "Wheelchair Pressure Ulcer Prevention Using FBG Based Sensing Devices," *Sensors* 2020, vol. 20, no. 212, 2020.
- [15] G. Smith, "Improved clinical outcomes in pressure ulcer prevention using the SEM scanner," *J. Wound Care*, vol. 28, no. 5, 2019.
- [16] D. J. C. Matthies, M. Haescher, W. Chodan, and G. Bieber, *DIY-PressMat : A Smart Sensor Mat for Posture Detection Applicable for Bed-exit Intention Detection , Pressure Ulcer Prevention , and Sleep Apnea Mitigation*, vol. 1, no. 1. Association for Computing Machinery, 2021.
- [17] E. E. N. D. S. Kanoun, "Automatic Posture and Limb Detection for Pressure Ulcer Risk Assessment," 2021 IEEE 1st Int. Maghreb Meet. Conf. Sci. Tech. Autom. Control Comput. Eng. MI-STA, pp. 142–149, 2021.
- [18] A. D. K. Slamet Rohaedi, Suci Tuty Putri, "Tingkat Kemandirian Lansia Dalam Activities Daily Living di Pantai Sosial Tresna Werdha Senja Rawi," *J. Pendidik. Keperawatan Indones.*, vol. 68, no. 4, pp. 231–238, 2011.
- [19] S. Setiyadi, H. Mukhtar, W. A. Cahyadi, C. C. Lee, and W. T. Hong, "Human Activity Detection Employing Full-Type 2D Blazepose Estimation with LSTM," *APWiMob 2022 - Proc. 2022 IEEE Asia Pacific Conf. Wirel. Mob.*, 2022.
- [20] K. Lee, I. Lee, and S. Lee, "Propagating LSTM: 3D pose estimation based on joint interdependency," *Lect. Notes Comput. Sci. (including Subser. Lect.*

- Notes Artif. Intell. Lect. Notes Bioinformatics), vol. 11211 LNCS, pp. 123–141, 2018.
- [21] W. Liu et al., “Fall Detection for Shipboard Seafarers Based on Optimized BlazePose and LSTM,” *Sensors*, vol. 22, no. 14, 2022.
 - [22] M. H. B. Fikri Ardian, Husneni Mukhtar, “Rancang Bangun Prototipe Pengatur Pergerakan Help To Stand- Up , Fowler , Dan Sitting Pada Tempat Tidur Pasien Rawat Jalan,” *Telkom Univ.*, 2022.
 - [23] U. A. Yunus, H. Mukhtar, and M. H. Barri, “Desain Sistem Mekatronika Tempat Tidur untuk Mempermudah Perawatan dan Pemantauan pada Pasien Lanjut Usia,” *Telkom Univ.*, p. 128, 2022.
 - [24] M. H. B. Wisnu Aji Sulistiono, Husneni Mukhtar, “Rancang Bangun Sistem Mekatronika Pada Tempat Tidur Pasien Menggunakan Pergerakan Cardiac, Feet Elevation, Dan Semi,” *Telkom Univ.*, p. 45, 2022.
 - [25] L. Moroney, “The Firebase Realtime Database,” *Defin. Guid. to Firebase*, pp. 51–71, 2017.
 - [26] J. Wang et al., “Deep 3D human pose estimation: A review,” *Comput. Vis. Image Underst.*, vol. 210, no. May, p. 103225, 2021.
 - [27] N. Sarafianos, B. Boteanu, B. Ionescu, and I. A. Kakadiaris, “3D Human pose estimation: A review of the literature and analysis of covariates,” *Comput. Vis. Image Underst.*, vol. 152, pp. 1–20, 2016.
 - [28] V. Bazarevsky, I. Grishchenko, K. Raveendran, T. Zhu, F. Zhang, and M. Grundmann, “BlazePose: On-device Real-time Body Pose tracking,” 2020, [Online]. Available: <http://arxiv.org/abs/2006.10204>.
 - [29] A. Voulodimos, N. Doulamis, A. Doulamis, and E. Protopapadakis, “Deep Learning for Computer Vision: A Brief Review,” *Comput. Intell. Neurosci.*, vol. 2018, 2018.
 - [30] C. Goutte and E. Gaussier, “A Probabilistic Interpretation of Precision, Recall and F-Score, with Implication for Evaluation,” *Lect. Notes Comput. Sci.*, vol. 3408, pp. 345–359, 2005.
 - [31] P. Jiang, D. Ergu, F. Liu, Y. Cai, and B. Ma, “A Review of Yolo Algorithm Developments,” *Procedia Comput. Sci.*, vol. 199, pp. 1066–1073, 2021, doi: 10.1016/j.procs.2022.01.135.

- [32] H. C. Haitong Lou, Xuehu Duan, Junmei Guo, Haiying Liu, Jason Gu, Lingyun Bi, "DC-YOLOv8: Small-Size Object Detection Algorithm Based on Camera Sensor," *Electronics*, pp. 1–14, 2023.
- [33] Y. Sianipar, "Berbagai Manfaat Dari Upaya Mempertahankan Ergonomic Pada Berbagai Posisi Guna Untuk Keselamatan Pasien," *Open Sci. Fremwork*, 2022.
- [34] S. Agus Suhendar, "Efektivitas Pemberian Oksigen Posisi Semi Fowler dan Fowler Terhadap Perubahan Saturasi pada Pasien Tuberculosis di IGD RSUD Cileungsi," *MANUJU MALAHAYATI Nurs. J.*, vol. 4, pp. 576–589, 2022.
- [35] [1] S. Rex et al., "Prediction of fluid responsiveness in patients during cardiac surgery," *Br. J. Anaesth.*, vol. 93, no. 6, pp. 782–788, 2004.
- [36] L. Marra et al., "Efficacy of positional therapy in treatment of patients with obstructive sleep apnea: a pilot study," *Sleep Breath.*, vol. 24, no. 4, pp. 1661–1662, 2020.
- [37] [1] R. S. T. Leung, M. E. Bowman, J. D. Parker, G. E. Newton, and T. D. Bradley, "Avoidance of the left lateral decubitus position during sleep in patients with heart failure: Relationship to cardiac size and function," *J. Am. Coll. Cardiol.*, vol. 41, no. 2, pp. 227–230, 2003.
- [38] R. C. Martin-Du Pan, R. Benoit, and L. Girardier, "The role of body position and gravity in the symptoms and treatment of various medical diseases," *Swiss Med. Wkly.*, vol. 134, no. 37–38, pp. 543–551, 2004.
- [39] G. Taibbi et al., "Ocular outcomes comparison between 14- and 70-day head-down-tilt bed rest," *Investig. Ophthalmol. Vis. Sci.*, vol. 57, no. 2, pp. 495–501, 2016.
- [40] N. Laković, M. Brkić, B. Batinić, J. Bajić, V. Rajs, and N. Kulundžić, "Application of low-cost VL53L0X ToF sensor for robot environment detection," *2019 18th Int. Symp. INFOTEH-JAHORINA, INFOTEH 2019 - Proc.*, no. March, pp. 20–22, 2019.
- [41] V. Kunta, C. Tuniki, and U. Sairam, "Multi-functional blind stick for visually impaired people," *Proc. 5th Int. Conf. Commun. Electron. Syst. ICCES 2020*, no. Icces, pp. 895–899, 2020.

- [42] A. Chelli and M. Patzold, "A Machine Learning Approach for Fall Detection and Daily Living Activity Recognition," *IEEE Access*, vol. 7, pp. 38670–38687, 2019.
- [43] Shaveta, "A review on machine learning," *Int. J. Sci. Res. Arch.*, vol. 9, no. 1, pp. 281–285, 2023.
- [44] F. MUHAMMED, "Alat pemantauan lansia dengan fitur deteksi jatuh dan pelacakan lokasi," *Telkom Univ.*, 2021.
- [45] H. Susanti et al., "Implementasi Alat Pemantauan Aktivitas dan Pelacakan Lokasi Jatuh (E-Care) Untuk Lansia di Daerah Cikutra Kota Bandung Implementation of Activity Monitoring and Fall Location Tracking Tool (E-Care) for The Elderly in The Cikutra , Bandung City," *J. Pengabd. Masy.*, vol. 7, no. 1, pp. 99–109, 2022.
- [46] Ismail, Istiqomah, Mukhtar, H. (2023), "Development Human Activity Recognition for the Elderly Using Inertial Sensor and Statistical Feature," In: Triwiyanto, T., Rizal, A., Caesarendra, W. (eds) *Proceeding of the 3rd International Conference on Electronics, Biomedical Engineering, and Health Informatics. Lecture Notes in Electrical Engineering*, vol 1008. Springer, Singapore.
- [47] I. Arun Faisal, T. Waluyo Purboyo, and A. Siswo Raharjo Ansori, "A Review of Accelerometer Sensor and Gyroscope Sensor in IMU Sensors on Motion Capture," *J. Eng. Appl. Sci.*, vol. 15, no. 3, pp. 826–829, 2019.
- [48] F. Rehman, H. Masood, A. Ul-Hasan, R. Nawaz, and F. Shafait, *Pattern Recognition and Artificial Intelligence*, vol. 1144 CCIS. 2020.
- [49] E. W. Fridayanthie, "ANALISA DATA MINING UNTUK PREDIKSI PENYAKIT HEPATITIS DENGAN MENGGUNAKAN METODE NAIVE BAYES DAN SUPPORT VECTOR MACHINE," *J. KHATULISTIWA Inform.*, vol. 3, no. 1, pp. 10–17, 2015.
- [50] T. Aktay and M. Ö. Efe, "A comparative study of ANN tuning methods for multiclass daily activity and fall recognition," *Commun. Comput. Inf. Sci.*, vol. 1144 CCIS, pp. 24–38, 2020.