

---

## Daftar Pustaka

- [1] F. Wu *et al.*, “A new coronavirus associated with human respiratory disease in China,” *Nature*, vol. 579, no. 7798, pp. 265–269, Mar. 2020, doi: 10.1038/s41586-020-2008-3.
- [2] T. Singhal, “A Review of Coronavirus Disease-2019 (COVID-19),” Apr. 01, 2020, *Springer*. doi: 10.1007/s12098-020-03263-6.
- [3] Z. Wu and J. M. McGoogan, “Characteristics of and Important Lessons from the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72314 Cases from the Chinese Center for Disease Control and Prevention,” Apr. 07, 2020, *American Medical Association*. doi: 10.1001/jama.2020.2648.
- [4] I. Ayouni *et al.*, “Effective public health measures to mitigate the spread of COVID-19: a systematic review,” *BMC Public Health*, vol. 21, no. 1, Dec. 2021, doi: 10.1186/s12889-021-11111-1.
- [5] Z. Y. Zu *et al.*, “Coronavirus Disease 2019 (COVID-19): A Perspective from China,” Aug. 01, 2020, *Radiological Society of North America Inc.* doi: 10.1148/radiol.2020200490.
- [6] C. Zheng *et al.*, “Deep Learning-based Detection for COVID-19 from Chest CT using Weak Label”, doi: 10.1101/2020.03.12.20027185.
- [7] J. F. W. Chan *et al.*, “A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster,” *The Lancet*, vol. 395, no. 10223, pp. 514–523, Feb. 2020, doi: 10.1016/S0140-6736(20)30154-9.
- [8] S. H. Yoon *et al.*, “Chest radiographic and ct findings of the 2019 novel coronavirus disease (Covid-19): Analysis of nine patients treated in korea,” *Korean J Radiol*, vol. 21, no. 4, pp. 498–504, Apr. 2020, doi: 10.3348/kjr.2020.0132.
- [9] W. Kong and P. P. Agarwal, “Chest imaging appearance of covid-19 infection,” *Radiol Cardiothorac Imaging*, vol. 2, no. 1, Feb. 2020, doi: 10.1148/rct.2020200028.
- [10] Y. Song *et al.*, “Deep Learning Enables Accurate Diagnosis of Novel Coronavirus (COVID-19) with CT Images,” *IEEE/ACM Trans Comput Biol Bioinform*, vol. 18, no. 6, pp. 2775–2780, 2021, doi: 10.1109/TCBB.2021.3065361.
- [11] A. A. Farid, G. I. Selim, H. Awad, A. Khater, and A. Khater, “A Novel Approach of CT Images Feature Analysis and Prediction to Screen for Corona Virus Disease (COVID-19),” 2020, doi: 10.20944/preprints202003.0284.v1.
- [12] P. Kumar Sethy, S. Kumari Behera, P. Kumar Ratha, and P. Biswas, “Detection of coronavirus Disease (COVID-19) based on Deep Features and Support Vector Machine,” 2020. [Online]. Available: www.preprints.org
- [13] X. , L. Y. , Z. X. , W. J. , & L. J. He, “Automatic diagnosis of COVID-19 from chest CT images using 3D convolutional neural network,” *Medical Imaging Analysis*, 2020.
- [14] J. Zhang *et al.*, “Viral Pneumonia Screening on Chest X-ray Images Using Confidence-Aware Anomaly Detection,” Mar. 2020, [Online]. Available: http://arxiv.org/abs/2003.12338
- [15] S. Wang *et al.*, “A Deep Learning Radiomics Model to Identify Poor Outcome in COVID-19 Patients with Underlying Health Conditions: A Multicenter Study,” *IEEE J Biomed Health Inform*, vol. 25, no. 7, pp. 2353–2362, Jul. 2021, doi: 10.1109/JBHI.2021.3076086.
- [16] Q. Yang *et al.*, “Low-Dose CT Image Denoising Using a Generative Adversarial Network With Wasserstein Distance and Perceptual Loss,” *IEEE Trans Med Imaging*, vol. 37, no. 6, pp. 1348–1357, Jun. 2018, doi: 10.1109/TMI.2018.2827462.
- [17] M.-H. Guo, Z.-N. Liu, T.-J. Mu, and S.-M. Hu, “Beyond Self-attention: External Attention using Two Linear Layers for Visual Tasks,” May 2021, [Online]. Available: http://arxiv.org/abs/2105.02358
- [18] J. A. Figo, N. Yudistira, and A. W. Widodo, “Deteksi Covid-19 dari Citra X-ray menggunakan Vision Transformer,” 2023. [Online]. Available: http://j-ptiik.ub.ac.id
- [19] C. Huang *et al.*, “Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China,” *The Lancet*, vol. 395, no. 10223, pp. 497–506, Feb. 2020, doi: 10.1016/S0140-6736(20)30183-5.
- [20] L. Pan *et al.*, “Clinical characteristics of COVID-19 patients with digestive symptoms in Hubei, China: A descriptive, cross-sectional, multicenter study,” *American Journal of Gastroenterology*, vol. 115, no. 5, pp. 766–773, May 2020, doi: 10.14309/ajg.00000000000000620.
- [21] L. Mao *et al.*, “Neurologic Manifestations of Hospitalized Patients with Coronavirus Disease 2019 in Wuhan, China,” *JAMA Neurol*, vol. 77, no. 6, pp. 683–690, Jun. 2020, doi: 10.1001/jamaneurol.2020.1127.
- [22] M. M. Taye, “Theoretical Understanding of Convolutional Neural Network: Concepts, Architectures, Applications, Future Directions,” Mar. 01, 2023, *MDPI*. doi: 10.3390/computation11030052.
- [23] N. Mboga, C. Persello, J. R. Bergado, and A. Stein, “Detection of informal settlements from VHR images using convolutional neural networks,” *Remote Sens (Basel)*, vol. 9, no. 11, Nov. 2017, doi: 10.3390/rs9111106.
- [24] E. Soares, P. Angelov, S. Biaso, M. Higa Froes, and D. K. Abe, “SARS-CoV-2 CT-scan dataset: A large dataset of real patients CT scans for SARS-CoV-2 identification”, doi: 10.1101/2020.04.24.20078584.

- 
- [25] E. Soares, P. Angelov, S. Biaso, M. Higa Froes, and D. K. Abe, “SARS-CoV-2 CT-scan dataset: A large dataset of real patients CT scans for SARS-CoV-2 identification”, doi: 10.1101/2020.04.24.20078584.
  - [26] A. Tharwat, “Classification assessment methods,” *Applied Computing and Informatics*, vol. 17, no. 1, pp. 168–192, 2018, doi: 10.1016/j.aci.2018.08.003.
  - [27] C. Goutte and E. Gaussier, “A Probabilistic Interpretation of Precision, Recall and F-Score, with Implication for Evaluation,” in *Advances in Information Retrieval*, D. E. Losada and J. M. Fernández-Luna, Eds., Berlin, Heidelberg: Springer Berlin Heidelberg, 2005, pp. 345–359.
  - [28] K.M Ting, “Confusion Matrix in: Encyclopedia of Machine Learning,” *Springer, Boston, MA, USA*, p. 209, 2011.