

Daftar Pustaka

- [1] H. A. Alkatiri, H. Adianto, and D. Novirani, "IMPLEMETASI PENGENDALIAN KUALITAS UNTUK MENGURANGI JUMLAH PRODUK CACAT TEKSTIL KAIN KATUN MENGGUNAKAN METODE SIX SIGMA PADA PT. SSP *," *Jurnal Online Institut Teknologi Nasional*, vol. 03, 2015.
- [2] L. Amanuel, "Woven fabric defect control methods in shuttle loom," *J Eng Fiber Fabr*, vol. 16, p. 155892502110141, Jan. 2021, doi: 10.1177/15589250211014181.
- [3] S. Kolhe Kavayitri Bhinabai Chaudhari, "A review of automatic fabric defect detection techniques," 2009. [Online]. Available: <https://www.researchgate.net/publication/47372876>
- [4] C. Anagnostopoulos, D. Vergados, E. Kayafas, V. Loumos, and G. Stassinopoulos, "A computer vision approach for textile quality control," *Journal of Visualization and Computer Animation*, vol. 12, no. 1, pp. 31–44, 2001, doi: 10.1002/vis.245.
- [5] W. Ouyang, B. Xu, J. Hou, and X. Yuan, "Fabric Defect Detection Using Activation Layer Embedded Convolutional Neural Network," *IEEE Access*, vol. 7, pp. 70130–70140, 2019, doi: 10.1109/ACCESS.2019.2913620.
- [6] T. Zhou, J. Zhang, H. Su, W. Zou, and B. Zhang, "EDDs: A series of Efficient Defect Detectors for fabric quality inspection," *Measurement*, vol. 172, p. 108885, Feb. 2021, doi: 10.1016/j.measurement.2020.108885.
- [7] Y. Li, D. Zhang, and D.-J. Lee, "Automatic fabric defect detection with a wide-and-compact network," *Neurocomputing*, vol. 329, pp. 329–338, Feb. 2019, doi: 10.1016/j.neucom.2018.10.070.
- [8] Y. Li, W. Zhao, and J. Pan, "Deformable Patterned Fabric Defect Detection With Fisher Criterion-Based Deep Learning," *IEEE Transactions on Automation Science and Engineering*, vol. 14, no. 2, pp. 1256–1264, Apr. 2017, doi: 10.1109/TASE.2016.2520955.
- [9] J. Jing, Z. Wang, M. Rättsch, and H. Zhang, "Mobile-Unet: An efficient convolutional neural network for fabric defect detection," *Textile Research Journal*, vol. 92, no. 1–2, pp. 30–42, Jan. 2022, doi: 10.1177/0040517520928604.
- [10] L. Cheng, J. Yi, A. Chen, and Y. Zhang, "Fabric defect detection based on separate convolutional UNet," *Multimed Tools Appl*, vol. 82, no. 2, pp. 3101–3122, Jan. 2023, doi: 10.1007/s11042-022-13568-7.
- [11] C. Zhang, S. Feng, X. Wang, and Y. Wang, "ZJU-Leaper: A Benchmark Dataset for Fabric Defect Detection and a Comparative Study," *IEEE Transactions on Artificial Intelligence*, vol. 1, no. 3, pp. 219–232, Dec. 2020, doi: 10.1109/TAI.2021.3057027.
- [12] G. Pan, Y. Zheng, S. Guo, and Y. Lv, "Automatic sewer pipe defect semantic segmentation based on improved U-Net," *Autom Constr*, vol. 119, p. 103383, Nov. 2020, doi: 10.1016/j.autcon.2020.103383.
- [13] F. Chollet, "Xception: Deep Learning with Depthwise Separable Convolutions," in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, IEEE, Jul. 2017, pp. 1800–1807. doi: 10.1109/CVPR.2017.195.
- [14] L. R. Dice, "Measures of the Amount of Ecologic Association Between Species," *Ecology*, vol. 26, no. 3, pp. 297–302, Jul. 1945, doi: 10.2307/1932409.
- [15] P. Jaccard, "THE DISTRIBUTION OF THE FLORA IN THE ALPINE ZONE. ¹," *New Phytologist*, vol. 11, no. 2, pp. 37–50, Feb. 1912, doi: 10.1111/j.1469-8137.1912.tb05611.x.
- [16] T.-Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollar, "Focal Loss for Dense Object Detection," *IEEE Trans Pattern Anal Mach Intell*, vol. 42, no. 2, pp. 318–327, Feb. 2020, doi: 10.1109/TPAMI.2018.2858826.