DAFTAR PUSTAKA

[1] N. Gulati and P. D. Kaur, ‘‘An argumentation enabled decision making approach for fall activity recognition in social IoT based ambient assisted living systems,’’ Future Gener. Comput. Syst., vol. 122, pp. 82–97, Sep. 2021.

[2] M. M. Baig and H. Gholamhosseini, “Smart health monitoring systems: an overview of design and modeling,” *J Med Syst*, vol. 37, no. 2, Apr. 2013, doi: 10.1007/S10916-012-9898-Z.

[3] M. M. Alam, H. Malik, M. I. Khan, T. Pardy, A. Kuusik, and Y. le Moullec, “A survey on the roles of communication technologies in IoT-Based personalized healthcare applications,” *IEEE Access*, vol. 6, pp. 36611–36631, Jul. 2018, doi: 10.1109/ACCESS.2018.2853148.

[4] S. Li, L. da Xu, and X. Wang, “A continuous biomedical signal acquisition system based on compressed sensing in body sensor networks,” *IEEE Trans Industry Inform*, vol. 9, no. 3, pp. 1764–1771, 2013, doi: 10.1109/TII.2013.2245334.

[5] H. Ponce and L. Martínez-Villaseñor, ‘‘Approaching fall classification using the up-fall detection dataset: Analysis and results from an international competition,’’ in Challenges and Trends in Multimodal Fall Detection for Healthcare. Springer, 2020, pp. 121–133.

[6] A. Arcelus, R. Goubran, M. H. Jones, and F. Knoefel, “Integration of smart home technologies in a health monitoring system for the elderly,” *Proceedings - 21st International Conference on Advanced Information Networking and Applications Workshops/Symposia, AINAW’07*, vol. 1, pp. 820–825, 2007, doi: 10.1109/AINAW.2007.209.

[7] F. Javed, I. Khan, "A Review on the Development of an Intelligent Fall Detection System Using Kinect Sensor," IEEE Xplore (2020).

[8] A. S. Seferagi´c *et al.*, “Survey on Wireless Technology Trade-Offs for the Industrial Internet of Things,” *Sensors 2020, Vol. 20, Page 488*, vol. 20, no. 2, p. 488, Jan. 2020, doi: 10.3390/S20020488.

[9] V. S. Thomas, S. Darvesh, C. MacKnight, and K. Rockwood, “Estimating the Prevalence of Dementia in Elderly People: A Comparison of the Canadian Study of

Health and Aging and National Population Health Survey Approaches," *Int Psychogeriatr*, vol. 13, no. S1, pp. 169–175, 2001, doi: 10.1017/S1041610202008116.

[10] S. Majumder, T. Mondal, and M. J. Deen, "Wearable Sensors for Remote Health Monitoring," *Sensors (Basel)*, vol. 17, no. 1, Jan. 2017, doi: 10.3390/S17010130.

[11] B. Joshi, "*Performance of different network communication protocols used for Mesh Networks*," LEMUR, https://uclalemur.com/blog/perfomance-of-different-network-communication-protocols-u sed-for-mesh-networks (accessed Aug. 26, 2024).

[12] Donoho, D. L. (2006). "Compressed sensing." IEEE Transactions on Information Theory, 52(4), 1289-1306.

[13] N. Cameron, "ESP32 microcontroller," Maker Innovations Series, pp. 1–54, 2023. doi:10.1007/978-1-4842-9376-8_1

[14] R.-G. Cheng, "(PDF) Multihop Wireless Networks," dokumen.tips, https://dokumen.tips/documents/multihop-wireless-networks.html?page=1. (accessed Jan. 4, 2024).

[15] Dave Snider, "WIFI-Mesh," ESP, https://docs.espressif.com/projects/esp-idf/en/latest/esp32/api-guides/esp-wifi-mesh.html. (accessed Jan. 4, 2024).

[16] A. S. Ahmar, "Forecast error calculation with mean squared error (MSE) and mean absolute percentage error (MAPE)," JINAV: Journal of Information and Visualization, vol. 1, no. 2, pp. 94–96, Dec. 2020. doi:10.35877/454ri.jinav303

[17] Chen, S. S., Donoho, D. L., & Saunders, M. A. (1998). "Atomic Decomposition by Basis Pursuit." SIAM Journal on Scientific Computing, 20(1), 33-61.

[18] Panesar, A. (2021). "Evaluating Machine Learning Models." Journal of Machine Learning Research. DOI: 10.1007/978-1-4842-6537-6_7.

[19] MEDIUM, "What is Firebase? The complete story, abridged.," www,medium.com, 25 September 2018. [Online]. Available: https://medium.com/firebase-developers/what-is-firebase-the-complete-story-abridged-bcc730c5f2c0.

[20] Nelissen, G., Pautet, L. Special issue on reliable data transmission in real-timesystems. Real-Time Syst 59, 662–663 (2023).https://doi.org/10.1007/s11241-023-09415-z