

References

- [1] Deep learning quantification of percent steatosis in donor liver biopsy frozen sections. *EBioMedicine*, 60:103029, 2020.
- [2] A. Arjmand, V. Christou, I. G. Tsoulos, M. G. Tsipouras, A. T. Tzallas, C. Gogos, E. Glavas, and N. Giannakeas. An evolutionary algorithm-based optimization method for the classification and quantification of steatosis prevalence in liver biopsy images. *Array*, 11:100078, 2021.
- [3] R. Azad, E. K. Aghdam, A. Rauland, Y. Jia, A. H. Avval, A. Bozorgpour, S. Karimijafarbigloo, J. P. Cohen, E. Adeli, and D. Merhof. Medical image segmentation review: The success of u-net. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2024.
- [4] N. Batool. Detection and spatial analysis of hepatic steatosis in histopathology images using sparse linear models. In *2016 Sixth International Conference on Image Processing Theory, Tools and Applications (IPTA)*, pages 1–6. IEEE, 2016.
- [5] P. Bedossa. Histological assessment of nafld. *Digestive diseases and sciences*, 61:1348–1355, 2016.
- [6] E. M. Brunt and D. G. Tiniakos. Histopathology of nonalcoholic fatty liver disease. *World journal of gastroenterology: WJG*, 16(42):5286, 2010.
- [7] T. A. B.W. Adiwijaya, and F. P. Permana. Medical image watermarking with tamper detection and recovery using reversible watermarking with lsb modification and run length encoding (rle) compression. In *2012 IEEE International Conference on Communication, Networks and Satellite (ComNetSat)*, pages 167–171, 2012.
- [8] I. Cataldo, S. Sarcognato, D. Sacchi, M. Cacciatore, F. Bacioni, A. Mangia, N. Cazzagon, and M. Guido. Pathology of non-alcoholic fatty liver disease. *Pathologica*, 113(3):194, 2021.
- [9] J. Chai, H. Zeng, A. Li, and E. W. Ngai. Deep learning in computer vision: A critical review of emerging techniques and application scenarios. *Machine Learning with Applications*, 6:100134, 2021.
- [10] A. B. Chowdhury and K. J. Mehta. Liver biopsy for assessment of chronic liver diseases: a synopsis. *Clinical and experimental medicine*, 23(2):273–285, 2023.
- [11] S. Dong, P. Wang, and K. Abbas. A survey on deep learning and its applications. *Computer Science Review*, 40:100379, 2021.
- [12] A. M. El-Badry, S. Breitenstein, W. Jochum, K. Washington, V. Paradis, L. Rubbia-Brandt, M. A. Puhan, K. Slankamenac, R. Graf, and P.-A. Clavien. Assessment of hepatic steatosis by expert pathologists: the end of a gold standard. *Annals of surgery*, 250(5):691–697, 2009.
- [13] M. N. Gurcan, L. E. Boucheron, A. Can, A. Madabhushi, N. M. Rajpoot, and B. Yener. Histopathological image analysis: A review. *IEEE reviews in biomedical engineering*, 2:147–171, 2009.
- [14] A. R. Hall, A. P. Dhillon, A. C. Green, L. Ferrell, J. M. Crawford, V. Alves, C. Balabaud, P. Bhathal, P. Bioulac-Sage, M. Guido, et al. Hepatic steatosis estimated microscopically versus digital image analysis. *Liver International*, 33(6):926–935, 2013.
- [15] E. H. Houssein, M. M. Emam, A. A. Ali, and P. N. Suganthan. Deep and machine learning techniques for medical imaging-based breast cancer: A comprehensive review. *Expert Systems with Applications*, 167:114161, 2021.
- [16] H. Huang, L. Lin, R. Tong, H. Hu, Q. Zhang, Y. Iwamoto, X. Han, Y.-W. Chen, and J. Wu. Unet 3+: A full-scale connected unet for medical image segmentation. In *ICASSP 2020-2020 IEEE international conference on acoustics, speech and signal processing (ICASSP)*, pages 1055–1059. IEEE, 2020.
- [17] L. Mairinoja, H. Heikelä, S. Blom, D. Kumar, A. Knuutila, S. Boyd, N. Sjöblom, E.-M. Birkman, P. Rinne, P. Ruusuvuori, et al. Deep learning-based image analysis of liver steatosis in mouse models. *The American Journal of Pathology*, 193(8):1072–1080, 2023.
- [18] D. Martí-Aguado, A. Jiménez-Pastor, Á. Alberich-Bayarri, A. Rodríguez-Ortega, C. Alfaro-Cervello, C. Mestre-Alagarda, M. Bauza, A. Gallén-Peris, E. Valero-Pérez, M. P. Ballester, et al. Automated whole-liver mri segmentation to assess steatosis and iron quantification in chronic liver disease. *Radiology*, 302(2):345–354, 2022.

- [19] U. F. Mohammad and M. Almekkawy. Automated detection of liver steatosis in ultrasound images using convolutional neural networks. In *2021 IEEE International Ultrasonics Symposium (IUS)*, pages 1–4. IEEE, 2021.
- [20] I. D. Munsterman, M. van Erp, G. Weijers, C. Bronkhorst, C. L. de Korte, J. P. Drenth, J. A. van der Laak, and E. T. Tjwa. A novel automatic digital algorithm that accurately quantifies steatosis in nafld on histopathological whole-slide images. *Cytometry Part B: Clinical Cytometry*, 96(6):521–528, 2019.
- [21] F. Nassir, R. S. Rector, G. M. Hammoud, and J. A. Ibdah. Pathogenesis and prevention of hepatic steatosis. *Gastroenterology & hepatology*, 11(3):167, 2015.
- [22] D. B. Nugraha, E. Rachmawati, and M. D. Sulistiyo. Semantic segmentation of whole-body bone scan image using btrfly-net. In *2022 14th International Conference on Information Technology and Electrical Engineering (ICITEE)*, pages 264–269, 2022.
- [23] R. K. Pai, V. Jairath, M. Hogan, G. Zou, O. A. Adeyi, Q. M. Anstee, B. A. Aqel, C. Behling, E. J. Carey, A. D. Clouston, et al. Reliability of histologic assessment for nafld and development of an expanded nafld activity score. *Hepatology*, 76(4):1150–1163, 2022.
- [24] O. Ronneberger, P. Fischer, and T. Brox. U-net: Convolutional networks for biomedical image segmentation. In *Medical image computing and computer-assisted intervention—MICCAI 2015: 18th international conference, Munich, Germany, October 5–9, 2015, proceedings, part III 18*, pages 234–241. Springer, 2015.
- [25] M. Roy, F. Wang, H. Vo, D. Teng, G. Teodoro, A. B. Farris, E. Castillo-Leon, M. B. Vos, and J. Kong. Deep-learning-based accurate hepatic steatosis quantification for histological assessment of liver biopsies. *Laboratory Investigation*, 100(10):1367–1383, 2020.
- [26] M. Salvi, L. Molinaro, J. Metovic, D. Patrono, R. Romagnoli, M. Papotti, and F. Molinari. Fully automated quantitative assessment of hepatic steatosis in liver transplants. *Computers in Biology and Medicine*, 123:103836, 2020.
- [27] M. Salvi, L. Molinaro, J. Metovic, D. Patrono, R. Romagnoli, M. Papotti, and F. Molinari. HEPASS algorithm dataset, 2020.
- [28] M. Selzner and P.-A. Clavien. Fatty liver in liver transplantation and surgery. In *Seminars in liver disease*, volume 21, pages 105–114. Copyright© 2001 by Thieme Medical Publishers, Inc., 333 Seventh Avenue, New . . . , 2001.
- [29] E. Setiawati, Adiwijaya, and A. B. W. Tjokorda. Particle swarm optimization on follicles segmentation to support pcos detection. In *2015 3rd International Conference on Information and Communication Technology (ICoICT)*, pages 369–374, 2015.
- [30] M. D. Sulistiyo. *Attribute-aware Semantic Segmentation from In-vehicle Camera*. PhD thesis, , 2021.
- [31] M. D. Sulistiyo, Y. Kawanishi, D. Deguchi, I. Ide, T. Hirayama, and H. Murase. Performance boost of attribute-aware semantic segmentation via data augmentation for driver assistance. In *2020 8th International Conference on Information and Communication Technology (ICoICT)*, pages 1–6, 2020.
- [32] R. F. K. Syam, E. Rachmawati, and M. D. Sulistiyo. Whole-body bone scan segmentation using segformer. In *2023 10th International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)*, pages 419–424, 2023.
- [33] Q. Wang, W. Xue, X. Zhang, F. Jin, and J. Hahn. S2flnet: Hepatic steatosis detection network with body shape. *Computers in biology and medicine*, 140:105088, 2022.
- [34] J. A. Wertheim, H. Petrowsky, S. Saab, J. W. Kupiec-Weglinski, and R. W. Busuttil. Major challenges limiting liver transplantation in the united states. *American Journal of Transplantation*, 11(9):1773–1784, 2011.
- [35] T. A. B. Wirayuda, R. Munir, and A. I. Kistijantoro. Compact-fusion feature framework for ethnicity classification. In *Informatics*, volume 10, page 51. MDPI, 2023.
- [36] T. A. B. Wirayuda and I. S. Suwardi. Opportunity and challenge on face recognition: generic-to-specific feature representation and recognition strategy. *International Journal of Latest Trends in Engineering and Technology*, 9(1), 2017.

- [37] V. W.-S. Wong, M. Ekstedt, G. L.-H. Wong, and H. Hagström. Changing epidemiology, global trends and implications for outcomes of nafld. *Journal of hepatology*, 2023.
- [38] Z. Zhou, M. M. Rahman Siddiquee, N. Tajbakhsh, and J. Liang. Unet++: A nested u-net architecture for medical image segmentation. In *Deep Learning in Medical Image Analysis and Multimodal Learning for Clinical Decision Support: 4th International Workshop, DLMIA 2018, and 8th International Workshop, ML-CDS 2018, Held in Conjunction with MICCAI 2018, Granada, Spain, September 20, 2018, Proceedings 4*, pages 3–11. Springer, 2018.