

DAFTAR PUSTAKA

- [1] Annur, C.M. (2023) Ada 27 Juta Pengguna Twitter di Indonesia, Terbanyak ke-4 Global. Available at: <https://databoks.katadata.co.id/datapublish/2023/11/28/ada-27-juta-pengguna-twitter-di-indonesia-terbanyak-ke-4-global> (Accessed: 27 March 2024).
- [2] M. A. Rahman, A. Al Faisal, T. Khanam, M. Amjad, and M. S. Siddik, “Personality Detection from Text using Convolutional Neural Network,” in *1st International Conference on Advances in Science, Engineering and Robotics Technology 2019, ICASERT 2019*, Institute of Electrical and Electronics Engineers Inc., May 2019. doi: 10.1109/ICASERT.2019.8934548.
- [3] G. D. Salsabila and E. B. Setiawan, “Semantic Approach for Big Five Personality Prediction on Twitter,” *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 5, no. 4, pp. 680–687, Aug. 2021, doi: 10.29207/resti.v5i4.3197.
- [4] Y. Liu *et al.*, “RoBERTa: A Robustly Optimized BERT Pretraining Approach,” Jul. 2019, [Online]. Available: <http://arxiv.org/abs/1907.11692>.
- [5] M. M. Zain, R. N. Simbolon, H. Sulung, and D. Z. Anwar, “Jurnal Politeknik Caltex Riau Analisis Sentimen Pendapat Masyarakat Mengenai Vaksin Covid-19 Pada Media Sosial Twitter dengan Robustly Optimized BERT Pretraining Approach,” 2021. [Online]. Available: <https://jurnal.pcr.ac.id/index.php/jkt/>.
- [6] E. F. Tsani and D. Suhartono, “Personality Identification from Social Media Using Ensemble BERT and RoBERTa,” *Informatica (Slovenia)*, vol. 47, no. 4, pp. 537–544, Dec. 2023, doi: 10.31449/inf.v47i4.4771.
- [7] Muh. A. A. Yani and W. Maharani, “Analyzing Cyberbullying Negative Content on Twitter Social Media with the RoBERTa Method,” *JINAV: Journal of Information and Visualization*, vol. 4, no. 1, pp. 61–69, Feb. 2023, doi: 10.35877/454ri.jinav1543.
- [8] D. Tiyasya Putra and E. Budi Setiawan, “Sentiment Analysis on Social Media with Glove Using Combination CNN and RoBERTa,” vol. 10, no. 3, pp. 457–563, 2023, doi: 10.29207/resti.v7iX3.4892.

- [9] A. Murarka, B. Radhakrishnan, and S. Ravichandran, "Detection and Classification of mental illnesses on social media using RoBERTa," Nov. 2020, [Online]. Available: <http://arxiv.org/abs/2011.11226>.
- [10] V. R, "Comparative Analysis for Personality Prediction by Digital Footprints in Social Media," *Journal of Information Technology and Digital World*, vol. 3, no. 2, pp. 77–91, May 2021, doi: 10.36548/jitdw.2021.2.002.
- [11] C. Yuan, J. Wu, H. Li, and L. Wang, "Personality Recognition Based on User Generated Content," in *2018 15th International Conference on Service Systems and Service Management (ICSSSM)*, 2018, pp. 1–6. doi: 10.1109/ICSSSM.2018.8465006.
- [12] J. Xue, A. Li, X. Liu, and L. Cai, "Identifying Big Five personality traits based on facial behavior analysis."
- [13] A. Yilmaz, A. A. Demircali, S. Kocaman, and H. Uvet, "Comparison of Deep Learning and Traditional Machine Learning Techniques for Classification of Pap Smear Images," Sep. 2020, [Online]. Available: <http://arxiv.org/abs/2009.06366>.
- [14] J. Wei and K. Zou, "EDA: Easy Data Augmentation Techniques for Boosting Performance on Text Classification Tasks," *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, 2019, doi: <https://doi.org/10.18653/v1/d19-1670>.
- [15] P. Kumar, R. Bhatnagar, K. Gaur, and A. Bhatnagar, "Classification of Imbalanced Data: Review of Methods and Applications," *IOP Conference Series: Materials Science and Engineering*, vol. 1099, no. 1, p. 012077, Mar. 2021, doi: <https://doi.org/10.1088/1757-899x/1099/1/012077>
- [16] N. Febrianto, I. Prasetya, and A. Wijaya, "Pembuatan Sistem Prediksi Kepribadian 'The Big Five Traits' dari Media Sosial Twitter." [Online]. Available: http://semiocast.com/en/publications/2012_07_30_Twitter_reaches_half_a_billion
—.

- [17] M. R. Maarif, “Content Analysis on Twitter Users Interaction within First 100 Days of Jakarta’s New Government by Using Text Mining,” *Journal Pekommas*, vol. 3, no. 2, p. 137, Oct. 2018, doi: 10.30818/jpkm.2018.2030203.
- [18] M. A. Djamaludin, A. Triayudi, and E. Mardiani, “Analisis Sentimen Tweet KRI Nanggala 402 di Twitter menggunakan Metode Naïve Bayes Classifier,” *Jurnal Teknologi Informasi dan Komunikasi*, vol. 6, no. 2, p. 2022, 2022, doi: 10.35870/jti.
- [19] F. Nur, Hasan Dwi Cahyono, Sari Widya Sihwi, and Wisnu Widiarto, “Performance Analysis of Transformer Based Models (BERT, ALBERT, and RoBERTa) in Fake News Detection,” Nov. 2023, doi: <https://doi.org/10.1109/icoiact59844.2023.10455849>.
- [20] M. Stankevich, I. V. Smirnov, Nikolay Ignatiev, O. Grigoryev, and N. Kiselnikova, “Analysis of Big Five Personality Traits by Processing of Social Media Users Activity Features.,” *DAMDID/RCDL*, pp. 162–166, Jan. 2018.
- [21] W. Husain *et al.*, “Reliability generalization meta-analysis of the internal consistency of the Big Five Inventory (BFI) by comparing BFI (44 items) and BFI-2 (60 items) versions controlling for age, sex, language factors,” *BMC Psychology*, vol. 13, no. 1, Jan. 2025, doi: <https://doi.org/10.1186/s40359-024-02271-x>.
- [22] K. Md. Hasib *et al.*, “A Survey of Methods for Managing the Classification and Solution of Data Imbalance Problem,” *Journal of Computer Science*, vol. 16, no. 11, pp. 1546–1557, Nov. 2020, doi: <https://doi.org/10.3844/jcssp.2020.1546.1557>.