

## BIBLIOGRAPHY

- [1] Y.-F. Zhang, X. Wang, A. C. Kaushik, Y. Chu, X. Shan, M.-Z. Zhao, Q. Xu, and D.-Q. Wei, “SPVec: A Word2vec-Inspired Feature Representation Method for Drug–Target Interaction Prediction,” *Frontiers in Chemistry*, vol. 7, p. 895, Jan. 2020. [Online]. Available: <https://www.frontiersin.org/article/10.3389/fchem.2019.00895/full>
- [2] H. Khojasteh, J. Pirgazi, and A. Ghanbari Sorkhi, “Improving prediction of drug–target interactions based on fusing multiple features with data balancing and feature selection techniques,” *PLOS ONE*, vol. 18, no. 8, p. e0288173, Aug. 2023. [Online]. Available: <https://dx.plos.org/10.1371/journal.pone.0288173>
- [3] S. Kim, J. Chen, T. Cheng, A. Gindulyte, J. He, S. He, Q. Li, B. A. Shoemaker, P. A. Thiessen, B. Yu, L. Zaslavsky, J. Zhang, and E. E. Bolton, “PubChem 2019 update: improved access to chemical data,” *Nucleic Acids Research*, vol. 47, no. D1, pp. D1102–D1109, Jan. 2019. [Online]. Available: <https://academic.oup.com/nar/article/47/D1/D1102/5146201>
- [4] C. H. Wong, K. W. Siah, and A. W. Lo, “Estimation of clinical trial success rates and related parameters,” *Biostatistics*, vol. 20, no. 2, pp. 273–286, Apr. 2019. [Online]. Available: <https://academic.oup.com/biostatistics/article/20/2/273/4817524>
- [5] M. Kalemati, M. Zamani Emani, and S. Koohi, “BiComp-DTA: Drug–target binding affinity prediction through complementary biological-related and compression-based featurization approach,” *PLOS Computational Biology*, vol. 19, no. 3, p. e1011036, Mar. 2023. [Online]. Available: <https://dx.plos.org/10.1371/journal.pcbi.1011036>
- [6] S. Lin, C. Shi, and J. Chen, “GeneralizedDTA: combining pre-training and multi-task learning to predict drug–target binding affinity for unknown drug discovery,” *BMC Bioinformatics*, vol. 23, no. 1, p. 367, Sep. 2022. [Online]. Available: <https://bmcbioinformatics.biomedcentral.com/articles/10.1186/s12859-022-04905-6>
- [7] H. Abbasi Mesrabadi, K. Faez, and J. Pirgazi, “Drug–target interaction prediction based on protein features, using wrapper feature selection,” *Scientific Reports*, vol. 13, no. 1, p. 3594, Mar. 2023. [Online]. Available: <https://www.nature.com/articles/s41598-023-30026-y>
- [8] L. Douali, “Machine learning for the prediction of phenols cytotoxicity,” *International Journal of Advances in Intelligent Informatics*, vol. 8, no. 1, p. 58, Mar. 2022. [Online]. Available: <http://ijain.org/index.php/IJAIN/article/view/748>
- [9] Y. Qian, X. Li, J. Wu, and Q. Zhang, “MCL-DTI: using drug multimodal information and bi-directional cross-attention learning method for predicting

- drug–target interaction,” *BMC Bioinformatics*, vol. 24, no. 1, p. 323, Aug. 2023. [Online]. Available: <https://bmcbioinformatics.biomedcentral.com/articles/10.1186/s12859-023-05447-1>
- [10] Z.-H. Ren, Z.-H. You, Q. Zou, C.-Q. Yu, Y.-F. Ma, Y.-J. Guan, H.-R. You, X.-F. Wang, and J. Pan, “DeepMPF: deep learning framework for predicting drug–target interactions based on multi-modal representation with meta-path semantic analysis,” *Journal of Translational Medicine*, vol. 21, no. 1, p. 48, Jan. 2023. [Online]. Available: <https://translational-medicine.biomedcentral.com/articles/10.1186/s12967-023-03876-3>
- [11] A. Saad, F. A. Maghraby, and Y. M. Omar, “Predicting Drug Target Interaction by Integrating Drug Fingerprint and Drug Side Effect Using Machine Learning,” in *The International Conference on Advanced Machine Learning Technologies and Applications (AMLTA2019)*, A. E. Hassani, A. T. Azar, T. Gaber, R. Bhatnagar, and M. F. Tolba, Eds. Cham: Springer International Publishing, 2020, vol. 921, pp. 281–290, series Title: Advances in Intelligent Systems and Computing. [Online]. Available: [http://link.springer.com/10.1007/978-3-030-14118-9\\_28](http://link.springer.com/10.1007/978-3-030-14118-9_28)
- [12] A. Mahdaddi, S. Meshoul, and M. Belguidoum, “EA-based hyperparameter optimization of hybrid deep learning models for effective drug-target interactions prediction,” *Expert Systems with Applications*, vol. 185, p. 115525, Dec. 2021. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0957417421009349>
- [13] H. Öztürk, A. Özgür, and E. Ozkirimli, “DeepDTA: deep drug–target binding affinity prediction,” *Bioinformatics*, vol. 34, no. 17, pp. i821–i829, Sep. 2018. [Online]. Available: <https://academic.oup.com/bioinformatics/article/34/17/i821/5093245>
- [14] Q. Zhao, G. Duan, M. Yang, Z. Cheng, Y. Li, and J. Wang, “AttentionDTA: Drug–Target Binding Affinity Prediction by Sequence-Based Deep Learning With Attention Mechanism,” *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, vol. 20, no. 2, pp. 852–863, Mar. 2023. [Online]. Available: <https://ieeexplore.ieee.org/document/9763375/>
- [15] T. He, M. Heidemeyer, F. Ban, A. Cherkasov, and M. Ester, “SimBoost: a read-across approach for predicting drug–target binding affinities using gradient boosting machines,” *Journal of Cheminformatics*, vol. 9, no. 1, p. 24, Dec. 2017. [Online]. Available: <https://jcheminf.biomedcentral.com/articles/10.1186/s13321-017-0209-z>
- [16] M. A. Thafar, M. Alshahrani, S. Albaradei, T. Gojobori, M. Essack, and X. Gao, “Affinity2Vec: drug-target binding affinity prediction through representation learning, graph mining, and machine learning,” *Scientific Reports*, vol. 12, no. 1, p. 4751, Mar. 2022. [Online]. Available: <https://www.nature.com/articles/s41598-022-08787-9>

- [17] H. Öztürk, E. Ozkirimli, and A. Özgür, “WideDTA: prediction of drug-target binding affinity,” Feb. 2019, arXiv:1902.04166 [q-bio]. [Online]. Available: <http://arxiv.org/abs/1902.04166>
- [18] A. Ghimire, H. Tayara, Z. Xuan, and K. T. Chong, “CSatDTA: Prediction of Drug–Target Binding Affinity Using Convolution Model with Self-Attention,” *International Journal of Molecular Sciences*, vol. 23, no. 15, p. 8453, Jul. 2022. [Online]. Available: <https://www.mdpi.com/1422-0067/23/15/8453>
- [19] S. D’Souza, K. V. Prema, S. Balaji, and R. Shah, “Deep Learning-Based Modeling of Drug–Target Interaction Prediction Incorporating Binding Site Information of Proteins,” *Interdisciplinary Sciences: Computational Life Sciences*, vol. 15, no. 2, pp. 306–315, Jun. 2023. [Online]. Available: <https://link.springer.com/10.1007/s12539-023-00557-z>
- [20] H. Chen, D. Li, J. Liao, L. Wei, and L. Wei, “MultiscaleDTA: A multiscale-based method with a self-attention mechanism for drug-target binding affinity prediction,” *Methods*, vol. 207, pp. 103–109, Nov. 2022. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1046202322002146>
- [21] X. Zhu, J. Liu, J. Zhang, Z. Yang, F. Yang, and X. Zhang, “FingerDTA: A Fingerprint-Embedding Framework for Drug–Target Binding Affinity Prediction,” *Big Data Mining and Analytics*, vol. 6, no. 1, pp. 1–10, Mar. 2023. [Online]. Available: <https://ieeexplore.ieee.org/document/9963624/>
- [22] Y. Zeng, X. Chen, Y. Luo, X. Li, and D. Peng, “Deep drug–target binding affinity prediction with multiple attention blocks,” *Briefings in Bioinformatics*, vol. 22, no. 5, p. bbab117, Sep. 2021. [Online]. Available: <https://academic.oup.com/bib/article/doi/10.1093/bib/bbab117/6231754>
- [23] K. Abbasi, P. Razzaghi, A. Poso, M. Amanlou, J. B. Ghasemi, and A. Masoudi-Nejad, “DeepCDA: deep cross-domain compound–protein affinity prediction through LSTM and convolutional neural networks,” *Bioinformatics*, vol. 36, no. 17, pp. 4633–4642, Nov. 2020. [Online]. Available: <https://academic.oup.com/bioinformatics/article/36/17/4633/5848004>
- [24] B. Min, H. Ross, E. Sulem, A. P. B. Veyseh, T. H. Nguyen, O. Sainz, E. Agirre, I. Heintz, and D. Roth, “Recent Advances in Natural Language Processing via Large Pre-trained Language Models: A Survey,” *ACM Computing Surveys*, vol. 56, no. 2, pp. 1–40, Feb. 2024. [Online]. Available: <https://dl.acm.org/doi/10.1145/3605943>
- [25] W. Ahmad, E. Simon, S. Chithrananda, G. Grand, and B. Ramsundar, “ChemBERTa-2: Towards Chemical Foundation Models,” Sep. 2022, arXiv:2209.01712 [cs]. [Online]. Available: <http://arxiv.org/abs/2209.01712>

- [26] Z. Lin, H. Akin, R. Rao, B. Hie, Z. Zhu, W. Lu, N. Smetanin, R. Verkuil, O. Kabeli, Y. Shmueli, A. Dos Santos Costa, M. Fazel-Zarandi, T. Sercu, S. Candido, and A. Rives, “Evolutionary-scale prediction of atomic level protein structure with a language model,” Jul. 2022. [Online]. Available: <http://biorxiv.org/lookup/doi/10.1101/2022.07.20.500902>
- [27] T. M. Nguyen, T. Nguyen, and T. Tran, “Mitigating cold-start problems in drug-target affinity prediction with interaction knowledge transferring,” *Briefings in Bioinformatics*, vol. 23, no. 4, p. bbac269, Jul. 2022. [Online]. Available: <https://academic.oup.com/bib/article/doi/10.1093/bib/bbac269/6628784>
- [28] A. Ranjan, M. S. Fahad, and A. Deepak, “ $\lambda$ -Scaled-attention: A novel fast attention mechanism for efficient modeling of protein sequences,” *Information Sciences*, vol. 609, pp. 1098–1112, Sep. 2022. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0020025522008209>
- [29] K. Kurnianingsih, A. Wirasatriya, L. Lazuardi, A. Wibowo, I. K. A. Enriko, W. H. Chin, and N. Kubota, “Big data analytics for relative humidity time series forecasting based on the LSTM network and ELM,” *International Journal of Advances in Intelligent Informatics*, vol. 9, no. 3, p. 537, Nov. 2023. [Online]. Available: <http://ijain.org/index.php/IJAIN/article/view/905>
- [30] T. Nguyen, H. Le, T. P. Quinn, T. Nguyen, T. D. Le, and S. Venkatesh, “GraphDTA: predicting drug–target binding affinity with graph neural networks,” *Bioinformatics*, vol. 37, no. 8, pp. 1140–1147, May 2021. [Online]. Available: <https://academic.oup.com/bioinformatics/article/37/8/1140/5942970>
- [31] H. Kang, S. Goo, H. Lee, J.-w. Chae, H.-y. Yun, and S. Jung, “Fine-tuning of BERT Model to Accurately Predict Drug–Target Interactions,” *Pharmaceutics*, vol. 14, no. 8, p. 1710, Aug. 2022. [Online]. Available: <https://www.mdpi.com/1999-4923/14/8/1710>
- [32] A. S. Lang, W. K. Chong, and J. H. Wörner, “Fine-Tuning ChemBERTa-2 for Aqueous Solubility Prediction,” *Annals of Chemical Science Research*, vol. 4, no. 1, May 2023. [Online]. Available: <https://crimsonpublishers.com/acsr/fulltext/ACSR.000578.php>
- [33] R. Mall, A. Singh, C. N. Patel, G. Guirimand, and F. Castiglione, “VISH-Pred: an ensemble of fine-tuned ESM models for protein toxicity prediction,” *Briefings in Bioinformatics*, vol. 25, no. 4, p. bbae270, May 2024. [Online]. Available: <https://academic.oup.com/bib/article/doi/10.1093/bib/bbae270/7688816>
- [34] H. Wang, J. Li, H. Wu, E. Hovy, and Y. Sun, “Pre-Trained Language Models and Their Applications,” *Engineering*, vol. 25, pp. 51–65, Jun. 2023. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S2095809922006324>

- [35] J. Dong, “Natural Language Processing Pretraining Language Model for Computer Intelligent Recognition Technology,” *ACM Trans. Asian Low-Resour. Lang. Inf. Process.*, vol. 23, no. 8, pp. 110:1–110:12, Aug. 2024. [Online]. Available: <https://doi.org/10.1145/3605210>
- [36] M. Lee, “Recent Advances in Deep Learning for Protein-Protein Interaction Analysis: A Comprehensive Review,” *Molecules*, vol. 28, no. 13, p. 5169, Jul. 2023. [Online]. Available: <https://www.mdpi.com/1420-3049/28/13/5169>
- [37] S. Chithrananda, G. Grand, and B. Ramsundar, “ChemBERTa: Large-Scale Self-Supervised Pretraining for Molecular Property Prediction,” Oct. 2020, arXiv:2010.09885 [physics, q-bio]. [Online]. Available: <http://arxiv.org/abs/2010.09885>
- [38] B. Fabian, T. Edlich, H. Gaspar, M. Segler, J. Meyers, M. Fiscato, and M. Ahmed, “Molecular representation learning with language models and domain-relevant auxiliary tasks,” Nov. 2020, arXiv:2011.13230 [cs]. [Online]. Available: <http://arxiv.org/abs/2011.13230>
- [39] A. Elnaggar, M. Heinzinger, C. Dallago, G. Rehwald, Y. Wang, L. Jones, T. Gibbs, T. Feher, C. Angerer, M. Steinegger, D. Bhowmik, and B. Rost, “ProtTrans: Towards Cracking the Language of Life’s Code Through Self-Supervised Learning,” Jul. 2020. [Online]. Available: <http://biorxiv.org/lookup/doi/10.1101/2020.07.12.199554>
- [40] B. E. Suzek, H. Huang, P. McGarvey, R. Mazumder, and C. H. Wu, “UniRef: comprehensive and non-redundant UniProt reference clusters,” *Bioinformatics*, vol. 23, no. 10, pp. 1282–1288, May 2007. [Online]. Available: <https://academic.oup.com/bioinformatics/article/23/10/1282/197795>
- [41] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, “BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding,” May 2019, arXiv:1810.04805 [cs]. [Online]. Available: <http://arxiv.org/abs/1810.04805>
- [42] D. Soysaner, “Attention mechanism in neural networks: where it comes and where it goes,” *Neural Computing and Applications*, vol. 34, no. 16, pp. 13 371–13 385, Aug. 2022. [Online]. Available: <https://link.springer.com/10.1007/s00521-022-07366-3>
- [43] D. Bahdanau, K. Cho, and Y. Bengio, “Neural Machine Translation by Jointly Learning to Align and Translate,” May 2016, arXiv:1409.0473 [cs]. [Online]. Available: <http://arxiv.org/abs/1409.0473>
- [44] K. Xu, J. Ba, R. Kiros, K. Cho, A. Courville, R. Salakhudinov, R. Zemel, and Y. Bengio, “Show, Attend and Tell: Neural Image Caption Generation with Visual Attention,” in *Proceedings of the 32nd International Conference on Machine*

- Learning.* PMLR, Jun. 2015, pp. 2048–2057, iSSN: 1938-7228. [Online]. Available: <https://proceedings.mlr.press/v37/xuc15.html>
- [45] M.-T. Luong, H. Pham, and C. D. Manning, “Effective Approaches to Attention-based Neural Machine Translation,” Sep. 2015, arXiv:1508.04025 [cs]. [Online]. Available: <http://arxiv.org/abs/1508.04025>
- [46] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, “Attention is all you need,” in *Advances in Neural Information Processing Systems*, vol. 30. Curran Associates, Inc., 2017. [Online]. Available: [https://proceedings.neurips.cc/paper\\_files/paper/2017/hash/3f5ee243547dee91fb0d053c1c4a845aa-Abstract.html](https://proceedings.neurips.cc/paper_files/paper/2017/hash/3f5ee243547dee91fb0d053c1c4a845aa-Abstract.html)
- [47] M. I. Davis, J. P. Hunt, S. Herrgard, P. Ciceri, L. M. Wodicka, G. Pallares, M. Hocker, D. K. Treiber, and P. P. Zarrinkar, “Comprehensive analysis of kinase inhibitor selectivity,” *Nature Biotechnology*, vol. 29, no. 11, pp. 1046–1051, Nov. 2011. [Online]. Available: <https://www.nature.com/articles/nbt.1990>
- [48] J. Tang, A. Szwajda, S. Shakyawar, T. Xu, P. Hintsanen, K. Wennerberg, and T. Aittokallio, “Making Sense of Large-Scale Kinase Inhibitor Bioactivity Data Sets: A Comparative and Integrative Analysis,” *Journal of Chemical Information and Modeling*, vol. 54, no. 3, pp. 735–743, Mar. 2014. [Online]. Available: <https://pubs.acs.org/doi/10.1021/ci400709d>
- [49] J. S. Arora, “Additional Topics on Optimum Design,” in *Introduction to Optimum Design*. Elsevier, 2012, pp. 731–784. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/B9780123813756000292>
- [50] M. Gönen and G. Heller, “Concordance probability and discriminatory power in proportional hazards regression,” *Biometrika*, vol. 92, no. 4, pp. 965–970, Dec. 2005. [Online]. Available: <http://academic.oup.com/biomet/article/92/4/965/389449/Concordance-probability-and-discriminatory-power>
- [51] P. P. Roy and K. Roy, “On Some Aspects of Variable Selection for Partial Least Squares Regression Models,” *QSAR & Combinatorial Science*, vol. 27, no. 3, pp. 302–313, Mar. 2008. [Online]. Available: <https://onlinelibrary.wiley.com/doi/10.1002/qsar.200710043>