

## BIBLIOGRAPHY

- [1] N. A. Abdulhussein and A. J. Obaid. User recommendation system based on mind dataset. *International Journal of Nonlinear Analysis and Applications*, 14(1):1647–1654, 2023. doi: 10.22075/ijnaa.2022.6857.
- [2] W. Anggraeni, M. F. A. Kusuma, E. Riksakomara, R. P. Wibowo, Pujiadi, and S. Sumpeno. Combination of bert and hybrid cnn-lstm models for indonesia dengue tweets classification. *International Journal of Intelligent Engineering and Systems*, 17 (1):813–826, 2024. doi: 10.22266/ijies2024.0229.68.
- [3] H. T. Atmoko, N. D. W. Cahyani, and S. Kurniawan. Grouping and categorizing data from social networking applications for forensic analysis. In *Proceedings of the 2024 International Conference on Artificial Intelligence, Blockchain, Cloud Computing, and Data Analytics (ICoABCD)*, Indonesia, 2024. doi: 10.1109/ICoABCD63526.2024.10704283.
- [4] B. M. G. A. Awienoor and E. B. Setiawan. Movie recommendation system based on tweets using switching hybrid filtering with recurrent neural network. *International Journal of Intelligent Engineering and Systems*, 17(2), 2024. doi: 10.22266/ijies2024.0430.24.
- [5] I. L. R. Azevedo, T. Suzumura, and Y. Yasui. Popular news always compete for the user’s attention! popk: Mitigating popularity bias via a temporal-counterfactual. arXiv preprint, 2024. URL <https://arxiv.org/abs/2407.09939>. arXiv:2407.09939.
- [6] Z. Baizal, N. Iksan, I. K. Karo, R. Darmawan, and R. Hartanto. Movie recommender chatbot based on dialogflow. *International Journal of Electrical and Computer Engineering*, 13:936–947, 2023. doi: 10.11591/ijece.v13i1.pp936-947.
- [7] Z. K. Baizal, D. Tarwidi, D. Adiwijaya, and B. F. Wijaya. Tourism destination recommendation using ontology-based conversational recommender system. *International Journal of Computing and Digital Systems*, 2021. doi: 10.12785/ijcds/100176.
- [8] J. Chen, Z. Liu, X. Huang, et al. When large language models meet personalization: Perspectives of challenges and opportunities. *World Wide Web*, 27:42, 2024. doi: 10.1007/s11280-024-01276-1.
- [9] L. Eberhard, K. Popova, S. Walk, and D. Helic. Computing recommendations from free-form text. *Expert Systems with Applications*, 236:121268, 2024. doi: 10.1016/j.eswa.2023.121268.
- [10] E. C. Garrido-Merchan et al. Comparing bert against traditional machine learning models in text classification. *Journal of Computational and Cognitive Engineering*, 2 (4):352–356, Apr. 2023. doi: 10.47852/bonviewJCCE3202838.

- [11] Y. Hu, J. Ding, Z. Dou, and H. Chang. Short-text classification detector: A bert-based mental approach. *Computational Intelligence and Neuroscience*, 2022:8660828, 2022. doi: 10.1155/2022/8660828. 11 pages.
- [12] Z. Huang and L. Kong. Deberta-v3 with r-drop regularization for multi-author writing style analysis. In *Conference and Labs of the Evaluation Forum (CLEF)*, 2024. [Online].
- [13] Z. Huang, C. Low, M. Teng, H. Zhang, D. E. Ho, M. S. Krass, and M. Grabmair. Context-aware legal citation recommendation using deep learning. In *Proceedings of the 18th International Conference on Artificial Intelligence and Law (ICAIL '21)*, pages 79–88, New York, NY, USA, 2021. ACM. doi: 10.1145/3462757.3466066.
- [14] Z. Huang, B. Jin, H. Zhao, Q. Liu, D. Lian, B. Tengfei, and E. Chen. Personal or general? a hybrid strategy with multi-factors for news recommendation. *ACM Transactions on Information Systems*, 41(2):Article 44, Apr. 2023. doi: 10.1145/3555373.
- [15] B. Juarto and A. Girsang. Neural collaborative with sentence bert for news recommender system. *JOIV: International Journal of Informatics Visualization*, 5:448, 2021. doi: 10.30630/joiv.5.4.678.
- [16] S. Khosa, A. Mehmood, and M. Rizwan. Unifying sentence transformer embedding and softmax voting ensemble for accurate news category prediction. *Computers*, 12(7):137, 2023. doi: 10.3390/computers12070137.
- [17] R. Khusuma, W. Maharani, and P. Gani. Personality detection on twitter user with roberta. *Jurnal Media Informatika Budidarma*, 7(1):542, 2023. doi: 10.30865/mib.v7i1.5598.
- [18] T. Koopmann, K. Kobs, K. Herud, and A. Hotho. Cobert: Scientific collaboration prediction via sequential recommendation. In *Proceedings of the 2021 IEEE International Conference on Data Mining Workshops (ICDMW)*, pages 45–54, Auckland, New Zealand, 2021. IEEE. doi: 10.1109/ICDMW53433.2021.00013.
- [19] S. Kula, R. Kozik, and M. Choraś. Implementation of the bert-derived architectures to tackle disinformation challenges. *Neural Computing and Applications*, 34:20449–20461, 2022. doi: 10.1007/s00521-021-06276-0.
- [20] R. Liu, B. Yin, Z. Cao, Q. Xia, Y. Chen, and D. Zhang. Perconet: News recommendation with explicit persona and contrastive learning. In *Proceedings of The Web Conference*, New York, NY, USA, 2023. doi: 10.48550/arXiv.2304.07923. 9 pages.

- [21] S. Malla and P. J. A. Alphonse. Fake or real news about covid-19? pretrained transformer model to detect potential misleading news. *European Physical Journal Special Topics*, 231:3347–3356, 2022. doi: 10.1140/epjs/s11734-022-00436-6.
- [22] T. A. Manurung and Z. K. A. Baizal. The usage of neural collaborative filtering in enhancing personalized skincare recommendation. In *Proceedings of the 2024 International Conference on Data Science and Applications (ICoDSA)*, pages 375–379, Kuta, Bali, Indonesia, 2024. IEEE. doi: 10.1109/ICoDSA62899.2024.10651734.
- [23] C. Meaney, W. Hakimpour, S. Kalia, and R. Moineddin. A comparative evaluation of transformer models for de-identification of clinical text data. arXiv preprint, 2022. URL <https://arxiv.org/abs/2204.07056>. arXiv:2204.07056.
- [24] M. Müller, M. Salathé, and P. E. Kummervold. Covid-twitter-bert: A natural language processing model to analyse covid-19 content on twitter. *Frontiers in Artificial Intelligence*, 6, 2023. doi: 10.3389/frai.2023.1023281.
- [25] P. Nabila and E. B. Setiawan. Adam and adamw optimization algorithm application on bert model for hate speech detection on twitter. In *Proceedings of the 2024 International Conference on Data Science and Applications (ICoDSA)*, pages 346–351, Kuta, Bali, Indonesia, 2024. doi: 10.1109/ICoDSA62899.2024.10651619.
- [26] S. Ni and H.-Y. Kao. Masked siamese prompt tuning for few-shot natural language understanding. *IEEE Transactions on Artificial Intelligence*, 5(2):624–633, Feb. 2024. doi: 10.1109/TAI.2023.3275132.
- [27] A. Noorian, A. Harounabadi, and M. Hazratifard. A sequential neural recommendation system exploiting bert and lstm on social media posts. *Complex Intelligent Systems*, 10:721–744, 2024. doi: 10.1007/s40747-023-01191-4.
- [28] A. Parfenova and M. Clausel. Risk prediction of pathological gambling on social media. In *Proceedings of the ACM*, New York, NY, USA, 2024. doi: 10.13140/RG.2.2.11414.11841.
- [29] A. Putra and W. Maharani. Depression levels detection through twitter tweets using roberta method. *Journal of Information System Research (JOSH)*, 3(4):453–459, 2022. doi: 10.47065/josh.v3i4.1872.
- [30] A. T. Ray, O. J. Pinon-Fischer, D. N. Mavris, R. T. White, and B. F. Cole. aerobertner: Named-entity recognition for aerospace requirements engineering using bert. In *AIAA SciTech Forum 2023*, 2023. doi: 10.2514/6.2023-2583.
- [31] S. Raza and C. Ding. News recommender system: A review of recent progress, challenges, and opportunities. *Artificial Intelligence Review*, 55:749–800, 2022. doi: 10.1007/s10462-021-10043-x.

- [32] D. Roy and M. Dutta. A systematic review and research perspective on recommender systems. *Journal of Big Data*, 9:59, 2022. doi: 10.1186/s40537-022-00592-5.
- [33] J. J. Seol, Y. Ko, and S. Lee. Exploiting session information in bert-based session-aware sequential recommendation. In *Proceedings of the 45th International ACM SIGIR Conference on Research and Development in Information Retrieval (SIGIR '22)*, pages 2639–2644, New York, NY, USA, 2022. ACM. doi: 10.1145/3477495.3531910.
- [34] A. D. Starke, S. Larsen, and C. Trattner. Predicting feature-based similarity in the news domain using human judgments. In *Proceedings of INRA 2021*, Amsterdam, Netherlands, Sept. 2021. doi: 10.1145/1122445.1122456.
- [35] K. L. Tan, C. P. Lee, K. S. M. Anbananthen, and K. M. Lim. Roberta-lstm: A hybrid model for sentiment analysis with transformer and recurrent neural network. *IEEE Access*, 10:21517–21525, 2022. doi: 10.1109/ACCESS.2022.3152828.
- [36] Z. Tang, H. Fang, S. Zhou, T. Yang, Z. Zhong, T. Hu, K. Kirchhoff, and G. Karypis. Autogluon-multimodal (automm): Supercharging multimodal automl with foundation models. In *Proceedings of the 3rd International Conference on Automated Machine Learning (AutoML 2024)*, volume 256, pages 15:1–15:35. PMLR, 2024. doi: 10.48550/arXiv.2404.16233.
- [37] C. Timoneda and S. V. Vera. Bert, roberta or deberta? comparing performance across transformers models in political science text. *The Journal of Politics*, 87, 2024. doi: 10.1086/730737.
- [38] H. D. Tran. *Towards a New Generation of Deep Learning Based Recommender Systems*. PhD thesis, Macquarie University, 2023.
- [39] M. Varma, A. M. Syed, V. J. Patel, and A. Mediboina. Analyzing leukemia content on social media: A comprehensive cross-sectional examination of instagram and youtube. *International Journal of Surgery: Global Health*, 7(5):e00468, Sept. 2024. doi: 10.1097/GH9.0000000000000468.
- [40] L. Wang, S. Joty, W. Gao, X. Zeng, and K.-F. Wong. Improving conversational recommender system via contextual and time-aware modeling with less domain-specific knowledge. *IEEE Transactions on Knowledge and Data Engineering*, 36(11):6447–6461, Nov. 2024. doi: 10.1109/TKDE.2024.3397321.
- [41] S. Wang, S. Guo, L. Wang, T. Liu, and H. Xu. Hdnr: A hyperbolic-based debiased approach for personalized news recommendation. In *Proceedings of the 46th International ACM SIGIR Conference on Research and Development in Information Retrieval (SIGIR '23)*, pages 259–268, New York, NY, USA, 2023. ACM. doi: 10.1145/3539618.3591693.

- [42] C. Wu, F. Wu, Y. Huang, and X. Xie. Personalized news recommendation: Methods and challenges. *ACM Transactions on Information Systems*, 41(1):Article 24, Jan. 2023. doi: 10.1145/3530257.
- [43] C. Wu, F. Wu, Y. Huang, and X. Xie. Personalized news recommendation: Methods and challenges. *ACM Transactions on Information Systems*, 41(1):24:1–24:50, Jan. 2023. doi: 10.1145/3530257.
- [44] F. Wu, Y. Qiao, J.-H. Chen, C. Wu, T. Qi, J. Lian, D. Liu, X. Xie, J. Gao, W. Wu, and M. Zhou. Mind: A large-scale dataset for news recommendation. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics (ACL)*, pages 3597–3606, Online, 2020. ACL. doi: 10.18653/v1/2020.acl-main.331.
- [45] S. Xiao, Z. Liu, Y. Shao, T. Di, B. Middha, F. Wu, and X. Xie. Training large-scale news recommenders with pretrained language models in the loop. In *Proceedings of the 28th ACM SIGKDD Conference on Knowledge Discovery and Data Mining (KDD '22)*, pages 4215–4225, New York, NY, USA, 2022. ACM. doi: 10.1145/3534678.3539120.
- [46] X. Xiao, Q. Li, S. Liu, and K. Zhou. Improving news recommendation via bottlenecked multi-task pre-training. In *Proceedings of the 46th International ACM SIGIR Conference on Research and Development in Information Retrieval (SIGIR '23)*, Taipei, Taiwan, July 2023. ACM. doi: 10.1145/3539618.3592003. Jul. 23–27.
- [47] H. Xu, Q. Peng, H. Liu, Y. Sun, and W. Wang. Group-based personalized news recommendation with long- and short-term fine-grained matching. *ACM Transactions on Information Systems*, 42(1):Article 3, Aug. 2023. doi: 10.1145/3584946.
- [48] B. Yang, D. Liu, T. Suzumura, R. Dong, and I. Li. Going beyond local: Global graph-enhanced personalized news recommendations. In *Proceedings of the 17th ACM Conference on Recommender Systems (RecSys '23)*, pages 24–34, New York, NY, USA, 2023. ACM. doi: 10.1145/3604915.3608801.
- [49] Q. Zhang, J. Li, Q. Jia, C. Wang, J. Zhu, Z. Wang, and X. He. Unbert: User-news matching bert for news recommendation. In Z.-H. Zhou, editor, *Proceedings of the 30th International Joint Conference on Artificial Intelligence (IJCAI-21)*, pages 3356–3362. IJCAI, 2021. doi: 10.24963/ijcai.2021/462.
- [50] Z. Zhang and B. Wang. Prompt learning for news recommendation. In *Proceedings of the 46th International ACM SIGIR Conference on Research and Development in Information Retrieval (SIGIR '23)*, Taipei, Taiwan, July 2023. ACM. doi: 10.1145/3539618.3591752. Jul. 23–27.

- [51] Y. Zhao, J. Huang, D. Vos, and M. de Rijke. Revisiting language models in neural news recommender systems. In *Proceedings of the 47th European Conference on Information Retrieval (ECIR 2025)*, 2025. doi: 10.48550/arXiv.2501.11391.