

DAFTAR PUSTAKA

- [1] R. USA., “Running USA.,” *State Sport Run. USA 2019 Natl. Run. Surv.*, 2019.
- [2] R. Team, “Tren Lari di Indonesia,” theiconomics. [Online]. Available: <https://www.theiconomics.com/infographic/tren-lari-di-indonesia/>
- [3] B. D. GERARD J. TORTORA, *Principles of ANATOMY & PHYSIOLOGY*, 15th Editi. John Wiley & Sons, Inc., 2017.
- [4] D. Enoke RM, “Translating fatigue to human performance.,” *Med Sci Sport. Exerc*, vol. 48, pp. 2228–2238, 2016, [Online]. Available: doi:10.1249/MSS.00000A 0000000000929.
- [5] A. Dwi Prasetyo, T. Djauhari, and . R., “Analisis Kekuatan M. Quadriceps Femoris Terhadap Resiko Gangguan Keseimbangan Postural,” *Saintika Med.*, vol. 11, no. 1, p. 8, 2017, doi: 10.22219/sm.v11i1.4189.
- [6] M. Hajiloo, B., Anbarian, M., Esmaeili, H., & Mirzapour, “The effects of fatigue on synergy of selected lower limb muscles during running,” *ournal Biomech.*, vol. 109692, 2020.
- [7] H. A. Yousif, N. A. Rahim, A. F. Bin Salleh, A. Zakaria, and K. A. Alfarhan, “Assessment of muscles fatigue during 400-meters running strategies based on the surface EMG signals,” *J. Biomimetics, Biomater. Biomed. Eng.*, vol. 42, no. July, pp. 1–13, 2019, doi: 10.4028/www.scientific.net/JBBBE.42.1.
- [8] J. X. L. Lin Wang¹, Youlian Hong², “Muscular Activity of Lower Extremity Muscles Running on Treadmill Compared with Different Overground Surfaces,” *Am. J. Sport. Sci. Med.*, vol. Vol. 2, no. No. 61, pp. 161–165, 2014.
- [9] and ROGER MARO ENOKA ABDULKERIM DARENDELI, HAYRIERTAN, “Comparison of EMG Activity in Leg Muscles between Overground and Treadmill Running,” *Am. Coll. Sport. Med.*, 2022, [Online]. Available: doi: 10.1249/MSS.0000000000003055

- [10] N. Daniel, J. Małachowski, K. Sybilski, and D. Siemiaszko, “Quantitative assessment of muscle fatigue during rowing ergometer exercise using wavelet analysis of surface electromyography (sEMG),” *Front. Bioeng. Biotechnol.*, vol. 12, no. February, pp. 1–13, 2024, doi: 10.3389/fbioe.2024.1344239.
- [11] W. NORRIS, “ANALYSIS OF VARIABILITY IN GROUND REACTION FORCES AND ELECTROMYOGRAPHY FOR RUNNERS OF DIFFERENT ABILITY,” pp. 274–282, 2018.
- [12] S. S. Bonab, B. Tarverdizadeh, M. A. Azarbayjani, and Y. S. Zamani, “Comparison of Some Electromyographic Parameters During Treadmill Running in Runners and Non-Athletes Physical Education , Islamic Azad University , Central Tehran Branch , Iran,” vol. 13, no. 3, pp. 552–557, 2011.
- [13] RESKI, “KONTRIBUSI KECEPATAN REAKSI KAKI DAN KELENTUKAN TERHADAP KEMAMPUAN LARI 100 METER PADA MAHASISWA PKO FIK UNM,” *Dr. Diss. Univ. NEGERI MAKASSAR*, 2019.
- [14] Ismail, *GERAK DASAR ATLETIK Jalan, Lari , Lompat dan Lempar*. Balikpapan, 2021.
- [15] S. Linberg, “How to Get in That Tempo Run,” healthline. [Online]. Available: <https://www.healthline.com/health/tempo-run>
- [16] and A. S. JUMATRIANI, NUR RIZKY, “Hubungan Kekuatan Otot Tungkai dengan Kemampuan Lari 100 Meter pada Mahasiswa Pejaskes-rek 2020 UHO.,” *J. Olympic (Physical Educ. Heal. Sport.*, vol. 4, no. 1, pp. 1–8, 2024, [Online]. Available: <https://jolimpic.uho.ac.id/index.php/journal/article/view/84>
- [17] M. R. Akbar, “Latihan Kekuatan Untuk Pelari,” Pocari Sweat. [Online]. Available: <https://www.pocarisweat.id/news/Latihan-Kekuatan-Untuk-Pelari>

- [18] E. Supriatna, “Pengaruh Kelelahan Otot (Muscle Fatigue) terhadap Performa Tendangan Mae Geri dalam Olahraga Karate,” *JOSSAE J. Sport Sci. Educ.*, vol. 4, no. 2, pp. 74–78, 2020, doi: 10.26740/jossae.v4n2.p74-78.
- [19] H. S. Pawestri, “Fatigue,” Hellosehat Kementrian Kesehatan Republik Indonesia. [Online]. Available: <https://hellosehat.com/sehat/gejala-umum/kelelahan-fatigue-adalah/>
- [20] A. K. Yousif HA, Norasmadi AR, Bin Salleh AF, Ammar Z, “Assessment of Muscles Fatigue during 400-Meters Running Strategies Based on the Surface EMG Signals,” *J. Biomimetics, Biomater. Biomed. Eng.*, vol. 42, pp. 1–13, 2019, [Online]. Available: <https://doi.org/10.4028/www.scientific.net/JBBBE.42.1>
- [21] H. P. Yagiz, G., Fredianto, M., Ulfa, M., Ariani, I., Agustin, A. D., Shida, N., Moore, E. W. G., & Kubis, “A retrospective comparison of the biceps femoris long head muscle structure in athletes with and without hamstring strain injury history.”, *PLoS One*, vol. 19, no. 2, 2024, doi: 10.1371/journal.pone.0298146.
- [22] D. S. Strover, “Gastrocnemius muscle,” Kneeguru. [Online]. Available: <https://www.kneeguru.co.uk/KNEENotes/knee-dictionary/gastrocnemius-muscle>
- [23] D. Khanna, C. Peltzer, P. Kahar, and M. S. Parmar, “Body Mass Index (BMI): A Screening Tool Analysis,” *Cureus*, vol. 14, no. 1994, pp. 1–6, 2022, doi: 10.7759/cureus.22119.
- [24] P. K. RI, “Klasifikasi Obesitas setelah pengukuran IMT,” P2PTM Kemenkes RI. [Online]. Available: <https://p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/klasifikasi-obesitas-setelah-pengukuran-imt>
- [25] N. H. Santoso and F. B. Setiawan, “Pembacaan Sinyal Otot Pada Bagian Kepala Menggunakan Sensor Elektromiografi (Emg) Dan Scilab,” pp. 107–114, 2019, doi: 10.5614/sniko.2018.16.

- [26] A. Ebied, A. M. Awadallah, M. A. Abbass, and Y. El-Sharkawy, "Upper Limb Muscle Fatigue Analysis Using Multi-channel Surface EMG," *2nd Nov. Intell. Lead. Emerg. Sci. Conf. NILES 2020*, no. January 2021, pp. 423–427, 2020, doi: 10.1109/NILES50944.2020.9257909.
- [27] V. Alcan and M. Zinnuroğlu, "Current developments in surface electromyography," *Turkish J. Med. Sci.*, vol. 53, no. 5, pp. 1019–1031, 2023, doi: 10.55730/1300-0144.5667.
- [28] I. Mustiadi, "Klasifikasi sinyal EMG berbasis jaringan syaraf tiruan dan discrete wavelet transform," *Teknoin*, vol. 23, no. 3, pp. 223–240, 2017, doi: 10.20885/teknoin.vol23.iss3.art4.
- [29] A. Yulianto and F. D. Putra, "Perancangan Pendeteksi Sinyal EMG pada Gerak Lengan menggunakan Wavelet Transform," *Telcomatics*, vol. 6, no. 2, p. 56, 2021, doi: 10.37253/telcomatics.v6i2.4994.
- [30] D. Sometti *et al.*, "Muscle Fatigue Revisited – Insights From Optically Pumped Magnetometers," *Front. Physiol.*, vol. 12, no. December, 2021, doi: 10.3389/fphys.2021.724755.
- [31] S. B. Rodrigues, L. P. de Faria, A. M. Monteiro, J. L. Lima, T. M. Barbosa, and J. A. Duarte, "EMG Signal Processing for the Study of Localized Muscle Fatigue—Pilot Study to Explore the Applicability of a Novel Method," *Int. J. Environ. Res. Public Health*, vol. 19, no. 20, pp. 1–11, 2022, doi: 10.3390/ijerph192013270.
- [32] M. Yaserifar and A. Souza Oliveira, "Surface EMG variability while running on grass, concrete and treadmill," *J. Electromyogr. Kinesiol.*, vol. 62, no. October 2021, p. 102624, 2022, doi: 10.1016/j.jelekin.2021.102624.
- [33] J. Tangan, "Pengenalan Pola Sinyal Electromyography (EMG)," vol. 8, no. 3, pp. 591–601, 2020.
- [34] E. R. Farina D, Merletti R, "The extraction of neural strategies from the surface EMG: an update. J Appl Physiol," vol. 117, no. 11, pp. 1215–30, 2014, doi: doi: 10.1152/japplphysiol.00162.2014.

- [35] S. Thongpanja, A. Phinyomark, P. Phukpattaranont, and C. Limsakul, "Mean and median frequency of EMG signal to determine muscle force based on time dependent power spectrum," *Elektron. ir Elektrotechnika*, vol. 19, no. 3, pp. 51–56, 2013, doi: 10.5755/j01.eee.19.3.3697.
- [36] C. Biagetti, G., Crippa, P., Curzi, A., Orcioni, S., & Turchetti, "Analysis of the EMG signal during cyclic movements using multicomponent AM–FM decomposition.," *IEEE J. Biomed. Heal. informatics*, vol. 19, no. 5, pp. 1672–1681, 2014.
- [37] T. H. and P. D. S. Solnik, P. Rider, K. Steinweg, "Teager–Kaiser energy operator signal conditioning improves EMG onset detection," *Eur. J. Appl. Physiol.*, vol. 110, no. 3, 2010.
- [38] E. B. and L. V. M. Devise, C. Lechaptois, "Effects of Different Hangboard Training Intensities on Finger Grip Strength, Stamina, and Endurance," *Front. Sport. Act. living*, vol. 4, 2021.
- [39] N. J. C. András Hegyi, Basílio AM Gonçalves, Taija Finni, "Individual Region- and Muscle-specific Hamstring Activity at Different Running Speeds," *Med. Sci. Sports Exerc.*, vol. 51, no. 11, 2019, doi: 10.1249/MSS.0000000000002060.
- [40] M. Hajiloo, B., Anbarian, M., Esmaeili, H., & Mirzapour, "The effects of fatigue on synergy of selected lower limb muscles during running," *J. Biomech.*, vol. 103, no. 109692, 2020.
- [41] "BITalino Electromyography (EMG) User Manual," PLUX – Wireless Biosignals, S.A." [Online]. Available: <https://support.pluxbiosignals.com/wpcontent/uploads/2021/11/electromyogra%0Aphy-emg-user-manual.pdf>
- [42] and T. C. R. Chowdhury, M. Reaz, M. Ali, A. Bakar, K. Chellappan, "Surface electromyography signal processing and classification techniques Sensors," vol. 13, no. 9, pp. 12431–12466, doi: 10.3390/s130912431.
- [43] S. Fatimah Sihotang, "Analisis Hasil Belajar Mahasiswa universitas Potensi

Utama Menggunakan Two Way Anova,” *J. Math. Educ. Sci.*, vol. 8, no. 1, pp. 2528–4363, 2022.

- [44] A. S. Murdiono, Y. M. Saputra, and I. Safari, “The effect of outdoor education games and motivation level on student’s physical fitness,” *J. Olahraga Pendidik. Indones. (JOPI_)*, vol. 1, no. 2, pp. 168–178, 2022, [Online]. Available: <http://jopi.kemenpora.go.id/index.php/jopi>
- [45] S. Kumar, P., Ranjan, V., Das, A. K., & Halder, “Statistical Analysis for EMG Extracted Time and Frequency Domain Features during Different Dumbbell Activity,” *Fourth Int. Conf. Emerg. Res. Electron. Comput. Sci. Technol.*, pp. 1–5, 2022, doi: doi: 10.1109/ICERECT56837.2022.10059837.
- [46] D. Daffa, A. Z., Widasari, E. R., & Syauqy, “Analisis perbandingan metode ekstraksi fitur mean absolute value, root mean square, dan variance untuk deteksi kelelahan otot biceps brachii,” *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 7, no. 7, pp. 3434–3440, 2023.
- [47] K. TK., “Understanding one-way ANOVA using conceptual figures,” *Korean J Anesth.*, vol. 70, no. 1, pp. 22–26, doi: doi: 10.4097/kjae.2017.70.1.22.