

## DAFTAR PUSTAKA

- [1] M. Iqbal Qois, "Problematika Bimbingan Manasik Haji Lansia Di Kantor Urusan Agama Kecamatan Mranggen Kabupaten Demak Tahun 2020," Thesis, Universitas Islam Negeri Walisongo, 2022.
- [2] A. Dwi Putra, R. Munadi, and A. Indra Irawan, "Monitoring Jamaah Haji Berbasis Internet Of Things Monitoring Of Hajj Pilgrism Based Internet Of Things," *e-Proceeding of Engineering*, vol. 9, no. 2, pp. 485–493, Apr. 2022, ISSN: 2355-9365..
- [3] M. Alif Haidar, Moch. Taufik, and R. Hendra Y. P., "Rancang Bangun Sistem Monitoring Jamaah Haji Berbasis Komunikasi Radio," *Jurnal JARTEL*, vol. 4, no. 1, pp. 136–141, May 2017, ISSN (print): 2407-0807, ISSN (online): 2407-0807.
- [4] T. Hagos, *Learn Android Studio 3 with Kotlin: Efficient Android App Development*. Apress Media LLC, 2018. doi: 10.1007/978-1-4842-3907-0.
- [5] D. Anugrah Ruslan, A. A. Muayyadi, and N. Armi, "RANCANGAN SISTEM MONITORING JARAK UNTUK MENGURANGI RESIKO KEHILANGAN ANAK MENGGUNAKAN RECEIVED STRENGTH SIGNAL INDICATOR," Thesis, Bandung, Telkom University, 2023.
- [6] R. N. Mubaroq and N. S. Aminah, "Sistem Monitoring Konversi Wi-Fi-RSSI Menjadi Jarak Antar Device dan Router Menggunakan Node-Red Pada Pengembangan Sistem Navigasi Dalam Ruang," *Proceedings Series on Physical & Formal Sciences*, vol. 1, pp. 32–37, Oct. 2021, doi: 10.30595/pspfs.v1i.130.
- [7] Kementrian Agama Indonesia, "SISKOHAT (sistem yang dikembangkan oleh Kementerian Agama Republik Indonesia untuk mengelola dan memonitor penyelenggaraan ibadah haji secara terintegrasi)," Kementrian Agama Indonesia. Accessed: Dec. 20, 2024. [Online]. Available: <https://haji.kemenag.go.id/sidb/admin/>
- [8] A. Suárez, J. A. Santana, E. M. Macias-Lopez, V. E. Mena, J. M. Canino, and D. Marrero, "RSSI Prediction in Wi-Fi Considering Realistic Heterogeneous Restrictions," *Network Protocols and Algorithms*, vol. 6, no. 4, p. 19, Dec. 2014, doi: 10.5296/npa.v6i4.6066.
- [9] D. Qadri, T. Yuliar Arif, and Afdhal, "Analisis Tingkat Kinerja Jaringan Wireless IEEE 802.11n Menggunakan Mikrotik," *KITEKTRO: Jurnal*

*Komputer, Teknologi Informasi, dan Elektro*, vol. 6, no. 2, pp. 21–26, 2021, e-ISSN: 2252-7036.

- [10] N. F. Puspitasari, “Analisis Rssi (Receive Signal Strength Indicator) Terhadap Ketinggian Perangkat Wi-Fi Di Lingkungan Indoor,” *Jurnal Ilmiah Dasi*, vol. 15, pp. 32–38.
- [11] N. Mastiana, A. Ulvan, and M. Ulvan, “Sistem Peringatan Dini Untuk Pengendalian Pembatasan Jarak Fisik Dengan Metode RSSI Menggunakan Modul Wemos D1 Mini,” *Jurnal Rekayasa Elektrika*, vol. 17, no. 4, Dec. 2021, doi: 10.17529/jre.v17i4.21650.
- [12] F. Palaha, D. Engla Harda Arya, S. Tinggi Teknologi Pekanbaru Jalan Dirgantara No, and A. Pekanbaru, “Analisa Traffic Data Esp8266 Pada Kontrol Dan Monitoring Daya Lisrik Menggunakan Aplikasi Blynk Berbasis Arduino Nano,” *Jurnal Nasional Komputasi dan Teknologi Informasi*, vol. 4, no. 6, 2021.
- [13] N. Eka Budiyanata, M. Cynthia Wishnu, D. Ramli Wohon, and Lukas, “Perancangan Fidget Device Berbasis Internet Of Things,” *TESLA*, vol. 21, no. 1, pp. 1–8, Mar. 2019.
- [14] N. Mastiana, “Sistem Peringatan Dini Untuk Pengendalian Pembatasan Jarak Sosial Dengan Metode Rssi Menggunakan Modul Wemos D1 Mini,” Thesis, Universitas Lampung, 2021.
- [15] S. Mazuelas *et al.*, “Robust indoor positioning provided by real-time rssi values in unmodified WLAN networks,” *IEEE Journal on Selected Topics in Signal Processing*, vol. 3, no. 5, pp. 821–831, 2009, doi: 10.1109/JSTSP.2009.2029191.
- [16] D. A. Senjaya Morang and R. Siswanto, “Pemanfaatan Received Signal Strength Indicator Sebagai Pengganti Sensor Sidik Jari Pada Sistem Presensi Android,” *Dinamika Informatika*, vol. 14, no. 1, pp. 43–52.
- [17] N. Mastiana, A. Ulvan, and M. Ulvan, “Sistem Peringatan Dini Untuk Pengendalian Pembatasan Jarak Fisik Dengan Metode RSSI Menggunakan Modul Wemos D1 Mini,” *Jurnal Rekayasa Elektrika*, vol. 17, no. 4, Dec. 2021, doi: 10.17529/jre.v17i4.21650.
- [18] I. Joseph, E. Oghu, and O. O. Roberts, “Path Loss and Models: A Survey and Future Perspective for Wireless Communication Networks,” *International Journal of Advanced Networking and Applications*, vol. 15, no. 02, pp. 5892–5907, 2023, doi: 10.35444/ijana.2023.15209.

- [19] N. Atina *et al.*, “The Distribution of Path Loss Exponent in 3D Indoor Environment,” 2017. [Online]. Available: <http://www.ripublication.com>
- [20] D. Gil Yoon, S. Young Shin, and W. Hyun Kwon, “Packet Error Rate Analysis of IEEE 802.11b under IEEE 802.15.4 Interference, *2006 IEEE 63rd Vehicular Technology Conference*, Melbourne, Vic., 2006, pp. 1186-1190, doi: 10.1109/VETECS.2006.1683022.
- [21] ITU-T Recommendation, “ITU-T End-user multimedia QOS categories,” Geneva, Nov. 2001.