

DAFTAR PUSTAKA

- [1] Z. Mushtaq, S. Ashraf, and N. Sabahat, "Predicting MBTI Personality type with K-means Clustering and Gradient Boosting," *Proc. - 2020 23rd IEEE Int. Multi-Topic Conf. INMIC 2020*, no. November 2020, 2020, doi: 10.1109/INMIC50486.2020.9318078.
- [2] Mawadatul Maulidah, "Klasifikasi Kepribadian Menggunakan Algoritma Machine Learning," *J. Inform. Dan Teknologi Komput.*, vol. 3, no. 1, pp. 66–73, 2023, doi: 10.55606/jitek.v3i1.1292.
- [3] R. S. Z. Sungjun Won, Eric M. Anderman, "Longitudinal Relations of Classroom Goal Structures to Students' Motivation and Learning Outcomes in Health Education," vol. 5079, no. November, 2019.
- [4] M. Maulidah and H. F. Pardede, "Prediction Of Myers-Briggs Type Indicator Personality Using Long Short-Term Memory," *J. Elektron. dan Telekomun.*, vol. 21, no. 2, p. 104, 2021, doi: 10.14203/jet.v21.104-111.
- [5] H. Christian, D. Suhartono, A. Chowanda, and K. Z. Zamli, "Text based personality prediction from multiple social media data sources using pre-trained language model and model averaging," *J. Big Data*, vol. 8, no. 1, pp. 1–20, 2021, doi: 10.1186/s40537-021-00459-1.
- [6] S. C. Hamm, "The Myers- Briggs Type Indicator and a Student's College Major," *J. Undergrad. Res. Sch. Work*, vol. IV, pp. 1–19, 2019, [Online]. Available: <http://rr.lib.utsa.edu/handle/20.500.12588/65>
- [7] C. Honeywill, D. M. Paterson, and S. E. Hagerthey, "Determination of microphytobenthic biomass using pulse-amplitude modulated minimum fluorescence," *Eur. J. Phycol.*, vol. 37, no. 4, pp. 485–492, 2002, doi: 10.1017/S0967026202003888.
- [8] Y. Mehta, N. Majumder, A. Gelbukh, and E. Cambria, "Recent trends in deep learning based personality detection," *Artif. Intell. Rev.*, vol. 53, no. 4, pp. 2313–2339, 2020, doi: 10.1007/s10462-019-09770-z.
- [9] L. Stracqualursi and P. Agati, "Predicting MBTI personality of YouTube users," *Sci. Rep.*, vol. 15, no. 1, pp. 1–12, 2025, doi: 10.1038/s41598-025-85183-z.
- [10] R. Zárate-Torres and J. C. Correa, "How good is the Myers-Briggs Type Indicator for predicting leadership-related behaviors?," *Front. Psychol.*, vol. 14, no. 2002, 2023, doi: 10.3389/fpsyg.2023.940961.
- [11] C. L. Goo, M. C. Leow, and L. Y. Ong, "Analyzing Course Selection by MBTI Personality Types," *Int. J. Informatics Vis.*, vol. 9, no. 1, pp. 29–37, 2025, doi: 10.62527/joiv.9.1.2937.
- [12] W. Chen, K. Yang, Z. Yu, Y. Shi, and C. L. P. Chen, *A survey on imbalanced learning: latest research, applications and future directions*, vol. 57, no. 6. 2024. doi: 10.1007/s10462-024-10759-6.
- [13] G. L. Praphulla, I. B. Kishore, B. Venkatesh, B. Praveen, and P. S. Rao, "Personality Prediction Using Machine Learning Techniques," *AIP Conf. Proc.*, vol. 2794, no. 1, pp. 41–44, 2023, doi: 10.1063/5.0174316.

- [14] A. Panemu.com, “Mengatasi Kesulitan dalam Mengidentifikasi dan Memahami Spesifikasi Produk,” 2024. https://panemu.com/id/blog/supply-cataloguing-14/mengatasi-kesulitan-dalam-mengidentifikasi-dan-memahami-spesifikasi-produk-132#blog_content
- [15] Admin Runmarket, “Serba-Serbi Spesifikasi Produk dalam Bisnis,” *Runmarket.id*, 2021. <https://runmarket.id/blog/spesifikasi-produk-adalah/>
- [16] R. F. Nurrohman, F. T. Elektro, K. Sujatmoko, F. T. Elektro, T. Suprpto, and F. T. Elektro, “Personality Analysis Through Social Media Based on Machine Learning,” vol. 11, no. 6, pp. 6252–6258, 2024.
- [17] M. P. Pulungan, A. Purnomo, A. Kurniasih, P. Korespondensi, I. Class, and S. M. O. Technique, “PENERAPAN SMOTE UNTUK MENGATASI IMBALANCE CLASS DALAM KLASIFIKASI KEPRIBADIAN MBTI MENGGUNAKAN NAIVE BAYES APPLICATION OF SMOTE TO OVERCOME CLASS IMBALANCE IN THE MBTI PERSONALITY CLASSIFICATION USING THE NAÏVE BAYES CLASSIFIER,” vol. 11, no. 5, pp. 1033–1042, 2024, doi: 10.25126/jtiik.2024117989.
- [18] Wijoyo A, Saputra A, Ristanti S, Sya’ban S, Amalia M, and Febriansyah R, “Pembelajaran Machine Learning,” *OKTAL (Jurnal Ilmu Komput. dan Sci.*, vol. 3, no. 2, pp. 375–380, 2024, [Online]. Available: <https://journal.mediapublikasi.id/index.php/oktal/article/view/2305>
- [19] F. Huang, X. Li, C. Yuan, S. Zhang, J. Zhang, and S. Qiao, “Attention-Emotion-Enhanced Convolutional LSTM for Sentiment Analysis,” *IEEE Trans. Neural Networks Learn. Syst.*, vol. 33, no. 9, pp. 4332–4345, 2022, doi: 10.1109/TNNLS.2021.3056664.
- [20] T. Chen and C. Guestrin, “XGBoost: A scalable tree boosting system,” *Proc. ACM SIGKDD Int. Conf. Knowl. Discov. Data Min.*, vol. 13-17-Aug, pp. 785–794, 2016, doi: 10.1145/2939672.2939785.
- [21] Y. Burnwal and D. R. C. Jaiswal, “A Comprehensive Survey on Prediction Models and the Impact of XGBoost,” *Int. J. Res. Appl. Sci. Eng. Technol.*, vol. 11, no. 12, pp. 1552–1556, 2023, doi: 10.22214/ijraset.2023.57625.
- [22] P. Beja-Battais, “Overview of AdaBoost : Reconciling its views to better understand its dynamics,” 2023, [Online]. Available: <http://arxiv.org/abs/2310.18323>
- [23] Y. Freund and R. E. Schapire, “A Decision-Theoretic Generalization of On-Line Learning and an Application to Boosting,” *J. Comput. Syst. Sci.*, vol. 55, no. 1, pp. 119–139, 1997, doi: 10.1006/jcss.1997.1504.
- [24] Z. He, D. Lin, T. Lau, and M. Wu, “Gradient Boosting Machine: A Survey,” pp. 1–9, 2019, [Online]. Available: <http://arxiv.org/abs/1908.06951>
- [25] J. H. Friedman, “Greedy function approximation: A gradient boosting machine,” *Ann. Stat.*, vol. 29, no. 5, pp. 1189–1232, 2001, doi: 10.1214/aos/1013203451.
- [26] L. W. Rizkallah, “Optimizing SVM hyperparameters for satellite imagery classification using metaheuristic and statistical techniques,” *Int. J. Data Sci. Anal.*, 2025, doi: 10.1007/s41060-025-00762-7.
- [27] J. Watt, L. Mitchell, and J. Tuke, “Personality Profiling: How informative are social media profiles in predicting personal information?,” *Proc. Australas. Lang. Technol. Work.*, vol. 22, pp. 153–163, 2024.

- [28] S. J. Lin, C. C. Liu, D. M. T. Tsai, Y. H. Shih, C. L. Lin, and Y. C. Hsu, "Prediction Models Using Decision Tree and Logistic Regression Method for Predicting Hospital Revisits in Peritoneal Dialysis Patients," *Diagnostics*, vol. 14, no. 6, pp. 1–13, 2024, doi: 10.3390/diagnostics14060620.
- [29] G. Tzougas and K. Kutzkov, "Enhancing Logistic Regression Using Neural Networks for Classification in Actuarial Learning," *Algorithms*, vol. 16, no. 2, pp. 1–28, 2023, doi: 10.3390/a16020099.
- [30] scikit-learn, "LogisticRegression." https://scikit-learn.org/stable/modules/generated/sklearn.linear_model.LogisticRegression.html (accessed Aug. 12, 2025).
- [31] J. D. M. Rennie, L. Shih, J. Teevan, and D. Karger, "Tackling the Poor Assumptions of Naive Bayes Text Classifiers," *Proceedings, Twent. Int. Conf. Mach. Learn.*, vol. 2, no. 1973, pp. 616–623, 2003.
- [32] Scikit-learn.org, "Naive Bayes." https://scikit-learn.org/stable/modules/naive_bayes.html (accessed Aug. 12, 2025).
- [33] H. A. Kimm, I. Paik, and H. Kimm, "Performance Comparision of TPU, GPU, CPU on Google Colaboratory Over Distributed Deep Learning," 2021, [Online]. Available: <https://colab.ws/articles/10.1109/MCSoc51149.2021.00053>
- [34] P. B. of G. and T. on G. C. for C. N. Network, "Performance Benchmarking of GPU and TPU on Google Colaboratory for Convolutional Neural Network," *Vijeta Sharma Gaurav Kumar Gupta Manjari Gupta*, 2021, [Online]. Available: https://colab.ws/articles/10.1007%2F978-981-33-4604-8_49
- [35] P. G. J. and N. K. V., "Google Colaboratory : Tool for Deep Learning and Machine Learning Applications," *Indian Journal of Computer Science*, vol. 6, no. 3–4. p. 23, 2021. doi: 10.17010/ijcs/2021/v6/i3-4/165408.
- [36] Q. Liu and J. Guo, "Course Reform and Practice of 'Python Programming' for Artificial Intelligence and Big Data Applications," *J. Comput. Technol. Electron. Res.*, vol. 1, no. 2, 2024, doi: 10.70767/jcter.v1i2.223.
- [37] E. R. Rahmi, E. Yumami, and N. Hidayasari, "Analisis Metode Pengembangan Sistem Informasi Berbasis Website: Systematic Literature Review," *Remik*, vol. 7, no. 1, pp. 821–834, 2023, doi: 10.33395/remik.v7i1.12177.
- [38] S. Ye *et al.*, "Flask: Fine-Grained Language Model Evaluation Based on Alignment Skill Sets," *12th Int. Conf. Learn. Represent. ICLR 2024*, pp. 1–54, 2024.
- [39] D. DeVries and T. Beck, "Myers-Briggs Type Indicator Profile of Undergraduate Therapeutic Recreation Students," *Ther. Recreation J.*, vol. 54, no. 3, pp. 243–258, 2020, doi: 10.18666/trj-2020-v54-i3-9510.
- [40] A. Sihabuddin, "Personality Classification of Myers Briggs Type Indicators (MBTI) Using BERT and Machine Learning," *IJCCS (Indonesian J. Comput. ...)*, vol. 19, no. 2, pp. 129–140, 2025, doi: 10.22146/ijccs.104126.
- [41] A. Datta, S. Chakraborty, and A. Mukherjee, "Personality Detection and Analysis using Twitter Data," 2023, [Online]. Available: <http://arxiv.org/abs/2309.05497>
- [42] R. P. Adiati, W. Handini, S. H. Eka, and S. A. N. Meidi, "Panduan Manual Myers-Briggs

- Type Indicator Step Ii (Mbti Step Ii),” *Progr. Stud. Magister Profesi Psikol. Univ. Airlangga*, pp. 1–34, 2011.
- [43] Z. Khalid, “MBTI Personality Types 500 Datasetle.” 2021. [Online]. Available: <https://www.kaggle.com/datasets/zeyadkhalid/mbti-personality-types-500-dataset>
- [44] Femas Aji Saputra, Adityawarman Adityawarman, and Salwa Rahman Nursyabani, “Analisis Dampak Kesalahan Pemilihan Jurusan terhadap Prestasi Akademik dan Kesejahteraan Psikologis Mahasiswa,” *Corona J. Ilmu Kesehat. Umum, Psikolog, Keperawatan dan Kebidanan*, vol. 2, no. 2, pp. 180–192, 2024, doi: 10.61132/corona.v2i2.418.