

DAFTAR PUSTAKA

- [1] A. Y. - and J. T. -, "Causes and consequences of Israel-Palestine war," *Int. J. Multidiscip. Res.*, vol. 6, no. 2, pp. 1–5, 2024, doi: 10.36948/ijfmr.2024.v06i02.14988.
- [2] A. Sewell, " Hamas' top political leader is killed in Iran in strike that risks triggering all-out regional war," Aug. 01, 2024. [Online]. Available: https://apnews.com/article/iran-hamas-israel-30968a7acb31cd8b259de9650014b779?utm_source=copy&utm_medium=share
- [3] J. Bowen, "Kematian Yahya Sinwar pukulan telak bagi Hamas, namun bukan berarti perang berakhir." [Online]. Available: <https://www.bbc.com/indonesia/articles/cgmg08y02z7o>
- [4] B. Dean, "Statistik X (Twitter): Berapa Banyak Orang yang Menggunakan X?" [Online]. Available: <https://backlinko.com/twitter-users>
- [5] S. M. A. Renhoran and H. Setiawan, "Public Sentiment Analysis of the Israel-Palestine Conflict on Social Media Using BERT," *Indones. J. Cult. Community Dev.*, vol. 15, no. 3, 2024, doi: 10.21070/ijccd.v16i1.1143.
- [6] C. P. Kirana, F. P. Syafrial, and S. F. Rd. Nuraini, "Meningkatkan Akurasi Long-Short Term Memory (LSTM) pada Analisis Sentimen Vaksin Covid-19 di Twitter dengan Glove," *J. Telemat.*, vol. 16, no. 2, pp. 85–90, 2021, [Online]. Available: <https://journal.ithb.ac.id/telematika/article/view/400>
- [7] S. Farhan, R. Shoukat, and A. Aslam, "Automatic Sarcasm Detection on Cross-Platform Social Media Datasets: A GLoVe and Bi-LSTM Based Approach," *J. Univers. Comput. Sci.*, vol. 30, no. 5, pp. 674–693, 2024, doi: 10.3897/jucs.104790.
- [8] M. T. Noori, M. A. Rahman, A. Purnomo, and A. Aripin, "Sentiment Analysis of the Israel-Palestine Conflict on X: Insights from the Indonesian Perspective using a Long Short-Term Memory Algorithm," *J. Informatics Web Eng.*, vol. 4, no. 2, pp. 417–429, 2025, doi: 10.33093/jiwe.2025.4.2.27.
- [9] W. L. Lim, C. C. Ho, and C.-Y. Ting, "Sentiment analysis by fusing text and location features of geo-tagged tweets," *IEEE Access*, vol. 8, pp. 181014–181027, 2020.
- [10] Y. Sun, J. Zhang, Z. Yu, Y. Zhang, and Z. Liu, "Bidirectional Long Short-term Neural Network Based on the Attention Mechanism of the Residual Neural Network (ResNet-BiLSTM-Attention) Predicts Porosity through Well Logging Parameters," *ACS Omega*, vol. 8, no. 26, pp. 24083–24092, 2023, doi: 10.1021/acsomega.3c03247.
- [11] S. Siامي-Namini, N. Tavakoli, and A. S. Namin, "A Comparative Analysis of Forecasting

- Financial Time Series Using ARIMA, LSTM, and BiLSTM,” 2019, [Online]. Available: <http://arxiv.org/abs/1911.09512>
- [12] B. A. Chandio, A. S. Imran, M. Bakhtyar, S. M. Daudpota, and J. Baber, “Attention-Based RU-BiLSTM Sentiment Analysis Model for Roman Urdu,” *Appl. Sci.*, vol. 12, no. 7, 2022, doi: 10.3390/app12073641.
 - [13] Z. Drus and H. Khalid, “Sentiment analysis in social media and its application: Systematic literature review,” *Procedia Comput. Sci.*, vol. 161, pp. 707–714, 2019, doi: 10.1016/j.procs.2019.11.174.
 - [14] U. Naseem, I. Razzak, M. Khushi, P. W. Eklund, and J. Kim, “COVIDSenti: A Large-Scale Benchmark Twitter Data Set for COVID-19 Sentiment Analysis,” *IEEE Trans. Comput. Soc. Syst.*, vol. 8, no. 4, pp. 976–988, 2021, doi: 10.1109/TCSS.2021.3051189.
 - [15] A. Karami, R. R. Kadari, L. Panati, S. P. Nooli, H. Bheemreddy, and P. Bozorgi, “Analysis of geotagging behavior: Do geotagged users represent the Twitter population?,” *ISPRS Int. J. Geo-Information*, vol. 10, no. 6, p. 373, 2021.
 - [16] R. Hershman, D. Milshtein, and A. Henik, “The contribution of temporal analysis of pupillometry measurements to cognitive research,” *Psychol. Res.*, vol. 87, no. 1, pp. 28–42, 2023, doi: 10.1007/s00426-022-01656-0.
 - [17] R. Saito and S. Haruyama, “Estimating time-series changes in social sentiment @Twitter in U.S. metropolises during the COVID-19 pandemic,” *J. Comput. Soc. Sci.*, vol. 6, no. 1, pp. 359–388, 2023, doi: 10.1007/s42001-022-00186-4.
 - [18] U. B. Mahadevaswamy and P. Swathi, “Sentiment analysis using bidirectional LSTM network,” *Procedia Comput. Sci.*, vol. 218, pp. 45–56, 2023.
 - [19] K. Yousaf and T. Nawaz, “A deep learning-based approach for inappropriate content detection and classification of youtube videos,” *IEEE Access*, vol. 10, pp. 16283–16298, 2022.
 - [20] E. S. I. Shlkamy, K. M. Mahar, and A. A. H. Sedky, “A Russia-Ukraine conflict tweets sentiment analysis using bidirectional LSTM network,” *Int. J. Sci. Res.*, vol. 12, no. 2, 2023.
 - [21] J. Pennington, R. Socher, and C. D. Manning, “Glove: Global vectors for word representation,” in *Proceedings of the 2014 conference on empirical methods in natural language processing (EMNLP)*, 2014, pp. 1532–1543.
 - [22] H. Satria, “Cara Crawl Data Twitter (X) Tanpa API Twitter di Tahun 2024.” [Online]. Available: <https://helimisatria.com/blog/updated-crawl-data-twitter-x-maret-2024/>
 - [23] D. Jurafsky, J. H. Martin, and Stanford University, *Speech and Language Processing An*

Introduction to Natural Language Processing, Computational Linguistics, and Speech Recognition with Language Models, Third Edit. 2025.

- [24] D. L. Palka, M. C. Rossman, A. S. VanAtten, and C. D. Orphanides, "Effect of pingers on harbour porpoise (*Phocoena phocoena*) bycatch in the US Northeast gillnet fishery," *J. Cetacean Res. Manag.*, vol. 10, no. 3, pp. 217–226, 2008, doi: 10.47536/jcrm.v10i3.638.
- [25] S. Bird, E. Klein, and E. Loper, *Natural language processing with Python: analyzing text with the natural language toolkit*. " O'Reilly Media, Inc.," 2009.
- [26] D. J. Ladani and N. P. Desai, "Stopword identification and removal techniques on tc and ir applications: A survey," in *2020 6th International Conference on Advanced Computing and Communication Systems (ICACCS)*, IEEE, 2020, pp. 466–472.
- [27] D. Khyani, B. S. Siddhartha, N. M. Niveditha, and B. M. Divya, "An interpretation of lemmatization and stemming in natural language processing," *J. Univ. Shanghai Sci. Technol.*, vol. 22, no. 10, pp. 350–357, 2021.
- [28] R. N. Aufa, S. S. Prasetyowati, and Y. Sibaroni, "The Effect of Feature Weighting on Sentiment Analysis TikTok Application Using The RNN Classification," *Build. Informatics, Technol. Sci.*, vol. 5, no. 1, pp. 345–353, 2023.
- [29] S. Wu, Z. Huang, and H. Feng, "Text Labels Classification Model based on BERT Algorithm," in *2023 4th International Conference on Big Data & Artificial Intelligence & Software Engineering (ICBASE)*, IEEE, 2023, pp. 329–332.
- [30] T. R. Sharika, M. R. Reshma, P. V Jithi, R. K. Sreedevi, and C. Willson Joseph, "Enhancing Emotion Classification through Bi-LSTM and GloVe Embedding: A Computational Framework for Sentiment Analysis," in *2024 Third International Conference on Electrical, Electronics, Information and Communication Technologies (ICEEICT)*, IEEE, 2024, pp. 1–5.
- [31] H. Hongjing, H. Shengqiang, Z. Yishu, and Z. Fan, "Research on a Label Association Algorithm Based on Feature Engineering and BiLSTM Technology," in *2024 IEEE 7th International Conference on Information Systems and Computer Aided Education (ICISCAE)*, IEEE, 2024, pp. 224–228.