

- [1] Pemerintah Republik Indonesia, *UNDANG-UNDANGREPUBLIKINDONESIA NOMOR13TAHUN1998 TENTANG KESEJAHTERAANLANJUTUSIA*. Indonesia: <https://peraturan.bpk.go.id/Details/45509/uu-no-13-tahun-1998>, 1998.
- [2] Partinah and K. F. Saputro, *Profil Penduduk Lanjut Usia Provinsi Jawa Barat*. Jawa Barat: Badan Pusat Statistik Provinsi Jawa Barat, 2023.
- [3] A. R. Surya, Iskandar, and S. Riza, "ANALISIS GANGGUAN MUSKULOSKELETAL DENGAN KEJADIAN RESIKO JATUH PADA LANSIA DI LEMBAGA KESEJAHTERAAN SOSIAL, ACEH," Oct. 2023.
- [4] F. Dady, H. P. Memah, and J. A. Kolompo, "HUBUNGAN BAHAYA LINGKUNGAN DENGAN RISIKO JATUH LANJUT USIA DI BPLU SENJA CERAH MANADO," Manado, 2020.
- [5] A. Muladi, S. T. Sutrisni, S. Lestari, and S. Suminar, "Tingkat Keamanan Lingkungan Terhadap Risiko Jatuh Pada Lansia Di Panti Wredha Dharma Bhakti Surakarta," *Khatulistiwa Nursing Journal (KNJ)*, vol. 5, no. 1, pp. 18–25, 2023, doi: 10.53399/knj.
- [6] M. G. Amin, Y. D. Zhang, F. Ahmad, and K. C. D. Ho, "Radar signal processing for elderly fall detection: The future for in-home monitoring," *IEEE Signal Process Mag*, vol. 33, no. 2, pp. 71–80, Mar. 2016, doi: 10.1109/MSP.2015.2502784.
- [7] A. Kavitha, B. Hemalatha, K. Abishek, and R. Harigokul, "Fall Detection of Elderly Using YOLO," in *ResearchGate*, 2023, pp. 113–121. doi: 10.1007/978-981-19-5221-0\_12.
- [8] E. Boros and Z. Balogh, "Fall prevention practices among nurses and the factors that influence them: a Hungarian study," *Kontakt*, Jul. 2024, doi: 10.32725/kont.2024.035.
- [9] Pemerintah Republik Indonesia, *UNDANG-UNDANG REPUBLIK INDONESIA NOMOR 27 TAHUN 2022 TENTANG PELINDUNGAN DATA PRIBADI*. Indonesia: BPK RI, 2022.
- [10] G. Gumilar and H. H. Rachmat, "Sistem Pendekripsi Jatuh Wireless Berbasis Sensor Accelerometer," *TELKA*, vol. 4, no. 2, pp. 132–141, 2018.
- [11] L. Palmerini, J. Klenk, C. Becker, and L. Chiari, "Accelerometer-based fall detection using machine learning: Training and testing on real-world falls," *Sensors (Switzerland)*, vol. 20, no. 22, pp. 1–15, Nov. 2020, doi: 10.3390/s20226479.
- [12] J. Tang *et al.*, "Synthetic IMU Datasets and Protocols Can Simplify Fall Detection Experiments and Optimize Sensor Configuration," *IEEE Transactions on Neural*

- Systems and Rehabilitation Engineering*, vol. 32, pp. 1233–1245, 2024, doi: 10.1109/TNSRE.2024.3370396.
- [13] Q. T. Huynh and B. Q. Tran, “Time-Frequency Analysis of Daily Activities for Fall Detection,” *Signals*, vol. 2, no. 1, pp. 1–12, Mar. 2021, doi: 10.3390/signals2010001.
  - [14] S. J. Blondell, R. Hammersley-Mather, and J. L. Veerman, “Does physical activity prevent cognitive decline and dementia?: A systematic review and meta-analysis of longitudinal studies,” May 27, 2014, *BioMed Central Ltd.* doi: 10.1186/1471-2458-14-510.
  - [15] S. S. Y. Yeung *et al.*, “Sarcopenia and its association with falls and fractures in older adults: A systematic review and meta-analysis,” Jun. 01, 2019, *Wiley Blackwell*. doi: 10.1002/jcsm.12411.
  - [16] R. Rosadi, A. Jankaew, P. T. Wu, L. C. Kuo, and C. F. Lin, “Factors associated with falls in patients with knee osteoarthritis: A cross-sectional study,” *Medicine (United States)*, vol. 101, no. 48, p. E32146, Dec. 2022, doi: 10.1097/MD.00000000000032146.
  - [17] F. Kohle *et al.*, “Peripheral neuropathy, an independent risk factor for falls in the elderly, impairs stepping as a postural control mechanism: A case-cohort study,” *Journal of the Peripheral Nervous System*, 2024, doi: 10.1111/jns.12656.
  - [18] L. Marotta, J. H. Buurke, B. J. F. van Beijnum, and J. Reenalda, “Towards machine learning-based detection of running-induced fatigue in real-world scenarios: Evaluation of IMU sensor configurations to reduce intrusiveness,” *Sensors*, vol. 21, no. 10, May 2021, doi: 10.3390/s21103451.
  - [19] G. L. Santos, P. T. Endo, K. H. de C. Monteiro, E. da S. Rocha, I. Silva, and T. Lynn, “Accelerometer-based human fall detection using convolutional neural networks,” *Sensors (Switzerland)*, vol. 19, no. 7, Apr. 2019, doi: 10.3390/s19071644.
  - [20] N. Maray, A. H. Ngu, J. Ni, M. Debnath, and L. Wang, “Transfer Learning on Small Datasets for Improved Fall Detection,” *Sensors*, vol. 23, no. 3, Feb. 2023, doi: 10.3390/s23031105.
  - [21] S. Lee, B. Koo, S. Yang, J. Kim, Y. Nam, and Y. Kim, “Fall-from-Height Detection Using Deep Learning Based on IMU Sensor Data for Accident Prevention at Construction Sites,” *Sensors*, vol. 22, no. 16, Aug. 2022, doi: 10.3390/s22166107.
  - [22] T. M. Le, V. T. Ly, and S. V. T. Dao, “A Feature Selection Approach for Fall Detection Using Various Machine Learning Classifiers,” *IEEE Access*, vol. 9, pp. 115895–115908, 2021, doi: 10.1109/ACCESS.2021.3105581.

- [23] L. M. Martins, N. F. Ribeiro, F. Soares, and C. P. Santos, “Inertial Data-Based AI Approaches for ADL and Fall Recognition,” *Sensors*, vol. 22, no. 11, p. 4028, May 2022, doi: 10.3390/s22114028.
- [24] G. Wang, Q. Li, L. Wang, W. Wang, M. Wu, and T. Liu, “Impact of sliding window length in indoor human motion modes and pose pattern recognition based on smartphone sensors,” *Sensors (Switzerland)*, vol. 18, no. 6, Jun. 2018, doi: 10.3390/s18061965.
- [25] S. Adnan abdulrahman, M. Roushdy, and A.-B. M.Salem, “Computer Based Detection of Normal and Alcoholic Signals Using Discrete Fourier Transform,” *Iraqi Journal for Computers and Informatics*, vol. 50, no. 1, pp. 8–19, Jun. 2024, doi: 10.25195/ijci.v50i1.438.
- [26] A. Rizal, R. Hidayat, and H. A. Nugroho, “Lung Sound Classification Using Empirical Mode Decomposition and the Hjorth Descriptor,” *Am J Appl Sci*, vol. 14, no. 1, pp. 166–173, Jan. 2017, doi: 10.3844/ajassp.2017.166.173.
- [27] J. Gifari, “Pahami Beberapa Konsep Statistik Berikut Sebelum Membuat Model Machine Learning,” dqlab.
- [28] C. Contoli, V. Freschi, and E. Lattanzi, “Energy-aware human activity recognition for wearable devices: A comprehensive review,” *Pervasive Mob Comput*, vol. 104, p. 101976, Nov. 2024, doi: 10.1016/j.pmcj.2024.101976.
- [29] D. Micucci, M. Mobilio, P. Napoletano, and F. Tisato, “Falls as anomalies? An experimental evaluation using smartphone accelerometer data,” Oct. 2015, [Online]. Available: <http://arxiv.org/abs/1507.01206>
- [30] Q. Cheng *et al.*, “Traffic Flow Outlier Detection for Smart Mobility Using Gaussian Process Regression Assisted Stochastic Differential Equations,” *Transp Res E Logist Transp Rev*, vol. 193, p. 103840, Jan. 2025, doi: 10.1016/j.tre.2024.103840.
- [31] A. Alam, “What is Machine Learning?,” Aug. 2023, doi: 10.5281/zenodo.8231580.
- [32] P. Hupalo, “On-device machine learning with CoreML,” Medium.
- [33] V. K. Verma and S. Verma, “Machine learning applications in healthcare sector: An overview,” *Mater Today Proc*, vol. 57, pp. 2144–2147, 2022, doi: 10.1016/j.matpr.2021.12.101.
- [34] M. A. Ganaie, M. Hu, A. K. Malik, M. Tanveer, and P. N. Suganthan, “Ensemble deep learning: A review,” *Eng Appl Artif Intell*, vol. 115, p. 105151, Oct. 2022, doi: 10.1016/j.engappai.2022.105151.
- [35] J. Murel and E. Kavlakoglu, “What is ensemble learning?,” IBM.

- [36] F. Divina, A. Gilson, F. Goméz-Vela, M. García Torres, and J. Torres, "Stacking Ensemble Learning for Short-Term Electricity Consumption Forecasting," *Energies (Basel)*, vol. 11, no. 4, p. 949, Apr. 2018, doi: 10.3390/en11040949.
- [37] A. Chatzimparmpas, R. M. Martins, K. Kucher, and A. Kerren, "StackGenVis: Alignment of data, algorithms, and models for stacking ensemble learning using performance metrics," *IEEE Trans Vis Comput Graph*, vol. 27, no. 2, pp. 1547–1557, Feb. 2021, doi: 10.1109/TVCG.2020.3030352.
- [38] R. Maulid, "Kenali Ensemble Learning pada Tipe Machine Learning," dqlab.
- [39] M. H. D. M. Ribeiro, R. G. da Silva, J. H. K. Larcher, A. Mendes, V. C. Mariani, and L. dos S. Coelho, "Decoding Electroencephalography Signal Response by Stacking Ensemble Learning and Adaptive Differential Evolution," *Sensors*, vol. 23, no. 16, p. 7049, Aug. 2023, doi: 10.3390/s23167049.
- [40] H. Yang, Z. Chen, J. Huang, and S. Li, "AWD-stacking: An enhanced ensemble learning model for predicting glucose levels," *PLoS One*, vol. 19, no. 2, p. e0291594, Feb. 2024, doi: 10.1371/journal.pone.0291594.
- [41] A. Dahal and S. Moulik, "The Multimodel Stacking and Ensemble Framework for Human Activity Recognition," *IEEE Sens Lett*, vol. 8, no. 10, pp. 1–4, Oct. 2024, doi: 10.1109/LSENS.2024.3451960.
- [42] J. Chen *et al.*, "Pre-evacuation Time Estimation Based Emergency Evacuation Simulation in Urban Residential Communities," *Int J Environ Res Public Health*, vol. 16, no. 23, p. 4599, Nov. 2019, doi: 10.3390/ijerph16234599.
- [43] L. Breiman, "Random Forests," *Mach Learn*, vol. 45, no. 1, pp. 5–32, 2001, doi: 10.1023/A:1010933404324.
- [44] R. Pallenberg *et al.*, "Random Forest and Gradient Boosted Trees for Patient Individualized Contrast Agent Dose Reduction in CT Angiography," 2023. doi: 10.3233/SHTI230316.
- [45] J. H. Friedman, "Greedy function approximation: A gradient boosting machine.," *The Annals of Statistics*, vol. 29, no. 5, Oct. 2001, doi: 10.1214/aos/1013203451.
- [46] J. Brownlee, "Stacking Ensemble Machine Learning With Python," *Machine Learning Mastery*.
- [47] E. James, L. Jacob, and K. B. Reddy, "Enhancing Stroke Prediction: Leveraging Ensemble Learning for Improved Healthcare," in *2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT)*, IEEE, Jun. 2024, pp. 1–5. doi: 10.1109/ICCCNT61001.2024.10725209.

- [48] S. BISWAS, S. GHOSH, S. ROY, R. BOSE, and S. SONI, "A Study of Stock Market Prediction through Sentiment Analysis," *Mapana Journal of Sciences*, vol. 22, no. 1, Feb. 2023, doi: 10.12723/mjs.64.6.
- [49] N. Ahmad, R. A. R. Ghazilla, N. M. Khairi, and V. Kasi, "Reviews on Various Inertial Measurement Unit (IMU) Sensor Applications," *International Journal of Signal Processing Systems*, pp. 256–262, Jan. 2013, doi: 10.12720/ijspes.1.2.256-262.
- [50] C. Tufisi, Z.-I. Praisach, G.-R. Gillich, A. I. Bichescu, and T.-L. Heler, "Forward Fall Detection Using Inertial Data and Machine Learning," *Applied Sciences*, vol. 14, no. 22, p. 10552, Nov. 2024, doi: 10.3390/app142210552.
- [51] P. Alfa and R. L. Lede, "IMPLEMENTASI ALGORITMA COMPLEMENTARY FILTER UNTUK MERANCANG BANGUN INTERAKSI MANUSIA DAN SMARTPHONE MENGGUNAKAN GERAKAN KEPALA." doi: 10.32722/pt.v19i3.3024.
- [52] Y. Celik *et al.*, "Sensor Integration for Gait Analysis," in *Encyclopedia of Sensors and Biosensors*, vol. 4, Elsevier, 2023, pp. 263–283. doi: 10.1016/B978-0-12-822548-6.00139-4.
- [53] T. Saito and M. Rehmsmeier, "The precision-recall plot is more informative than the ROC plot when evaluating binary classifiers on imbalanced datasets," *PLoS One*, vol. 10, no. 3, Mar. 2015, doi: 10.1371/journal.pone.0118432.
- [54] J. Allgaier and R. Pryss, "Cross-Validation Visualized: A Narrative Guide to Advanced Methods," *Mach Learn Knowl Extr*, vol. 6, no. 2, pp. 1378–1388, Jun. 2024, doi: 10.3390/make6020065.
- [55] D. Garcia-Gonzalez, D. Rivero, E. Fernandez-Blanco, and M. R. Luaces, "A Public Domain Dataset for Real-Life Human Activity Recognition Using Smartphone Sensors," *Sensors*, vol. 20, no. 8, p. 2200, Apr. 2020, doi: 10.3390/s20082200.
- [56] A. S. Yaro, F. Maly, P. Prazak, and K. Malý, "Outlier Detection Performance of a Modified Z-Score Method in Time-Series RSS Observation With Hybrid Scale Estimators," *IEEE Access*, vol. 12, pp. 12785–12796, 2024, doi: 10.1109/ACCESS.2024.3356731.
- [57] M. I. Siddiq, A. Rizal, B. Erfianto, and S. Hadiyoso, "Real-time Fall Detection using Key Joint Position Transition Time in the Elderly Activity Monitoring System," in *2023 6th International Conference on Information and Communications Technology, ICOIACT 2023*, Institute of Electrical and Electronics Engineers Inc., 2023, pp. 82–86. doi: 10.1109/ICOIACT59844.2023.10455912.