

DAFTAR PUSTAKA

- [1] L. Xu, H. Gu, Y. Zhang, T. Sun, and J. Yu, "Risk Factors of Flatfoot in Children: A Systematic Review and Meta-Analysis," *Int J Environ Res Public Health*, vol. 19, no. 14, p. 8247, Jul. 2022, doi: 10.3390/ijerph19148247.
- [2] H. Mukhtar *et al.*, "Fast Algorithm to Measure the Types of Foot Postures with Anthropometric Tests Using Image Processing," *Indonesian Journal of electronics, electromedical engineering, and medical informatics*, vol. 2, pp. 48–59, Nov. 2020, doi: 10.35882/ijeemi.v2i1.10.
- [3] V. Kamenský *et al.*, "Cost-effectiveness of diagnostic imaging modalities in symptomatic patients with lower limb peripheral arterial disease: discrete event simulation model," *Front Public Health*, vol. 12, Sep. 2024, doi: 10.3389/fpubh.2024.1367447.
- [4] C. Smolen and C. E. Quenneville, "A Finite Element Model of the Foot/Ankle to Evaluate Injury Risk in Various Postures," *Ann Biomed Eng*, vol. 45, no. 8, pp. 1993–2008, Aug. 2017, doi: 10.1007/s10439-017-1844-2.
- [5] A.-M. Keenan, A. C. Redmond, M. Horton, P. G. Conaghan, and A. Tennant, "The Foot Posture Index: Rasch Analysis of a Novel, Foot-Specific Outcome Measure," *Arch Phys Med Rehabil*, vol. 88, no. 1, pp. 88–93, Jan. 2007, doi: 10.1016/j.apmr.2006.10.005.
- [6] E. W. Abel, A. Unger, R. Fletcher, and A. S. Jain, "Development of clinical measurement of the axes of rotation of the ankle and subtalar joints," in *Proceedings of the Second Joint 24th Annual Conference and the Annual Fall Meeting of the Biomedical Engineering Society* [Engineering in Medicine and Biology, IEEE, 2002, pp. 2455–2456 vol.3. doi: 10.1109/IEMBS.2002.1053372.
- [7] A. C. Redmond, J. Crosbie, and R. A. Ouvrier, "Development and validation of a novel rating system for scoring standing foot posture: The Foot Posture Index," *Clinical Biomechanics*, vol. 21, no. 1, pp. 89–98, Jan. 2006, doi: 10.1016/j.clinbiomech.2005.08.002.
- [8] S. Setiyadi, H. Mukhtar, and W. A. Cahyadi, "A Comparative Study of Affordable Fotogrametri Software for Reconstructing 3D Model of a Human Foot," in *2021 IEEE 7th International Conference on Smart Instrumentation, Measurement and Applications (ICSIMA)*, IEEE, Aug. 2021, pp. 286–291. doi: 10.1109/ICSIMA50015.2021.9526314.

- [9] D. H. Spennemann and S. Hurford, "Low-cost mobile 3D scanning of heritage objects to facilitate long-distance research collaboration," Dec. 2024.
- [10] Y. Yang, J. Xu, W. S. Elkhuisen, and Y. Song, "The development of a low-cost photogrammetry-based 3D hand scanner," *HardwareX*, vol. 10, p. e00212, Oct. 2021, doi: 10.1016/j.ohx.2021.e00212.
- [11] A. K. Buldt, P. Levinger, G. S. Murley, H. B. Menz, C. J. Nester, and K. B. Landorf, "Foot posture and function have only minor effects on knee function during barefoot walking in healthy individuals," *Clinical Biomechanics*, vol. 30, no. 5, pp. 431–437, Jun. 2015, doi: 10.1016/j.clinbiomech.2015.03.014.
- [12] H. A. Hanifan, L. Novamizanti, and H. Mukhtar, "Identification of Foot Posture using Foot Posture Index-6 (FPI-6) based on Image Processing," *IOP Conf Ser Mater Sci Eng*, vol. 982, no. 1, p. 012011, Dec. 2020, doi: 10.1088/1757-899X/982/1/012011.
- [13] A. Hosseininaveh, R. Yazdan, A. Karami, M. Moradi, and F. Ghorbani, "A LOW-COST AND PORTABLE SYSTEM FOR 3D RECONSTRUCTION OF TEXTURE-LESS OBJECTS," *The International Archives of the Fotogrametri, Remote Sensing and Spatial Information Sciences*, vol. XL-1/W5, pp. 327–332, Dec. 2015, doi: 10.5194/isprsarchives-XL-1-W5-327-2015.
- [14] D. Montone, "TEMPERATURE EFFECTS ON MOTOR PERFORMANCE," 2013. [Online]. Available: www.HaydonKerkPittman.com
- [15] P. R. Wolf, B. A. Dewitt, and B. E. Wilkinson, *Elements of Fotogrametri with Applications in GIS*, 4th Edition. New York: McGraw-Hill Education, 2014. [Online]. Available: <https://www.accessengineeringlibrary.com/content/book/9780071761123>
- [16] A. Eltner, A. Kaiser, C. Castillo, G. Rock, F. Neugirg, and A. Abellán, "Image-based surface reconstruction in geomorphometry – merits, limits and developments," *Earth Surface Dynamics*, vol. 4, no. 2, pp. 359–389, May 2016, doi: 10.5194/esurf-4-359-2016.
- [17] B. Triggs, P. F. McLauchlan, R. I. Hartley, and A. W. Fitzgibbon, "Bundle Adjustment — A Modern Synthesis," 2000, pp. 298–372. doi: 10.1007/3-540-44480-7_21.

- [18] M. J. Westoby, J. Brasington, N. F. Glasser, M. J. Hambrey, and J. M. Reynolds, “‘Structure-from-Motion’ photogrammetry: A low-cost, effective tool for geoscience applications,” *Geomorphology*, vol. 179, pp. 300–314, Dec. 2012, doi: 10.1016/j.geomorph.2012.08.021.
- [19] Y. Furukawa and J. Ponce, “Accurate, Dense, and Robust Multiview Stereopsis,” *IEEE Trans Pattern Anal Mach Intell*, vol. 32, no. 8, pp. 1362–1376, Aug. 2010, doi: 10.1109/TPAMI.2009.161.
- [20] M. Jamuna and A. M. V. Prakash, “A Study of Communication Protocols for Internet of Things (IoT) Devices: Review,” 2021. doi: 10.2991/ahis.k.210913.033.