

DAFTAR PUSTAKA

- [1] L. Ray, C. Geier, and K. M. DeWitt, "Pathophysiology and treatment of adults with arrhythmias in the emergency department, part 1: Atrial arrhythmias," Aug. 15, 2023, *Oxford University Press*. doi: 10.1093/ajhp/zxad108.
- [2] D. H. Nguyen, P. C. P. Chao, C. C. Chung, R. H. Horng, and B. Choubey, "Detecting Atrial Fibrillation in Real Time Based on PPG via Two CNNs for Quality Assessment and Detection," *IEEE Sens J*, vol. 22, no. 24, pp. 24102–24111, Dec. 2022, doi: 10.1109/JSEN.2022.3217037.
- [3] Q. Qananwah, M. Ababneh, and A. Dagamseh, "Cardiac arrhythmias classification using photoplethysmography database," *Sci Rep*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-53142-9.
- [4] P. Cheng, Z. Chen, Q. Li, Q. Gong, J. Zhu, and Y. Liang, "Atrial fibrillation identification with PPG signals using a combination of time-frequency analysis and deep learning," *IEEE Access*, vol. 8, pp. 172692–172706, 2020, doi: 10.1109/ACCESS.2020.3025374.
- [5] D. Pachori, R. K. Tripathy, and T. K. Jain, "Detection of Atrial Fibrillation from PPG Sensor Data Using Variational Mode Decomposition," *IEEE Sens Lett*, vol. 8, no. 3, pp. 1–4, Mar. 2024, doi: 10.1109/LSENS.2024.3358589.
- [6] C. Yang, C. Veiga, J. J. Rodríguez-Andina, J. Fariña, A. Iñiguez, and S. Yin, "Using PPG Signals and Wearable Devices for Atrial Fibrillation Screening," *IEEE Transactions on Industrial Electronics*, vol. 66, no. 11, pp. 8832–8842, Nov. 2019, doi: 10.1109/TIE.2018.2889614.
- [7] X. Bai, X. Dong, Y. Li, R. Liu, and H. Zhang, "A hybrid deep learning network for automatic diagnosis of cardiac arrhythmia based on 12-lead ECG," *Sci Rep*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-75531-w.

- [8] M. Karri and C. S. R. Annavarapu, "A real-time embedded system to detect QRS-complex and arrhythmia classification using LSTM through hybridized features," *Expert Syst Appl*, vol. 214, Mar. 2023, doi: 10.1016/j.eswa.2022.119221.
- [9] U. Mishra, P. Golchha, J. J. R. Jegaraj, and O. A. Banne, "An ECG Based CNN Model for Detection of Different Classes of Arrhythmia," *SN Comput Sci*, vol. 5, no. 6, Aug. 2024, doi: 10.1007/s42979-024-02951-w.
- [10] C. V. DeSimone, N. Naksuk, and S. J. Asirvatham, "Supraventricular Arrhythmias: Clinical Framework and Common Scenarios for the Internist," Dec. 01, 2018, *Elsevier Ltd*. doi: 10.1016/j.mayocp.2018.07.019.
- [11] P. Harris and D. Lysitsas, "Ventricular arrhythmias and sudden cardiac death," *BJA Educ*, vol. 16, no. 7, pp. 221–229, Jul. 2016, doi: 10.1093/bjaed/mkv056.
- [12] H. Zu Li and P. Boulanger, "A survey of heart anomaly detection using ambulatory electrocardiogram (ECG)," Mar. 01, 2020, *MDPI AG*. doi: 10.3390/s20051461.
- [13] J. L. Moraes, M. X. Rocha, G. G. Vasconcelos, J. E. Vasconcelos Filho, V. H. C. de Albuquerque, and A. R. Alexandria, "Advances in photoplethysmography signal analysis for biomedical applications," Jun. 09, 2018, *MDPI AG*. doi: 10.3390/s18061894.
- [14] D. Zhao, Y. Sun, S. Wan, and F. Wang, "SFST: A robust framework for heart rate monitoring from photoplethysmography signals during physical activities," *Biomed Signal Process Control*, vol. 33, pp. 316–324, Mar. 2017, doi: 10.1016/j.bspc.2016.12.005.
- [15] J. Park, H. S. Seok, S. S. Kim, and H. Shin, "Photoplethysmogram Analysis and Applications: An Integrative Review," Mar. 01, 2022, *Frontiers Media S.A.* doi: 10.3389/fphys.2021.808451.

- [16] P. M. Mohan, V. Nagarajan, and J. C. Vignesh, "Spot and continuous monitoring of heart rate by combining time and frequency domain analysis of photoplethysmographic signals at rest conditions," *IET Signal Processing*, vol. 11, no. 9, pp. 1076–1082, Dec. 2017, doi: 10.1049/iet-spr.2016.0455.
- [17] A. A. Ahmed, W. Ali, T. A. A. Abdullah, and S. J. Malebary, "Classifying Cardiac Arrhythmia from ECG Signal Using 1D CNN Deep Learning Model," *Mathematics*, vol. 11, no. 3, Feb. 2023, doi: 10.3390/math11030562.
- [18] J. Cheng, Q. Zou, and Y. Zhao, "ECG signal classification based on deep CNN and BiLSTM," *BMC Med Inform Decis Mak*, vol. 21, no. 1, Dec. 2021, doi: 10.1186/s12911-021-01736-y.
- [19] M. G. Bulut, S. Unal, M. Hammad, and P. Pławiak, "Deep CNN-based detection of cardiac rhythm disorders using PPG signals from wearable devices," *PLoS One*, vol. 20, no. 2 February, Feb. 2025, doi: 10.1371/journal.pone.0314154.
- [20] T. Marasović and V. Papić, "A comparative study of FFT, DCT, and DWT for efficient arrhythmia classification in RP-RF framework," *International Journal of E-Health and Medical Communications*, vol. 9, no. 1, pp. 35–49, Jan. 2018, doi: 10.4018/IJEHMC.2018010103.
- [21] M. K. Sarkaleh, "Classification Of Ecg Arrhythmias Using Discrete Wavelet Transform and Neural Networks," *International Journal of Computer Science, Engineering and Applications*, vol. 2, no. 1, pp. 1–13, Feb. 2012, doi: 10.5121/ijcsea.2012.2101.
- [22] B. M. Mathunjwa, Y. T. Lin, C. H. Lin, M. F. Abbod, and J. S. Shieh, "ECG arrhythmia classification by using a recurrence plot and convolutional neural network," *Biomed Signal Process Control*, vol. 64, Feb. 2021, doi: 10.1016/j.bspc.2020.102262.

- [23] M. M. Taye, “Theoretical Understanding of Convolutional Neural Network: Concepts, Architectures, Applications, Future Directions,” Mar. 01, 2023, *MDPI*. doi: 10.3390/computation11030052.
- [24] K. O’Shea and R. Nash, “An Introduction to Convolutional Neural Networks,” Dec. 2015, [Online]. Available: <http://arxiv.org/abs/1511.08458>
- [25] J. Gu *et al.*, “Recent advances in convolutional neural networks,” *Pattern Recognit*, vol. 77, pp. 354–377, May 2018, doi: 10.1016/j.patcog.2017.10.013.
- [26] J. Chung, C. Gulcehre, K. Cho, and Y. Bengio, “Empirical Evaluation of Gated Recurrent Neural Networks on Sequence Modeling,” Dec. 2014, [Online]. Available: <http://arxiv.org/abs/1412.3555>
- [27] K. Cho *et al.*, “Learning Phrase Representations using RNN Encoder-Decoder for Statistical Machine Translation,” Sep. 2014, [Online]. Available: <http://arxiv.org/abs/1406.1078>
- [28] H. M. Lynn, S. B. Pan, and P. Kim, “A Deep Bidirectional GRU Network Model for Biometric Electrocardiogram Classification Based on Recurrent Neural Networks,” *IEEE Access*, vol. 7, pp. 145395–145405, 2019, doi: 10.1109/ACCESS.2019.2939947.
- [29] L. Alkhoury *et al.*, “Heart-rate tuned comb filters for processing photoplethysmogram (PPG) signals in pulse oximetry,” *J Clin Monit Comput*, vol. 35, no. 4, pp. 797–813, Aug. 2021, doi: 10.1007/s10877-020-00539-2.
- [30] J.-C. Vialatte, V. Gripon, and G. Coppin, “Learning Local Receptive Fields and their Weight Sharing Scheme on Graphs,” Oct. 2017, [Online]. Available: <http://arxiv.org/abs/1706.02684>
- [31] E. K. Naeini, F. Sarhaddi, I. Azimi, P. Liljeberg, N. Dutt, and A. M. Rahmani, “A Deep Learning-based PPG Quality Assessment Approach for

Heart Rate and Heart Rate Variability,” *ACM Trans Comput Healthc*, vol. 4, no. 4, Nov. 2023, doi: 10.1145/3616019.