

References

- [1] H. Al-Hraishawi, H. Chougrani, S. Kisseleff, E. Lagunas, and S. Chatzinotas, “A Survey on Nongeostationary Satellite Systems: The Communication Perspective,” *IEEE Commun. Surv. Tutorials*, vol. 25, no. 1, pp. 101–132, 2023, doi: 10.1109/COMST.2022.3197695.
- [2] N. Mehra, A. Kakkar, and S. C. Bera, “System Design Aspects of Ka-Band High Throughput Satellite (HTS) for Indian Region,” *2018 24th Natl. Conf. Commun. NCC 2018*, pp. 1–6, 2019, doi: 10.1109/NCC.2018.8599929.
- [3] K. S. Bin Sahaq and S. I. S. Hassan, “Measurements of the effect of simulated rain and wind on the offset parabolic receiver antenna at Ku-band frequencies,” 2008 IEEE Int. RF Microw. Conf. RFM 2008, pp. 450–453, 2008, doi: 10.1109/RFM.2008.4897458.
- [4] J. Zhu and H. Hou, “Research on User Experience Evaluation of Mobile Applications in Government Services,” *IEEE Access*, vol. 9, pp. 52634–52641, 2021, doi: 10.1109/ACCESS.2021.3070365.
- [5] Y. Lee and J. P. Choi, “Performance Evaluation of High-Frequency Mobile Satellite Communications,” *IEEE Access*, vol. 7, pp. 49077–49087, 2019, doi: 10.1109/ACCESS.2019.2909885.
- [6] G. Maral and M. Bousquet, “Satellite communications,” *Science (80-.)*, vol. 195, no. 4283, pp. 1125–1133, 2016, doi: 10.1126/science.195.4283.1125.
- [7] T. S. Abdu, S. Kisseleff, E. Lagunas, J. Grotz, S. Chatzinotas, and B. Ottersten, “Demand-Aware Onboard Payload Processor Management for High-Throughput non-GSO Satellite Systems,” *IEEE Trans. Aerosp. Electron. Syst.*, vol. 59, no. 5, pp. 4883–4899, 2023, doi: 10.1109/TAES.2023.3245044.
- [8] A. Saifaldawla, F. Ortiz, E. Lagunas, A. B. M. Adam, and S. Chatzinotas, “GenAI-Based Models for NGSO Satellites Interference Detection,” *IEEE Trans. Mach. Learn. Commun. Netw.*, vol. 2, no. July, pp. 904–924, 2024, doi: 10.1109/tmlcn.2024.3418933.
- [9] T. S. Abdu, S. Kisseleff, E. Lagunas, J. Grotz, S. Chatzinotas, and B. Ottersten, “Demand-Aware Onboard Payload Processor Management for High-Throughput NGSO Satellite Systems,” *IEEE Trans. Aerosp. Electron. Syst.*, vol. 59, no. 5, pp. 4883–4899, 2023, doi: 10.1109/TAES.2023.3245044.

- [10] M. Jalali, F. Ortiz, E. Lagunas, S. Kisseleff, L. Emiliani, and S. Chatzinotas, "Joint Power and Tilt Control in Satellite Constellation for NGSO-GSO Interference Mitigation," *IEEE Open J. Veh. Technol.*, vol. 4, no. July, pp. 545–557, 2023, doi: 10.1109/OJVT.2023.3302511.
- [11] S. Vishwakarma, A. S. Chauhan, and S. Aasma, "A Comparative Study of Satellite Orbits as Low Earth Orbit (LEO) and Geostationary Earth Orbit (GEO)," *SAMRIDDHI A J. Phys. Sci. Eng. Technol.*, vol. 6, no. 02, pp. 99–106, 2014, doi: 10.18090/samriddhi.v6i2.1559.
- [12] H. Fenech, A. Tomatis, S. Amos, V. Soumholphakdy, and D. Serrano-Velarde, "Future high throughput satellite systems," *Proc. - 2012 IEEE 1st AESS Eur. Conf. Satell. Telecommun. ESTEL 2012*, pp. 1–7, 2012, doi: 10.1109/estel.2012.6400117.
- [13] R. Pritchard-Kelly and J. Costa, "Low Earth Orbit Satellite Systems Comparisons with Geostationary and Other Satellite Systems, and their Significant Advantages," *J. Telecommun. Digit. Econ.*, vol. 10, no. 1, pp. 1–22, 2022, doi: 10.18080/jtde.v10n1.552.
- [14] S. V. Reznik, D. V. Reut, and M. S. Shustilova, "Comparison of geostationary and low-orbit 'round dance' satellite communication systems," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 971, no. 5, 2020, doi: 10.1088/1757-899X/971/5/052045.
- S. X. Lai, "Study on the frequency spectrum management model of Satellite Radio Communication Systems," *2010 Asia-Pacific Symp. Electromagn. Compat. APEMC 2010*, pp. 76–78, 2010, doi: 10.1109/APEMC.2010.5475655.
- [15] F. Cuervo et al., "Ka-band propagation campaign in Malaysia - First months of operation and site diversity analysis," *2016 10th Eur. Conf. Antennas Propagation, EuCAP 2016*, 2016, doi: 10.1109/EuCAP.2016.7481248.
- [16] J. Liang et al., "Free-Space Optical (FSO) Satellite Networks Performance Analysis: Transmission Power, Latency, and Outage Probability," *IEEE Open J. Veh. Technol.*, vol. 5, no. February, pp. 244–261, 2024, doi: 10.1109/OJVT.2023.3341409.
- [17] A. S. M. Marzuki, A. Naemat, and N. Kushairi, "Indoor and outdoor empirical path loss of Ku-band signals," *2016 IEEE Asia-Pacific Conf. Appl. Electromagn. APACE 2016*, no. December, pp. 388–392, 2016, doi: 10.1109/APACE.2016.7916467.

- [18] F. M. Alawwad, Y. A. Al-Zahrani, and H. M. Behairy, "Maximizing System Capacity Using Adaptive Coding and Modulation Techniques for Slowly Fading Channels," Proc. - 2017 UKSim-AMSS 19th Int. Conf. Model. Simulation, UKSim 2017, pp. 221–226, 2018, doi: 10.1109/UKSim.2017.45.
- [19] International Telecommunication Union, One-way transmission time, ITU-T Recommendation G.114, May 2003
- [20] Telecommunications and Internet Protocol Harmonization Over Networks (TIPHON); General aspects of Quality of Service (QoS) TR 101 329 V2.1.1, 1999.
- [21] H. Wang, A. Liu, X. Pan, and L. Jia, "Optimal bandwidth allocation for multi-spot-beam satellite communication systems," Proc. - 2013 Int. Conf. Mechatron. Sci. Electr. Eng. Comput. MEC 2013, pp. 2794–2798, 2013, doi: 10.1109/MEC.2013.6885504.
- [22] M. Cossu et al., "Effects of link availability on the achievable performance with Variable Coding Modulation Earth Observation satellites," Proc. - 2012 IEEE 1st AESS Eur. Conf. Satell. Telecommun. ESTEL 2012, no. 1, pp. 1–7, 2012, doi: 10.1109/estel.2012.6400108.
- [23] T. Pratt and J. Allnutt, Satellite Communications. 2018. doi:10.1201/9781315218267-13
- [24] B. Maruddani and W. Dara, "Ka-band satellite link budget for broadband application in tropical area," J. Commun., vol. 14, no. 7, pp. 622–628, 2019, doi: 10.12720/jcm.14.7.622-628.
- [25] R. S. ITU-R, "Recommendation ITU-R P.838-3: Specific attenuation model for rain," Int. Telecommun. Union, Geneva, pp. 1–8, 2005, [Online]. Available: https://www.itu.int/dms_pubrec/itu-r/rec/p/R-REC-P.838-3-200503-I!!PDF-E.pdf
- [26] G. Maral, M. Bousquet, and Z. Sun, Satellite Communications System. 2017.[Online]. Available: [http://repo.iain-tulungagung.ac.id/5510/5/BAB 2.pdf](http://repo.iain-tulungagung.ac.id/5510/5/BAB%202.pdf).
- [27] International Telecommunication Union (ITU), "RECOMMENDATION ITU-R S . 1428-1 Reference FSS earth-station radiation patterns for use in interference assessment involving non-GSO satellites in frequency bands between 10 . 7 GHz and 30 GHz," pp. 1–3, 2001.
- [28] International Telecommunication Union (ITU), "Calculation of Probability of Harmful Interference Between Space Networks (C/I Ratios)," vol. 18, no.

October, pp. 8–12, 2018.

- [29] V. Weerackody, “Adaptive coding and modulation for satellite communication links in the presence of channel estimation errors,” *Proc. - IEEE Mil. Commun. Conf. MILCOM*, pp. 622–627, 2013, doi: 10.1109/MILCOM.2013.112.
- [30] L. Sastri, *Quality of Service for Broadband Satellite Internet - Atm and Ip Services*. 2002.
- [31] S. Condon, *What Is Starlink? Everything You Need to Know about Elon Musk’s Satellite Internet Service*, ZDNET, 2022.
- [32] R. Crist, *Starlink Explained: Insights into Elon Musk’s Satellite Internet Service*, CNET, 2023.
- [33] W. Zuo, B. Mu, H. Fang, and Y. Wan, “User Experience: A Bibliometric Review of the Literature,” *IEEE Access*, vol. 11, no. February, pp. 12662–12675, 2023, doi: 10.1109/ACCESS.2023.3241968.
- [34] ITU-T, “ITU-T P.800.1: Mean opinion score (MOS) terminology,” 2016.
- [35] M. A. Bujang, P. A. Ghani, N. A. Zolkepli, T. H. Adnan, and M. M. Ali, “A comparison between convenience sampling versus systematic sampling in getting the true parameter in a population,” *2012 Int. Conf. Stat. Sci. Bus. Eng.*, pp. 1–5, 2009.
- [36] Q. Ma and L. Liu, “The technology acceptance model: A meta-analysis of empirical findings,” *Adv. Top. End User Comput.*, vol. 4, no. May, pp. 112–127, 2005, doi: 10.4018/978-1-59140-474-3.ch006.
- [37] Sugiyono, *Metodologi Penelitian Kuantitatif, Kualitatif dan R & D*. 2020.
- [38] S. Jamieson, “Likert scales: how to (ab)use them,” *Medical Education*, vol. 38, no. 12, pp. 1217–1218, 2004.
- [39] J. de Winter and D. Dodou, “Five-Point Likert Items: t Test Versus Mann–Whitney–Wilcoxon,” *Practical Assessment, Research, and Evaluation*, vol. 15, no. 11, pp. 1–16, 2010.
- [40] N. Şimşek, “Comparison of t-Test and Mann–Whitney U Test in Terms of Type I Error Rate and Test Power in the Analysis of Likert Type Data,” *International Journal of Assessment Tools in Education*, vol. 10, no. 2, pp. 297–310, 2023.