

DAFTAR PUSTAKA

- [1] V. Fung, G. Hu, P. Ganesh, and B. G. Sumpter, “Machine learned features from density of states for accurate adsorption energy prediction,” *Nat. Commun.*, vol. 12, no. 1, 2021, doi: 10.1038/s41467-020-20342-6.
- [2] O. Mamun, K. T. Winther, J. R. Boes, and T. Bligaard, “High-throughput calculations of catalytic properties of bimetallic alloy surfaces,” *Sci. Data*, vol. 6, no. 1, pp. 1–9, 2019, doi: 10.1038/s41597-019-0080-z.
- [3] J. K. Nørskov, T. Bligaard, J. Rossmeisl, and C. H. Christensen, “Towards the computational design of solid catalysts,” *Nat. Chem.*, vol. 1, no. 1, pp. 37–46, 2009, doi: 10.1038/nchem.121.
- [4] S. K. Natarajan, S. K. R. Pillai, and D. Sundar, “Adsorption and Photocatalytic Degradation Properties of Bimetallic Ag/MgO/Biochar Nanocomposites,” *Int. J. Photoenergy*, vol. 2022, Article ID 3631584, 11 pages, 2022, doi: 10.1155/2022/3631584.
- [5] G. Joshi and A. Kaul, “Convolutional Neural Networks: A Survey,” *Computers*, vol. 12, no. 8, p. 151, 2023, E-ISSN: 2073-431X.
- [6] S. Back, J. Yoon, N. Tian, W. Zhong, K. Tran, and Z. W. Ulissi, “Convolutional neural network of atomic surface structures to predict binding energies for high-throughput screening of catalysts,” *J. Phys. Chem. Lett.*, vol. 10, no. 15, pp. 4401–4408, Jul. 2019, doi: 10.1021/acs.jpcllett.9b01428.